



mPOS • RETAIL • RECEIPTS • HOSPITALITY • LABELS • KIOSK • TICKETS

POS Printing Solutions

NEW

FREE-OF-CHARGE DIGITAL RECEIPTING NOW INCLUDED

star

THE 2015 COLLECTION



Introduction

The retail market has evolved once again with retailers taking full advantage of the latest mobile device technology to enhance the customer's point of purchase experience as well as provide aesthetically pleasing, compact and, just as importantly, cost-effective POS solutions.

Once again Star Micronics, undoubtedly the world's most innovative POS peripheral manufacturer, was ready with a range of mPOS printers and accessories that have enabled retailers to adopt tablet and smartphone POS use across the retail environment.

Simple Cloud and Bluetooth printers are not enough. Retailers have shown they need a wider selection of products to manage payment, loyalty and security incorporating a choice of printing solutions. That not only takes investment but time. Other manufacturers have followed Star's lead but still cannot provide the complete range of mPOS peripherals which is why Star still leads the mPOS market.

...and now once again Star has shown it doesn't follow the market – it leads, with the introduction of two **UNIQUE & MARKET CHANGING** products.



NEW

View and store receipts / coupons on your customer's phones at no charge

AllReceipts

The fast, secure and easy route to digital receipting

AllReceipts Digital Receipting with Star's AllReceipts App – now included in the printer driver and **FREE** to retailers and customers with analytics and device management tools (available Qtr 3 2015) – see page 8 for more information.



Just download the App!



NEW

mPOP

Bluetooth

The World's 1st Bluetooth Combined 58mm Printer and Cash Drawer

The ultimate, unique peripheral for merchants requiring a Bluetooth combined printer and cash drawer that simplifies integration and whose good looks will complement any counter top. The only decision is whether to use a smartphone, Apple or Android tablet – for more details see pages 6 & 7.



Contents



| What's New | Summary of the latest developments from Star | 4-5 |
|------------------------|--|-------|
| NEW AllReceipts | NEW FREE of CHARGE digital receipting available on TSP100. No Emailing required | 8 |
| NEW AsuraCPRNT | "All-In-One" Linux or Android driven interactive communication platform & printer with WebPRNT | 26-27 |
| NEW mPOP | Combined cash drawer & 58mm printer with Bluetooth connectivity designed specifically for the mobile mPOS market | 6-7 |

| Direct Thermal 203 dpi Label, Receipt & Ticket mPOS & POS Printers | | |
|--|---|-------|
| NEW mPOP | Combined cash drawer & 58mm printer with Bluetooth connectivity designed specifically for the mobile mPOS market | 6-7 |
| TSP100 Series | Entry-level USB/LAN 80mm receipt printers FREE Digital Receipting with App feature | 9-11 |
| TSP100 futurePRNT Software | Innovative TSP100 installation & marketing software included free-of-charge for all sizes of retailer | 10-11 |
| TSP654II Series | HIGH SPEED, 80mm entry-level 300mm/sec. receipt printers with interchangeable interfaces & new super white versions | 12-13 |
| TSP700II & TSP800II Series | Multi-functional 80mm & 112mm wide receipt, label & ticket printers NEW Bluetooth & WebPRNT versions | 16-17 |
| FVP10 Series | Front operating, under counter, multi-functional 80mm wide receipt, label & ticket printers NEW Bluetooth & WebPRNT versions | 15 |
| TSP1000 Series | Versatile low cost 80mm thermal printer with receipt/ticket stacker & 18cm paper roll | 18 |
| TSP-L10 Series | High performance 80mm printer for secure transactions including coupon, lottery & ticketing & 20cm paper roll | 19 |

| Dot Matrix Kitchen & Receipt Printers | | |
|---------------------------------------|--|----|
| SP298 Series | Fast 3.1 lps, reliable, cost-effective 9-pin matrix impact slip printers | 20 |
| HSP7000 Series | HIGH SPEED, 203 dpi direct thermal/9-pin matrix hybrid combination receipt/cheque printer | 20 |
| SP700 Series | Advanced, high speed red/black clamshell receipt/kitchen printers NEW Bluetooth & WebPRNT versions | 21 |
| SP500 Series | Entry level receipt/kitchen printers with 6 position black mark sensors | 21 |
| DP8340 Series | Versatile, wide (114mm), mobile, compact receipt/label printers (up to 2 lps) | 18 |

| mPOS Connectivity | | |
|---|--|-----|
| NEW Bluetooth Desktop Direct Thermal & Matrix Kitchen Printers | (grey models only) with Apple iOS (including Auto Connect)/Android/Windows connectivity | |
| TSP654IIBI | Entry-level, high performance 300mm/sec. receipt printer with cash drawer support | 13 |
| TSP743IIBI | Multi-functional printer capable of producing 80mm wide high quality receipts, labels & tickets on media up to 0.15mm thick | 16 |
| TSP847IIBI | Multi-functional printer capable of producing 112mm wide high quality receipts, labels & tickets on media up to 0.15mm thick | 17 |
| FVP10BI | Front operating, multi-functional printer capable of producing 80mm wide high quality receipts, labels & tickets | 15 |
| SP742BI | High speed, clamshell kitchen printer with splash proof design, internal power supply and red/black output | 15 |
| <i>Please see Mobile Range below for hand-held / belt printers</i> | | |
| NEW mPOP | Combined 6 or 8 coin holder / 4 note cash drawer & 58mm printer with Bluetooth connectivity | 6-7 |
| DK-AirCash | Unique accessory to "wirelessly" mobilise any RJ11 traditional cash drawer – LAN, Bluetooth & LAN, WiFi & LAN versions available | 25 |
| DK-USB | Star Printer Power Provider option for WiFi Pack or other 3rd party dongles such as 3G etc. | 25 |
| WiFi Power Pack | Low cost device enabling wireless printing from any Star LAN printer | 25 |
| ProxiPRNT BLE Beacons | Proximity based printing & secure cash management beacons for mobile device distance access to Star printers & cash drawers | 5 |
| WebPRNT | Multi-platform plug-in hardware interface & Star WebPRNT Browser solutions for direct printing from a Web page | 14 |

| Mobile Receipt & Label Printers WiFi & Bluetooth versions | | |
|---|--|-------|
| NEW SM-L200 | Classic Bluetooth/BLE – Low cost, 58mm mobile receipt & label printer with simple, no pin required connection with Bluetooth 4 devices including Apple iOS, Android, Linux & Windows | 22-23 |
| NEW SM-S230i | Bluetooth – Super compact 58mm mobile receipt printer with OS auto-detect pairing. Apple iOS (MFi certified), Android, Linux & Windows | 22-23 |
| SM-S220i | Bluetooth – Counter top mobile 2" (58mm), Apple iOS (MFi certified)/Android/Windows mobile receipt printer | 22-23 |
| SM-T300i & SM-T400i | Bluetooth – 3" (80mm) & 4" (112mm), rugged, IP54 splash proof, Apple iOS (MFi certified)/Android/Windows printers | 22-23 |
| SM-T300DW | WiFi – 3" (80mm) rugged, IP54 dust & splash proof mobile receipt printer | 22-23 |

| POS Peripherals, Customer Displays & Cash Drawers | | |
|---|--|-----|
| NEW mPOP | Combined 6 or 8 coin holder / 4 note cash drawer & 58mm printer with Bluetooth connectivity | 6-7 |
| CB-2002/ CB-92II | Cash drawers available in charcoal grey, TSP143ECO black, Star white and the NEW Ultra white to match mPOS devices | 24 |
| DK-AirCash | Unique accessory to "wirelessly" mobilise any RJ11 traditional cash drawer – LAN, Bluetooth & LAN, WiFi & LAN versions available | 25 |
| SCD122 & SCD400 | ESC/POS™ compatible customer displays with stand alone, telescopic pole & USB versions | 24 |

| Terminal Embedded / Kiosk Printers | | |
|------------------------------------|--|----|
| Sanei SK1-21A/31A/32/41A | Range of compact, open frame printers | 28 |
| TUP500 & TUP900 Series | Modular, open frame 80mm & 112mm wide receipt, label & ticket printers with A4 Replacement version using Scalable Raster Driver to reduce traditional laser running costs by 90% | 29 |

| Key Product Summary with Specifications | | | |
|---|----|---|----|
| AsuraCPRNT "All-in-One" | 32 | Dot Matrix, Impact Receipt & Kitchen Printers | 33 |
| Mobile/mPOS Printers (Wireless & Bluetooth) | 32 | Specialist Thermal Kiosk/Terminal, Lottery & Ticketing Printers | 34 |
| Bluetooth Desktop Printers | 33 | Direct Thermal mPOS, POS and Kiosk Printers | 35 |

What's **NEW** from Star

Star has not only extensively researched the needs of its users with new products reflecting worldwide market POS & mPOS innovations but has also developed more software related products including AllReceipts. This solution enhances Star's printer range & works independently of the retailer's software, minimising installation costs.

AllReceipts



The World's 1st Digital Receipting function with Customer App

Star has taken printer enhancement to a new level with AllReceipts included within the Star printer driver.

Star's digital receipting offers retailers a free of charge and fast route to providing the customer with a digital image of a printed receipt as well as access to analytics, an in-store customer survey and device management tools. With zero development required, AllReceipts is enabled within the Star printer driver and works independently of a retailer's POS software. All receipts are initially stored in the Microsoft Azure Cloud and then deleted when "claimed" and stored/organised in the **AllReceipts App** on the customer's mobile device. The immediate advantage to the customer is the choice to remain anonymous and yet still receive a digital copy of the receipt without all of the issues typically associated with email receipting.

See page 8 for more details



AllReceipts



mPOP

mPOP



The World's 1st Bluetooth Combined 58mm Printer and Cash Drawer

Star is known worldwide as the most dominant printer manufacturer for mPOS with connectivity at all levels, so it is only natural for Star to create the world's 1st Bluetooth all-in-one mPOS cash drawer. Designed for use under and above the counter with just one power cable for all mPOP functions including scanner use, as well as one or two external device charging (available Qtr 3 2015).

See pages 6 & 7 for more details



SM-L200

4.0
Bluetooth

NEW 58mm Apple iOS certified & Star's 1st 58mm Classic Bluetooth/BT4.0 Low Energy Mobile Printers



SM-L200 has been designed specifically for the mPOS market and happily connects with Classic Bluetooth 2.1 and Bluetooth 4 devices without the need for pin codes or traditional pairing methods. The compact design, convenient USB charging and 13 hour battery life is perfect for environments where retailers do not want to pair one printer to just one tablet. Essentially all tablets/smartphones could talk to this printer.

SM-S230i is Star's latest traditional Bluetooth mobile with next generation features including auto-detect pairing to Apple iOS (with MFi certification), Android and Windows devices. Battery life has been increased to 13 hours with a more compact, yet durable design with a drop test of 1.5 metres.

See pages 22, 23 & 32 for more information



Made for
iPhone iPad



SM-S230i

ASURA CPRNT

The World's 1st "All-In-One" interactive communication platform

with integrated printer can be used as a standalone terminal or as a thin client/server in any industry. The BCR/MSR options lend themselves for multiple applications from in-store video advertising to retail merchandising, queue management, price checking, self checkout and beyond.

The options are endless!

See pages 26-27 for more details



mPOS Ultra White Range

Today's mPOS marketplace is currently experiencing exponential growth worldwide and Star is at the forefront of this mPOS revolution with the widest selection of printers and accessories available today, including a new super white range to aesthetically match the user's chosen device whether it be an Android, Apple or Windows Smartphone or tablet – see TSP100ECO, TSP100LAN & TSP654II.

The World's Largest Range of Bluetooth Kitchen Label, Receipt & Ticket Printers



Including entry-level Receipt, Kitchen Matrix, Label and 80 or 112mm wide Ticket Printers using media up to 0.15mm thick for Apple iOS, Android & Windows – see TSP654II, TSP743II, TSP847II, SP742 & FVP10.



Platform independent HTML / JavaScript Printing from the Web

Offering the world's largest range of low cost networking Thermal Receipt, Ticket & Label printers as well as a Matrix Kitchen printer.

- **TSP654IWP WEB** – 80mm Thermal, Entry-Level Receipt printer
- **TSP743WP WEB** – 80mm Thermal Label, Receipt and Ticket printer (0.15mm)
- **FVP10WP WEB** – Front operating 80mm Thermal Label, Receipt and Ticket printer (0.15mm)
- **TSP847WP WEB** – 112mm Thermal Label, Receipt and Ticket printer (0.15mm)
- **SP742WP WEB** – 76mm, 2 Colour Matrix Kitchen printer

Plus new Star WebPRNT browser for Bluetooth mobile and counter printers.

See page 14 for specifications

Star DK-AirCash

Unique accessory to mobilise any Cash Drawer

Low cost, Cash Drawer Accessory enabling mPOS users to open the cash drawer of their choice with a standard RJ-11 printer connection via their mobile device in a variety of environments with Star's unique Auto Connect feature.

See page 25 for more details

Star WiFi Power Pack

Star WiFi Power Pack with DK-USB Printer Power Connection

No 2nd power socket needed. For use with STAR LAN & WebPRNT printers.

- Star DK-USB – designed to provide USB power for external 3rd party dongles minimising the number of external cables and power sockets required


See page 25 for more details



Proximity Based Printing & Secure Cash Management for mPOS

using BLE beacons integrated with StarIO Printer and Cash Drawer support API or SDK to provide remote tablet access to Star printers and cash drawers. Once integrated with the Star receipt printer or cash drawer, Star's ProxiPRNT will enable the sales assistant to automatically select and print to the closest printer as well as ensure that a cash drawer can only be opened wirelessly if the sales assistant is standing right next to it.

- Threshold distances can be set as required
- Supports Star & compatible cash drawers fitted with DK-AirCash
- Full Star IO and SDK support





"The *NEW* ultimate and unique peripheral for merchants requiring a Bluetooth combined printer and cash drawer."



NEW

mPOP

THE MOBILE POINT OF PURCHASE SOLUTION

Outstanding connectivity and design, plus intuitive functionality and simple integration are delivered ready to work with your chosen, mobile, software and card payment system. Welcome to a new era for mPOS.



Tablet and phone not included.

The World's 1st Bluetooth Combined 58mm Printer and Cash Drawer

Advanced mobile devices and app software have opened up new avenues for retailers. At Star Micronics we've developed the world's first conceptually driven, combined point of purchase cash drawer and printer in response to the need for an easily integrated mobile POS system. In the **mPOP** we've created something that's aesthetically simple and elegant, yet loaded with intuitive design features. At just 10cm high and 30cm wide it's easily transportable, whilst the Bluetooth connectivity means only one mains cable is needed for full operation.

mPOP works with all major mobile operating systems including Apple iOS, Android and Windows, giving retailers the freedom to use the platform that works for them.



iOS



The multiple functions and connectivity of the mPOP make processing customer transactions smooth and effortless for outlets such as bars and cafés, florists and pop up shops. The sleek design will complement any counter top or, for an even less intrusive look, it can be secured underneath a countertop.

mPOP




Use with YOUR choice of mobile device.



► Compact, stylish and functional

Just 10cm high and 30cm wide, the mPOP unit will sit happily in retail and hospitality environments providing receipts and change for your sale. Just add the latest third party card pin pad to your set-up.



Cable exit choices

► Effective cable management

Enhanced cable routing and various cable exit options maintain the sleek design in your retail environment.

mPOP Reliable 100mm/second printer with intuitive top loading & easy front feed, the printer uses traditional direct thermal receipt paper which does not need ribbons or toner and is readily available. The partial cut guillotine automatically cuts the 58mm wide receipt so it won't drop on the floor. Simple paper loading – just push the front printer panel and press the easy release lever to drop in the paper roll and then print.

mPOP Functional but compact cash drawer

A clean, fast drawer release reveals 6 or 8 coin holders capable of taking full bank bags of coins and 4 upright note dividers. Higher value notes can be stored securely under the coin inserts and a software lock provides extra security.

mPOP Classic Bluetooth Connectivity

Choose the mobile device of your choice – Android, Apple, Linux or Windows tablet/smartphone for simple Bluetooth pairing. The mPOP LED display will quickly let you know pairing status as well as any issues such as paper out etc.



mPOP Compact, mobile POS design for the retail environment is further enhanced by the need for just one single mains cable for all mPOP functions. One or two external device chargers are included as well as the Star scanner which can be included at purchase or bought at a later date. USB connectivity ports are neatly positioned in a recess in the base of the unit, offering quick and easy access as well as providing its own secure cable management... *simply plug in and go!*

mPOP Security – a secure counter clip is supplied to help protect the mPOP unit when used above the counter along with the 3rd party Kensington™ lock facility. The under-counter mount kit option will enable you to position the mPOP unit in a more secure environment if preferred.



In the box at purchase:



- mPOP can be purchased with the plug and play Star scanner, or this can be added as a later option
- For immediate set-up, a complementary stand is included. Options for one or two devices could provide both customer & retailer displays if allowed by software. Or alternatively, choose a 3rd party stand to match the secure VESA mount screw-down option



- Secure clip for mounting to retail station counter
- Kensington™ lock facility for enhanced security using a wide range of compatible 3rd party locks

Options include:

- Plug and play Star scanner
- Under-counter mount kit
- Secure VESA mount for industry standard 3rd party device stands
- 3rd party Kensington™ lock



| mPOP Specifications | | | | |
|---|-----------------|---|-----------------------|---|
| Two versions available: 1. With Star Scanner 2. Without Star Scanner (Star scanner can be purchased as an option) | | | | |
| Printer | Print Method | 2" Direct Thermal with Front Loading Design | Internal Power Supply | Energy Star |
| | Print Speed | 100mm/sec | mPOP Case Colour | White & Silver / Black & Silver |
| | Cutter | Guillotine | Interface | Bluetooth 2.1 & USB |
| Paper | Width | 58mm | Status LEDs | Yes (Power, Error, Bluetooth Status, etc.) |
| | Roll Diameter | 50mm | Operating System | iOS / Android / Windows |
| | Paper Thickness | 53µm – 75µm | Emulation | Star Line Mobile Mode |
| | Print Area | 54mm or 48mm (software adjustable) | USB Port | 1 Slave USB Port, 2 x 0.5A USB Host, 2 x 1.5A USB Host for external device charging/peripherals |
| | Paper Load | Drop In / Front presentation | | |
| Cash Drawer | Notes & Coins | 4 upright note holders & flexible 6 or 8 coin slots | Sensors | Cover open, PE |
| | Lock Key | Software controlled lock with emergency lock release | External Dimensions | 308 x 300 x 100 mm (w x d x h) 3.5kg |
| mPOP Options | | • Wired Star BarCode Scanner • Under Counter Mount kit • 3rd Party VESA Stand Fixing Base | | |
| Included in mPOP Box | | • Simple double sided stand • mPOP fixing tool • AC cable • Paper roll • BCR (with scanner version) | | |

NEW "AllReceipts is a FREE DIGITAL RECEIPTING SERVICE that uses the Cloud & mobile App to bridge the gap between the retailer & shopper."



AllReceipts

The fast, secure and easy route to digital receipting

The NEW, FAST & LOW COST ROUTE to DIGITAL RECEIPTING for Retailers

AllReceipts is the new Star Cloud Solution providing Retailers with an "instant" Digital Receipting Service for their customers. No Emailing required.


AllReceipts is FREE of CHARGE, simple to install and works "above" the retailer's software. All you need is any of Star's TSP100 printers linked to the internet, to send an image of the receipt and coupon to the AllReceipts App on your customer's phone – no email address required!



Valuable Cloud based Reporting Tools for Retailers

have also been included, plus:

- ▶ **Star's Device Management Tool** provides real time status across the installed base of printers including different locations with refreshed error status notification on a comprehensive cloud based dashboard.
- ▶ **"Instant" Customer Satisfaction Survey** which the customer completes while "claiming" the receipt. The Device Management Data & Survey Tools will allow retailers to drill down to the POS station involved and even help highlight staffing issues.
- ▶ **Increased Coupon Redemption** customers will no longer have to remember receipts and will be grateful you have made the coupon so simple to use, including checking redemption dates.



- ▶ **Zero development** is needed as AllReceipts is enabled within the Star printer driver and is triggered by printing a traditional receipt. Working independently of a retailer's existing POS software, it automatically generates and securely sends an image of the receipt and coupon (where relevant) to the cloud until claimed.

Currently AllReceipts works with TSP100 using the Windows futurePRNT driver supporting Windows 7 onwards. SDKs for iOS and Android will follow soon.

Contact Star for more details at Sales@Star-EMEA.com



AllReceipts App



Available NOW!

AllReceipts is subject to local country legislative requirements. AllReceipts will currently only be available in English with some localised languages to follow.

TSP100 Introduction

Setting new standards for POS printing technology, Star's best selling printer worldwide, the TSP100, is the first software-driven POS receipt printer to provide an immediate plug & play application. This allows retailers to tailor and continuously modify all aspects of receipting output to meet their individual needs.

Advanced features such as receipt re-design, electronic journal, print-on-demand, graphic dependent multi-copy receipting and automatic text reduction are also included as simple tick-box changes.

The unique TSP100 set-up utility reduces integration time to minutes as it can simply mirror individual printer settings to multiple units in different locations, if required. The printer does not have to be taken out of the box for pre-installation. This is all achieved outside of the core POS software, providing endless possibilities.

The advantages of the TSP100 stretch from the retailer, POS reseller to the system integrator.

TSP100 *futurePRNT*

NEW Ultra White versions to match today's mPOS mobile devices.



RETAIL

- Point-of-Sale
- Retail Couponing

HOSPITALITY

- Table Receipting
- Hotel Invoicing
- Kitchen Printing

DELIVERY LOGISTICS


– and so much more.

PoweredUSB

Star has rethought its PoweredUSB strategy and will now be supplying a “true” dual power cable for all thermal receipt printers. True power saving and cable reduction is achieved when used with the TSP100ECO or any of the other Energy Star certified thermal printers. Contact Star for more details.

Full specifications on page 35 or www.futurePRNT.com

TSP100 *futurePRNT* – Product range

| | TSP100ECO | TSP100GT | TSP100U | TSP100LAN |
|--|---|--|---|---|
|  |  |  |  |  |
| Model Summary | TSP143ECO – 150mm/sec. Autocutter USB model. Available in Black, Star White & NEW Ultra White | TSP113GT – 250mm/sec. USB Tear Bar model. TSP143GT – 250mm/sec. USB Autocutter model. Available in High Gloss Piano Black & Star White | TSP113U – 125mm/sec. USB Tear Bar model. TSP143U – 125mm/sec. USB Autocutter model. Available in Charcoal Grey or Star White | TSP113LAN – 125mm/sec. Ethernet Tear Bar model. TSP143LAN – 125mm/sec. Ethernet Autocutter model. Available in Charcoal Grey, Star White & NEW Ultra White |
| Key Features  | <ul style="list-style-type: none"> • Easy-Load “Drop-In & Print” paper loading • Tear Bar or Autocutter versions (high quality guillotine cutter) • Unique <i>futurePRNT</i> software included with Mass Install Tool so you do not need to take the printer out of the box to install. All the settings are held on the PC! | <ul style="list-style-type: none"> • Tear Bar or Autocutter versions (high quality guillotine cutter) • Unique <i>futurePRNT</i> software included with Mass Install Tool so you do not need to take the printer out of the box to install. All the settings are held on the PC! | <ul style="list-style-type: none"> • Easy-Load “Drop-In & Print” paper loading • Tear Bar or Autocutter versions (high quality guillotine cutter) • Unique <i>futurePRNT</i> software included with Mass Install Tool so you do not need to take the printer out of the box to install. All the settings are held on the PC! | <ul style="list-style-type: none"> • Unique Ethernet Print on Disconnection Feature • Easy-Load “Drop-In & Print” paper loading • Tear Bar or Autocutter versions (high quality guillotine cutter) • Unique <i>futurePRNT</i> software included with Mass Install Tool so you do not need to take the printer out of the box to install. All the settings are held on the PC! |
| NEW FREE-OF-CHARGE Digital Receipting using Star's AllReceipts App – see page 8 for details | | | | |
| What's in the box | <ul style="list-style-type: none"> • USB Cable • Internal Power Supply with 1.8m Power Cord • Wall Mount Bracket • Vertical Mount Accessory • 58mm Paper Guide • Installation CD and Value-Added Software | <ul style="list-style-type: none"> • USB Cable • Internal Power Supply with 1.8m Power Cord • Wall Mount Bracket • Vertical Mount Accessory • 58mm Paper Guide • Power Switch Cover • Installation CD and Value-Added Software | <ul style="list-style-type: none"> • Internal Power Supply with 1.8m Power Cord • Wall Mount Bracket • Vertical Mount Accessory • 58mm Paper Guide • Power Switch Cover • Installation CD and Value-Added Software | <ul style="list-style-type: none"> • LAN Cable • Internal Power Supply with 1.8m Power Cord • Wall Mount Bracket • Vertical Mount Accessory • 58mm Paper Guide • Power Switch Cover • Installation CD and Value-Added Software |
| Optional extras | <ul style="list-style-type: none"> • Splash Proof Cover • Display Stand for vertical use | <ul style="list-style-type: none"> • Splash Proof Cover • Display Stand for vertical use | <ul style="list-style-type: none"> • Splash Proof Cover • Display Stand for vertical use | <ul style="list-style-type: none"> • Splash Proof Cover • Display Stand for vertical use • WiFi Power Pack |

► Make your TSP100LAN wireless with the Star WiFi Power Pack – see page 25 for details.



"Giving retailers and restaurateurs powerful and invaluable marketing tools at their disposal that work on top of their current POS software."



futurePRNT software

Star's *futurePRNT*™ free-of-charge, value-added software far exceeds installation tools normally provided, enabling users to install high volume, custom set-ups without even taking the printer out of its box.

Pre-Installation Software

All settings are stored on the PC removing the need to pre-configure the printer itself. Time and maintenance savings are the key reasons why the TSP100 is the printer of choice, used by so many high profile retailers. Please ring Star for more details.

Star *futurePRNT* software is supplied in the box in 18 European languages from Croatian to Norwegian.

Create branded and motivating receipts to inspire customers with *futurePRNT*'s

Receipt Redesign Tools including:

► **Image Import Tool** for any size mono or colour BMPs, JPEGs or GIFs


► **Receipt Pre-View Tool**

► **Receipt Cropping Tool, Font Replacement Tool, Coupon Marketing Tool and Text Trigger Tool** all work independently of current retail software allowing customers to pre-determine words to "trigger" coupons and graphics

► **Journal and Multi-Copy Tool** – provides up to four copies with individual text and graphics per copy – perfect for DIY stores, fast food outlets etc.

► **Auto-Text Reversal™ Tool** – for vertical/wall mount use

► **Dedicated *futurePRNT* SDKs** – Star's *futurePRNT* software is accompanied by a dedicated Software Developer Kit with a wide range of tools available, allowing the system designer to take advantage of the TSP100's software and hardware features



NEW



View and store receipts / coupons on your customer's phones at no charge

AllReceipts

The fast, secure and easy route to digital receipting

AllReceipts Digital Receipting with Star's AllReceipts App – now included in printer driver and **FREE** to retailers and customers with analytics and device management tools (available Qtr 3 2015) – see page 8 for more information.

Just download the App!



TSP100ECO futurePRNT

Providing low cost printing with superior quality, the TSP100ECO offers unique paper saving features that could help retailers use up to 70% less paper. This not only reduces paper consumption but means less frequent paper roll changes at the checkout, lower transportation and logistics costs.

Paper Saving Tools

- **Unique Partial Cut 3mm Default Top Margin**
- **Receipt Auto Reduction** – automatically reduce the length and width of receipts without changing the customer's original software set-up. With simple tick commands the TSP100ECO software can reduce the size of receipts by up to 72.5% horizontally and 50% vertically.



- **Receipt Printing on Demand** – using its **Operator Prompt** function the TSP100ECO futurePRNT software prompts the retailer as to whether a receipt is required. The receipt can then either be cancelled or printed providing the perfect solution for low cost consumables where receipts are not essential. All cancelled receipts can be saved graphically and be reviewed or reprinted. (**Note: Not all countries will allow this feature so the software may be modified on a regional basis**)



Typical Retail Power Usage 18 Hour Day / 12 Hour Day Results

Typical Power Consumption Scenarios:

- POS System-On Mode: 18 hour day – 26.8 kWh
- POS System-On Mode: 12 hour day – 19.11 kWh

**No competitor today can match this.
Just ask Star for comparative details.**

(Estimated power consumption based on evaluation results by Star Japan R&D, using Hioki 3332 POWER HITESTER for 300 x 150mm receipts per day, 365 days a year for 5 years.)

“TSP100ECO futurePRNT tools & features could reduce paper consumption by 70% or more.”




Retailer Tip: Many competitors cannot achieve a 3mm Top Margin and may lose the retailer's logos when changing the paper. Retailers should always check the margins very carefully when comparing competitive POS printers.

TSP100ECO Power Management

Star has designed the TSP100ECO to correspond directly with the PC it has been attached to. The printer will only be activated when attaching the included USB cable to the printer and PC/terminal and the PC/terminal is powered, otherwise it will remain in standby mode.

Star's power efficient method means the printer will revert with the PC to a very low powered standby mode when not in use, “instantly” waking up when needed, saving costs and power usage.



Full specifications on page 35
or www.futurePRNT.com

"Entry level, ergonomic receipt printer fits seamlessly into the majority of Hospitality, Retail and Kiosk environments."

TSP654II Series **NEW**

Entry Level, 300mm/second POS Receipt Printer



RETAIL

- Retail Coupons
- Point-of-Sale Receipting



HOSPITALITY

- Hotel Invoicing
- Table Receipting



KIOSK

...and so much more.

TSP654II options:



Vertical Desk Stand

Splash Proof Cover



NEWS...

All TSP654II models will include Star PS60 Power Supply free-of-charge. (TSP654SK not included)



- Fast single station transaction receipt printer producing receipts and tickets at 300mm/sec.
- High resolution print output 203 dpi with standard and 2D barcode support
- Energy Star Certified including PS60
- Near end sensor for horizontal and vertical use
- Ergonomic design with optional splash proof cover
- Star AutoLogo™ feature to independently add logos and coupons to receipts
- Easy "Drop-In & Print" paper loading
- User friendly, interchangeable plug-in interfaces allow for easy system upgrades

Tablet Connectivity options:

- **Star WebPRNT Printing** – "Plug-In" interface option solution for simple Web printing (HE07X)

Interface versions available:

- **TSP654II** Non Interface, available in White/Grey & **NEW Ultra White** models
- **TSP654IID** Serial, available in White/Grey
- **TSP654IIC** Parallel, available in White/Grey
- **TSP654IIE** Ethernet, available in Grey
- **TSP654IIU** USB, available in Grey
- **TSP654IIBI** Bluetooth, available in White/Grey
- **TSP654II WebPRNT** Driverless web printer in Grey

Included in Box at purchase

Set-Up CD-ROM, wall mount kit, power switch cover, sample paper roll

Options:

- PS60 Power Supply
- Splashproof Cover
- Vertical Desk Stand



TSP654IIBI Bluetooth **NEW**

Market's First, High Performance, Entry Level iOS Compatible Bluetooth Desktop Printer with Cash Drawer Support



- Switches easily from Apple iOS Bluetooth to Android
- Out-of-the-box wireless desktop printing solution
- Apple MFi Certified – Pairs with iPad, iPhone, iPod Touch as well as all Bluetooth Devices supporting Serial Port Profile (SPP)
- Compatible with major operating systems including Apple iOS, Android, Windows, Linux

- handheld devices allowing the user to seamlessly migrate to another operating system, if required
- Demo apps available on Google Play and iTunes stores
- Star WebPRNT Browser for direct web printing from a web page from Google Play or App Store
- AutoConnect feature will reconnect to the last host after power on or out of range situation



“Combining high performance and reliability, the TSP654IIBI iOS compatible Bluetooth Desktop Printer is designed to work with Apple iOS, Android, Windows, Linux or any operating system enabled handheld device.”

TSP654II WebPRNT

Platform independent, high speed network receipt printer

- Out-Of-The-Box desktop cloud printing solution
- Easy and Simple to use with device independent printing solution
- BYOD (Bring Your Own Device) compatible
 - Printing from customers' mobiles, tablets, etc with zero software installation
 - Printing consistent receipts from any web browser with zero platform dependent code
- Full status back support
- WiFi Power Pack compatible for true wireless web based printing



“Capable of web based printing from any platform.”

TSP654SK Re-Stick

The variable length alternative to traditional labelling

- The Thermal Post-It™ note solution for the POS market providing the ideal “Re-Stick” customer labelling solution for Pizzerias, Take-Out, Cafés, Promotional Couponing, Special Fast Food Orders etc.
- Reduced speed version of TSP650 designed to work with self-adhesive media. Contact Star for list of approved suppliers
- Environmentally friendly labelling with increased percentage of labels available per roll when compared to traditional methods



“The TSP654SK Re-Stick printer is designed to work with liner-free labelling applications.”

Full specifications on pages 33 & 35 or www.Star-EMEA.com

"NEW plug-in hardware & Star WebPRNT Browser enabling multi-platform web printing from Star."



RETAIL

- Queue Busting
- Stock Checker
- Mobile Receipting
- Cloud-Based POS

HOSPITALITY

- Cloud-Based Hotel Check-In Applications
- Web-based Ticketing
- Cable Free Kitchen Printing



LOGISTICS

- Web-Based Labelling for Couriers
- and so much more.

Printers able to use HE07X/HE08X

Plug-In Interface solution:

- TSP654II Series ■ TSP700II Series
- TSP800II Series ■ SP700 Series (HE08X)
- FVP10 Series (BE07X)

Printers able to use Star WebPRNT Browser:

- Star Bluetooth Mobile range – SM-L200, SM-S220i, SM-S230i, SM-T300i, SM-T400i
- Star Thermal Bluetooth range – including TSP654IIBI, TSP743BI, TSP847BI, SP742BI, FVP10BI



Reseller Tip:

Low cost, easy & simple to use! Retailers can install multiple platforms according to system requirements and expect the same outstanding results.

WebPRNT

Connecting your Star Desktop & Mobile printers to the Web wherever you are!

star webPRNT

Given its recent success in the mobile market, Star realises there is a growing requirement to print from both mobile and desktop applications to receipt printers. Star's platform-agnostic WebPRNT solution is designed to generate print data via a web browser to output directly to any Star printer fitted with a WebPRNT interface or using Star's WebPRNT Browser available from GooglePlay or the App Store.

Offering either a low cost "Plug-In" interface or Star WebPRNT Browser solution, Star WebPRNT removes the issues usually associated with web-based printing by offering driverless printing capabilities for all receipt data, utilising HTML and JavaScript standards to provide consistent browser printing. Star WebPRNT supports all standard receipt requirements including logos, barcodes etc. The **WebPRNT.com** site fully demonstrates WebPRNT's capability and is a useful tool for resellers as well as developers working with Star's extensive range of thermal POS printers.


Star WebPRNT "Plug-In" Interface

- Simple Installation – easy "plug-in" interface user installable
- BYOD (Bring Your Own Device) compatible
 - Printing from customers' mobiles, tablets, etc with zero software installation
 - Printing consistent receipts from any web browser with zero platform dependent code

Star WebPRNT Browser

Simplifies direct printing from the Web to Star's huge range of low cost ticket/label/kitchen/mobile Bluetooth printers, as well as supporting all relevant web technologies. Full screen user interface mode available for OEM/kiosk use. Download from GooglePlay or App Store.


WebPRNT SDKs including a demonstration page are available from Star's global support site at www.starmicronics.com/support



The really clever part is that a Star WebPRNT printer does not need a local server and is not PC dependent. You just need to share the network with your web enabled device.

Using Star WebPRNT technology a single web-based application can be accessed by the browser on multiple platforms including Windows, Linux, Android, iOS, Mac OS, Blackberry and Symbian yielding identical print output.

▶ **Star WiFi Power Pack compatible for true wireless Web based printing**





FVP10 Series

The World's Only Front Operating, Under-Counter Thermal Receipt and Label Printer

- High quality 203dpi output combined with speeds of up to 250mm/second
- High reliability – (60 million lines MCBF)
- Unique front loading drawer with easy “Drop-In & Print” paper loading
- Tough and durable splash proof casing with IPX1 certification and downward angled paper exit to prevent liquid intake
- Intuitive square design provides space-saving opportunities on and below the counter
- Black mark sensor support for barcodes, receipts, labels & tickets
- 58 – 80mm fully adjustable paper widths
- Full audio capability with line-out option for external speakers

Interfaces available:

- **FVP10U** – Built-in USB with Parallel, Serial (BD03) & Ethernet (BE07X) options
- **WiFi** option available, see page 25 for more information on the Star WiFi Power Pack
- **Star WebPRNT Printing** – Plug-In” interface solution for simple Web printing

 **NEW FVP10BI Bluetooth** version for Apple iOS, Android & Windows (MFi certified)


“Multi-Functional under-counter printer, with front operation, offering a new method of user and printer interaction with unique voice communication tool.”




Reseller & Retailer Tip:
The FVP10 features a dual interface facility with USB as standard and additional port for second plug-in options – Serial, Parallel, Ethernet, WebPRNT.



The FVP10 offers compact shelving opportunities with the Shelf mount option and power supply holder



Under Shelf Mount option with power supply holder



FVP10 “plug-in” 2nd interface option

Features like Unique Drawer Paper Loading and “Drop-In & Print” Easy Load have made the FVP10 the “Receipt Printer of Choice” for well-known Fast Food retailers, as well as luxury brands – contact Star for more details.



Providing additional flexibility, why not upgrade your current FVP10 in the following ways:



- ▶ **Star WiFi Power Pack** – low cost accessory, providing simple WiFi printing directly from Smartphones, Tablets, PCs or any other mobile device to a Star FVP10 printer. For more information, see page 25



- ▶ **WebPRNT** – add Star WebPRNT plug-in interface BE07X option for simple web printing. For more information on the benefits of Star WebPRNT, see page 14

Full specifications on pages 33 & 35 or www.Star-EMEA.com

“Star’s intuitive design allows users to change its interface efficiently, allowing the upgrade of a POS system without the need to upgrade the printer.”

RETAIL

- Point-of-Sale Transactions
- Shelf Edge Labels/Product Labelling

HOSPITALITY

- Table-Service
- Kitchen Printing

DELIVERY LOGISTICS

- Reports
- Parts Lists
- Delivery Receipting
- Product Labelling

KIOSK

- Remote Printing

TRADITIONAL / mPOS TICKETING

- Event Ticketing
- Lottery Printing

TSP700II Series

The World’s Only High Speed 80mm wide Barcode, Label, Receipt and Ticket Printers



Combining speed, reliability and ease-of-use, the TSP700II multifunctional 80mm printer produces high resolution graphics and barcodes for tickets, receipts and labels

- Fast single transaction receipt printer capable of producing barcodes, labels and tickets at 250mm/sec.
- Large paper roll capacity, diameter 100mm (offering up to 60% more paper than a standard 80mm roll)
- “Drop-In & Print” easy paper loading
- Full or partial cut AutoCutter (centre tab) life 2 million cuts
- Ergonomic splash resistant design with easy-clean (case) and Splash Proof Cover available
- Double Density (406 x 203 dpi) for high quality graphics, 1D & 2D barcodes etc.
- Compatibility with all major operating platforms with a comprehensive suite of drivers including Microsoft WHQL certification for seamless USB integration

Tablet Connectivity options:

- **Star WebPRNT Printing** – HE07X “Plug-In” Interface option for simple Web printing or Star WebPRNT Browser available from App Store or Google Play (see page 14)

Interface versions available:

- **TSP743IID** Serial Interface
- **TSP743IIC** Parallel Interface
- **TSP743IIU** USB Interface
- **TSP743II** Non-interface version for use with low cost Ethernet (HE07)/WebPRNT (HE07X) options
- **WiFi** Option available, see page 25 for more information on the Star WiFi Power Pack
- **WebPRNT** Option available, see page 14 for more information on WebPRNT

- **NEW TSP743IIBI Bluetooth** grey version now available with unique Auto Connect facility

TSP700II DRIVER / ADVANCED CONFIGURATION UTILITY

- The “**Image List**” allows users to name and import multiple file types without having to use an external image editing utility. This is particularly useful for single users to prepare an image (size, shade, pixel output) and then test print it to check the final quality
- **NV logo** allows users to quickly and easily download logos to the printer
- Ability to change **Memory Switches** in an easy-to-use graphical user interface
- The new built-in **Ethernet Set-up** feature avoids having to download a separate utility
- **Auto-Text Reverse** for vertical use is available from the Device settings menu in raster mode
- **Intuitive simple set-up** provides compatibility with all Star single station printers



Barcodes, labels, receipts and tickets all from one model



Accessories included in box with printer at purchase: Driver CD, Wall Mount Kits, Interface & Power Switch Covers

TSP800II Series

The World's Only High Speed 112mm wide Barcode, Label, Receipt and Ticket Printers




Providing unique versatility and cost effectiveness, the TSP800II series is capable of printing on wider than average media up to 112mm with an automatic A4 raster driver scaling A4 images onto A6

- 180mm/second Barcode, Label, Receipt and Ticket Printer with Autocutter as standard
- Wide 4" (104mm) print width – on paper stock up to 0.15mm thick. Paper guide for 80mm paper roll printing
- Internal or External paper feed paths (external for large capacity or fanfold applications)
- "Drop-In & Print" easy paper loading
- Compact footprint with vertical "Desk Boot" and Wall Mount options – ideal for kiosk applications
- ESC/POS™ compatible in Standard and "Super Large" mode
- Automatic scalable raster driver for immediate A4 reduction to A6

Interface versions available:

- TSP847IID Serial Interface
- TSP847IIC Parallel Interface
- TSP847IIU USB Interface
- TSP847II Non-Interface version for use with low cost Ethernet/WebPRNT
- WiFi option available, see page 25 for more information on the Star WiFi Power Pack
- WebPRNT option available, see page 14 for more information on WebPRNT

 **NEW TSP847IIBI Bluetooth** grey version now available with unique Auto Connect facility

Two in One – POS & A4 Replacement Printer

The TSP800II direct thermal printer can automatically print A4 output on 112mm wide paper simply by selecting the TSP800II scalable raster driver

Obvious advantages include:


- **Lower running costs** – TSP800II costs 90.47%* less to run than a typical laser printer
- **Compact printer footprint** – at only 180 (w) x 213 (d) x 148 (h) mm valuable desk space saved
- **Faster to first page out and faster print speed than a typical laser at 180mm/second**
- **Greener solution** – less paper wasted due to variable paper length so scaled A4 pages are not used for minimal print, less CO₂ output and power used

(*contact Star for more information on the latest statistics)

AUTOMATIC PAGE SCALING – A4 to A6

The TSP800II Scalable Raster Driver provides the ability to format a page or screen image in the same way as a standard PC printer and then print that image on 112mm wide paper up to 0.15mm thick.

All this at up to 180mm/second, without the need for additional software and zero warm-up time!



A4 automatic scalable invoice feature is now in use in the UK's largest and fastest-growing budget hotel brand, Whitbread's Premier Inn with over 650 budget hotels



"The TSP800II offers approximately 90% lower running costs than a typical A4 laser printer offering the perfect printing alternative for end of day reporting, hotel invoicing, etc."



RETAIL

- Point-of-Sale Receipting
- End-of-Day Reporting
- Pharmaceutical Prescriptions
- Retail Couponing
- Shelf Edge Labels/Product Labelling
- Gift Certificates

HOSPITALITY

- Hotel Invoicing
- Table Receipting

DELIVERY LOGISTICS

- Delivery Invoicing
- Reports
- Product Labelling – 112mm with auto status

KIOSK

- Remote Printing

TRADITIONAL / mPOS TICKETING

- Event Ticketing
- Lottery Printing

...and so much more.



Customer success:

The printer used by hotels all over the world due to its 90% running cost reduction and CO₂ advantages compared to a laser printer – ask Star for more information.

Tablet Connectivity options:

- **Star WebPRNT Printing**
HE07X "Plug-In" interface option for simple Web printing or Star WebPRNT Browser available from the App Store or Google Play for the **NEW TSP847IIBI Bluetooth** model

Full specifications on pages 33 & 35 or www.Star-EMEA.com

**RECEIPTS****RECORDS**

- Data logging
- Measuring equipment

MOBILE PRINTING

- 12 volt applications

LABEL PRINTING

- Sprocket version

GRAPHICS VERSION (details upon request)**DP8340 Reseller Tip:**

Ink Ribbons needed include Red/Black

SF-03BR (800k Black/400k Red character life) or Black **SF-03B** (800k character life).

Note: two versions using either 4.5" / 114.3mm wide (0.09mm thick) sprocket fanfold or roll paper (outside roll diameter 80mm).

DP8340 Series

Unique 114mm wide report, receipt & data printer available for 12V or 24V usage in mobile, rugged or unattended environments



- Reliable 2 lines per second budget entry level printer with tear bar (MCBF 10 million lines)
- Compact receipt/label/data output solution 202 (w) x 200 (d) x 98 (h) mm (w/o paper holder). Weight approx. 1.9kg
- Reliable
- Black and Red printing
- Separate 230V AC power supply with 12V DC output

- In-vehicle power cable & wall mount options available

Versions available:

- **DP8340FD** Serial Friction, Black/Red
- **DP8340FC** Parallel Friction, Black/Red
- **DP8340SD** Serial Sprocket, Black/Red
- **DP8340SC** Parallel Sprocket, Black/Red

TSP1000 Series

Versatile Low Cost Thermal Printer with Receipt / Ticket Stacker and 18cm Paper Roll

**TICKETING AND LOTTERY**

- Lottery Application
- Event Ticketing

LOGISTICS

- Warehouse Picking

HOSPITALITY

- Kitchen Printing

**Customer success:**

Sold to the Lottery Market worldwide, the TSP1000 printed tickets across the US for the world's largest lottery stake in history in 2012.

Full specifications on page 34 or www.Star-EMEA.com



Low cost and highly reliable, the TSP1000 Series offers high capacity ticket and lottery printing

- High speed output – up to 180mm per second
- “Drop-In & Print”, easy paper load
- Large paper roll capacity (up to 180mm diameter) with adjustable paper low sensor
- Ticket stacker fitted as standard (up to 30 tickets) with fitted sensor for software driven multiple or single print outs
- Multiple paper width (45 – 82.5mm adjustable)
- Guillotine cutter

- Variable position, high quality black mark sensor

Interface versions available:

- **TSP1043D** Serial Interface
- **TSP1043C** Parallel Interface
- **TSP1043U** USB Interface
- **TSP1043** No Interface

TSP-L10 Series **NEW**

High Performance Printer for Secure Transactions including Coupon, Lottery & Ticketing with Internal Verification Scanner Option and 100 Ticket Stacker



The TSP-L10 is the latest Specialist printer to confirm Star's market-leading position within the lottery printer market. Designed for Linux, the specialist features detailed below can all be integrated using an advanced, high security, custom API from Star

- High speed printing performance with high resolution 203 dpi output and 16 shade Greyscale for accurate image printing
- Compact design with easy load 200mm diameter paper roll and ticket stacker for up to 100 printed receipts/tickets
- Internal scanner for real-time ticket verification or complete/partial journal
- High reliability, print head dot check and cutter damage prevention
- Host terminal barcoding for all types of barcode
- Star graphic mode emulation controlled by custom Star API
- Energy Star certified

TSP-L10 low power consumption mode with dual USB and Ethernet interfaces and USB host

TSP-L11 with internal ticket scanner for verification/journaling

Interface versions available:

- **TSP-L10UE** 24V DC Grey USB/Ethernet without internal Ticket Scanner
- **TSP-L11UE** 24V DC Grey USB/Ethernet with internal Ticket Scanner



Customer success:

Star's domination of the world's lottery market for the past two decades has enabled Star to design the world's best lottery printer on the market today.

TICKETING/LOTTERY

- Lottery Applications
- High Sale Ticketing

RETAIL

- High Volume Point-of-Sale
- Customer Loyalty Couponing

WARHOUSE/LOGISTICS

- Product Picking
- Invoicing



Reseller & Retailer Tip:

The TSP-L10's unique 20cm high capacity paper roll allows for longer unattended ticketing and is ideal for high volume lottery sales.

Full specifications on page 34 or www.Star-EMEA.com



HOSPITALITY

- Hotel Invoicing
- Restaurant Receipting

RETAIL

- Point-of-Sale

PHARMACY

- Prescription Receipting



Customer Success:

The SP298 is the fastest slip printer on the market, offering 9-pin quality and unique form Autoside Loading™ for many applications worldwide.

SP298 Series

The World's Fastest Slip Printer with Unique 9-Pin Printing



Compact, robust and reliable, the SP298 Series with its unique Autoside Loading™ is ideal for printing cut sheet media such as pre-printed company branded multi part receipts or forms

- Rugged bi-directional printer capable of graphics using a highly reliable 9-pin print head
- High reliability with helix head drive 9 million lines MCBF
- Up to 3.1 lines per second with bi-directional cheque mode
- Unique Autoside Loading™ making document loading quick, easy and reliable
- Ribbons: RC200B Black, RC200D Laundry
- Power supply: Star PS60 option (24V)
- Copy Capability: Original + two copies

- Paper Width/Length: up to 182mm/80 to 257mm
- Margin Top/Bottom: 5/14mm
- Print Width: 63mm
- Dimensions/Weight: 180 (w) x 190 (d) x 138.5 (h) mm / 2.1kg

Interface versions available:

- **SP298 MD** Serial Version
- **SP298 MC** Parallel Version

HSP7000 Series

High speed, 203dpi Thermal / Matrix 2 Station Hybrid Printer



RETAIL

- Point-of-Sale
- Coupon Redemption
- Cheque Printing

HOSPITALITY

- Hotel Invoicing
- Restaurant Receipting

TICKETING



Reseller & Retailer Tip:

Combining high speed 203 dpi and 9-pin high quality resolution, the HSP7000 completes transactions quickly and efficiently.



Incorporating a high quality thermal printing mechanism, the HSP7000 Series offers high performance print resolution and superior print speed creating the perfect POS printer for printing cheques and receipts

- High speed 250mm/second thermal receipt printer, combined with high speed 9-pin matrix cheque/validation printer
- "Drop-In & Print", easy paper loading
- High resolution 203dpi output for fast, superior quality logo/barcode receipt output
- Auto status back for paper loading, sensor reporting etc
- Easy-to-use AutoLogo™ feature to independently add logos and coupons to receipts
- Ribbon: RC-7KB Black
- Power supply: Star PS60 option (24V)
- Dimensions/Weight: 186 (w) x 296 (d) x 177 (h) mm / 4.6kg

Models available:

- **HSP7543** Hybrid Combination without MICR (Non-Interface & USB versions)
- **HSP7643** Hybrid Combination with top position MICR (Non-Interface version)
- **HSP7743** Hybrid Combination with bottom position MICR (USB, Serial, Parallel & Non-Interface versions)

Interface options:

Serial HD04, 9-pin Serial HN04, Parallel HC04, USB HU06, LAN HE08 with WiFi Power Pack option

(MICR = Magnetic Ink Character Recognition, used in cheque-reading devices)

**HSP7000 – full specifications
at www.Star-EMEA.com**

SP700 Series

Advanced, High Speed, Red & Black Printing, Clamshell™ Receipt Printer




One of the few matrix printers on the market to offer high speed 2 colour receipt printing

- High speed, 9-pin quality matrix printer – up to 8.9 lps
- 76mm default paper width
- “Drop-In & Print”, easy paper and ribbon loading
- Splash resistant design with easy-clean curves for robust kitchen/bar use
- Internal power supply with universal cable included at purchase
- Graphic Management/Logo Store Driver Tools
- Star platform agnostic WebPRNT “Plug-in” interface option available (see page 14)
- Wall mount/desk boot option available
- Dimensions: 160 (w) x 245 (d) x 152 (h) mm

Models available:

- **SP712** Tear Bar Printer
- **SP742** Autocutter Printer
- **SP712R/742R** Rewind versions

 **NEW SP742BI Bluetooth** grey version now available with unique Auto Connect facility and Star WebPRNT browser App from GooglePlay or App Store

Interface versions available:

Serial HD04, 9-Pin Serial HN04, Parallel HC04, USB HU06, LAN with optional WiFi Power Pack HE08, WebPRNT HE08X

SP500 Series

Offering a Unique Unbeatable Price / Performance Ratio



- High performance, logic seeking, 9-pin quality matrix printer – up to 7.5 lps
- “Drop-In & Insert” paper loading
- Adjustable 58 or 76mm paper widths
- 6 position black mark sensor for fixed length tickets
- Ergonomic design including hygienic spill-proof design and cable power switch covers
- Space saving vertical or horizontal operation
- Compact footprint with internal power supply and vertical operation
- Compatible ribbons: RC200B – Black
- Options: Paper roll holder for wall mount

- Dimensions: 140 (w) x 225 (d) x 163 (h) mm

Models available:

- **SP512** Tear Bar Version
- **SP542** Autocutter Version
- **UP542** Kiosk Version

Fixed Interface versions available:

Serial / Parallel

Options available for Non-Interface SP500:

Serial HD04, 9-pin Serial HN04, Parallel HC04, USB HU06, LAN with optional WiFi Power Pack HE08



Reseller & Retailer Tip:

The SP500 and SP700 Series require the

following ribbons:

SP500 Options:

- **RC200B** Black Ribbon
- **RC200D** Laundry Ribbon

SP700 Options:

- **RC700B** Black Ribbon
- **RC700D** Laundry Ribbon
- **RC700BR** Red & Black Coloured Ribbon

RETAIL

- Point-of-Sale Receipting

HOSPITALITY

- Hotel Invoicing
- Restaurant Receipting

Full specifications on page 33 or www.Star-EMEA.com



Mobile Printers

mPOS – designed to create the ultimate flexible checkout experience

From retail transactions to event management and logistics, our mobile printers are fulfilling receipting, ticketing and report applications for customers worldwide from Police speeding tickets in South Africa and the US to train tickets in Egypt and Italy. Star's range of cost-effective wireless mobile printers offer both Bluetooth SPP as well as MFi connectivity and are designed to work with Tablets and Smartphones in a range of mPOS and Mobile Payment applications.

Star MFi – Made for iPad®, iPhone® & iPod Touch®

As a registered Apple iOS and Android developer, Star has developed a range of dedicated MFi (made for iPad®, iPhone® & iPod Touch® – full explanation of MFi on back page) Bluetooth printers. Star offers comprehensive Software Development Kits (SDKs) to allow the simple set-up of Star Mobile Printers with all major platforms including: Apple iOS™, Android™, Windows™ and Linux™.



Star Success

Star WiFi / Apple iOS / Android Mobile Printers

- MFi Certified – pairs with iPad®, iPhone® and iPod Touch® as well as Bluetooth devices using SPP with Wired Serial Connection/RS-232
- Compatible with major operating systems including Apple iOS™, Android™, Windows™, Linux™ handheld devices supporting SPP/RS-232
- Bluetooth (2.1: MFi Certified for iOS/SPP) and wired Serial connections



SM-T300DW

Rugged, 3" (80mm) mobile printer with WiFi compatibility

- High resolution 203 dpi and 75mm/second print speed
- Ultra rugged with IP54 dust/splash proof certification
- 1.5m drop reliability
- Maximum 11 hour battery life, printing at 5 minute intervals
- SM-T301DW with 1&2 track magnetic stripe reader version

| | SM-L200 | SM-S220i SM-S230i | SM-T300i SM-T400i | SM-T301DW |
|---------------------------|---|--|---|---|
| Included at purchase | <ul style="list-style-type: none"> • Battery • Belt clip • Paper sample roll • USB cable for charging | <ul style="list-style-type: none"> • Battery • Belt clip • Paper sample roll • Power supply • SM-S220i: Serial cable • SM-S230i: USB communication cable | <ul style="list-style-type: none"> • Battery • Belt clip • Paper sample roll • Power supply • Serial cable | <ul style="list-style-type: none"> • Battery • Belt clip • Paper sample roll • Power supply • Serial cable |
| Options available: | <ul style="list-style-type: none"> • Desk dock charger • Extra battery pack | <ul style="list-style-type: none"> • 4 unit battery charger • Single battery charger • Extra battery pack • Vehicle charger | <ul style="list-style-type: none"> • 4 unit battery charger • Shoulder strap • Single battery charger • Extra battery pack • Vehicle charger | <ul style="list-style-type: none"> • 4 unit battery charger • Shoulder strap • Single battery charger • Extra battery pack • Vehicle charger |
| NEW Mobile WebPRNT | Star WebPRNT Browser for direct printing from a web page using Star technology. Download from GooglePlay / App Store or see page 14. | | | |

SM-L200 with Label Facility

Bluetooth Smart, Low Cost 58mm BT/BLE Mobile Receipt & Label Printer

- High resolution 203 dpi and 35mm/second print speed
- Super compact design just 122 x 83 x 44mm & weighing 220g with the battery
- LCD display and 13 hour battery life
- Simple, no pin required auto pairing with Bluetooth 4.0 devices including Apple iOS, Android, Linux & Windows
- Desk Dock option



Reseller Tip:

Star offers a number of demo apps on iTunes and Google Play which provide instant Star mobile printer functionality. See page 4 to find out more.



HOSPITALITY

- Event Ticketing
- Table Recepting



LOGISTICS

- Delivery Confirmation
- Reporting
- Vehicle Invoicing

RETAIL

- Point-of-Sale Recepting
- Stock Checker
- Retail Coupons

NEW

Star WebPRNT Browser for Star Bluetooth Mobile

Simplifying direct printing from the Web to Star's huge range of low cost ticket/label/kitchen/mobile Bluetooth printers as well as supporting all relevant web technologies. Full screen user interface mode available for OEM/kiosk use. Download from GooglePlay or the App Store.

WebPRNT SDKs including a demonstration page are available from Star's global support site www.starmicronics.com/support



Full specifications on page 32 or www.Star-EMEA.com

SM-S220i

2" (58mm) iOS and Android Bluetooth MFi Mobile Printer with Auto Reconnect

- MFi Certified – pairs with iPad®, iPhone® and iPod Touch® as well as Bluetooth devices using SPP with Wired Serial Connection/RS-232
- High resolution 203dpi and 80mm/second print speed
- Dual Serial Ports providing RS-232 pass through function for possible connection of Pin-Pad, NFC encoder/decoder, etc as required
- LCD display and convenient automatic sleep mode for extended battery life
- Maximum 8 hour battery life, printing at 5 minute intervals



SM-T300i

Rugged, 3" (80mm) iOS & Android Bluetooth MFi Printer with Auto Reconnect

- MFi Certified – pairs with iPad®, iPhone® and iPod Touch® as well as Bluetooth devices using SPP with Wired Serial Connection/RS-232
- High resolution 203dpi and 75mm/second print speed
- Rubberised design with IP54 dust/splash proof certificate
- 1.5m drop reliability
- Maximum 13 hour battery life, printing at 5 minute intervals
- SM-T301i with 1&2 track magnetic stripe reader version



SM-T400i with Label Facility

Durable, 4" (112mm) iOS & Android Bluetooth MFi Mobile Printer with Auto Reconnect

- MFi Certified – pairs with iPad®, iPhone® and iPod Touch® as well as Bluetooth devices using SPP with Wired Serial Connection/RS-232
- High resolution 203 dpi and 80mm/second print speed
- Rugged design with IP54 dust/splash proof certificate
- 1.5m drop reliability
- Maximum 24 hour battery life printing at 5 minute intervals
- SM-T404i with 1,2&3 track magnetic stripe reader version





SCD122



The **SCD122** comes with all the support choices in the box, which includes a stand alone base and telescopic pole. There's also a CD-ROM containing the drivers, manuals and utilities.

POS Peripherals

SCD122 USB Powered Display

Fast easy-to-read 2 lines x 20 character display from ESC/POS™, and OPOS™ support.

- Supplied with a choice of support including stand alone base and telescopic pole
- High speed data transfer using USB 2.0 interface
- Clear, fast easy-to-read with wide viewing angle
- ESC/POS™ emulation (dip switch selectable)
- Cyrillic character support (multiple code pages)

SCD400 Customer Display

For use with POS and ECR Systems. The Star SCD400 Display uses the same serial interface as the Star POS printer.

- Reliable and versatile 2 lines x 20 character customer display
- Large, clear, easy-to-read characters
- Wide viewing angle
- Single interface for display and printer
- New Charcoal Grey and Star White versions available



SCD400

SCD122 & SCD400 Customer Display Specifications

| | SCD122 | SCD400 |
|--------------------------------|---------------------------------------|-------------------------|
| Display Method | Vacuum fluorescent display | |
| Display Colour | Blue-Green | |
| No. of Characters | 40 (20 columns x 2 lines) | |
| Character Font | 5 x 7 dot matrix | |
| Character size (h x w) | 5.00 x 3.5mm | 9 x 5.25mm |
| Brightness | min. 350 cd/m ² | |
| Tilt angle | max 30° / Rotation 300° | max 30° / Rotation 360° |
| Power Consumption | max. 500mA @ 5V (2.5W) USB powered | max. 400mA @ 12V (4.8W) |
| Interface | USB 2.0 | Serial RS232 C |
| Emulation: ESC/POS™ compatible | ESC/POS™ DMD110 via dip switch | not available |
| Star Mode | Standard | Standard |

| | SCD122 | SCD400 |
|--|---|---|
| Operating Conditions: Temperature Humidity | 5 ~ 45°C 10% ~ 90% RH | 5 ~ 45°C 10% ~ 85% RH |
| Storage Conditions: Temperature Humidity | -20 ~ 60°C 10% ~ 90% RH | -20 ~ 60°C 10% ~ 90% RH |
| Dimensions (w x d x h): Display Unit Stand alone height Stand alone base Telescopic Pole height Pole Base | 175 x 53 x 72mm 142 / 272 / 387 / 517mm 175 x 110 x 61mm 124 / 254 / 369 / 499mm 40mm height 80mm diameter | 231 x 45 x 110mm not available not available 380 ~ 550mm 12mm height 80mm diameter |
| Weight | 1.4kg packaged with base & supports | approx 850g |
| Colour | Both available in Charcoal grey and Star white | |



NEW CB-2002 FN Ultra White version now available

DK-AirCash
Star's unique accessory that mobilises any Cash Drawer.



NEW mPOP Combined Bluetooth Printer & Cash Drawer



See page 6 & 7 for details.



CB-2002 Cash Drawer for PC Point-of-Sale

Star's Series of cash drawers have been specifically designed to link with Star and other industry standard POS printers. These range from the basic entry level model to the larger version aimed at markets with more note sizes.

- Driven from the peripheral drive circuit of a Star or Epson POS printer
- Both versions include a compulsion switch
- 3 position key lock

CB-2002 UN – cash drawer with 8 upright note and 8 coin slots in Charcoal Grey and Star White with optional lockable cover – DK-AirCash wireless mobile option available

CB-2002 FN – cash drawer with 4 flat note clips and 8 coin slots in ECO Black, Charcoal Grey, Star White and **NEW Ultra White** with optional lockable cover – DK-AirCash wireless mobile option available.
410 (w) x 415 (d) x 114 (h) mm / 7kg



CB-2002 options

CB-2002 Specifications

| | |
|--|---|
| Connection to Peripheral Drive Circuit of Star Printer | Via 6-pin Modular plug connected to cash drawer by shielded cable with separated ground wire |
| Cash Tray Combination | as above with Cheque Slot |
| Dimensions | 410 (w) x 415 (d) x 114 (h) mm |
| Weight | 7kg |
| Input Voltage & Current | DC 24 Volt, 1 amp |
| Pulse Time | 100m.s (max), 30m.s (min) |
| Colour | CB-2002 UN: Star white or dark charcoal grey CB-2002 FN: ECO black, charcoal grey, Star white or NEW Ultra White |
| Drawer Release | 3 position key lock with Drawer Release |
| Options available | <ul style="list-style-type: none"> • Under desk "Z" brackets • Lockable cover • Note Holder Bracket and Note Divider |


mPOS Peripherals

Star WiFi Power Pack

Providing simple WiFi printing directly from Smartphones, Tablets, PCs or any other mobile device to any Star LAN Printer.



- Designed to provide USB power for external 3rd party dongles minimising the number of external cables and power sockets required
- Available on Star's full range of LAN and WebPRNT printers, from the lowest cost TSP143LAN to traditional TSP654II, TSP700II, TSP800II, SP700 Series and any other model with a DK connector



The Star WiFi Power Pack includes:

- ▶ 150 Mbps TP-Link Wireless N Nano Router – supporting AP (default), Client, Router, Repeater and Bridge modes
- ▶ DK-USB printer link – powers the TP-Link connecting to the Cash Drawer DK connector with “pass-through” capability for full cash drawer functionality including status



DK-USB – can also be purchased separately to “power” additional 3rd party dongles including 3G or alternative WiFi devices and can also be used to power/charge other USB devices including tablets.



DK-AirCash

Low cost, Cash Drawer Accessory enabling mobile POS users to open the cash drawer of their choice with a standard RJ-11 printer connection via their mobile device in a variety of environments.

- Support for all traditional operating platforms including OPOS, Java-POS, Windows™, Android™, iOS™ and many more
- Neat, compact design (154 (w) x 75 (d) x 28 (h) mm)
- Retro-fit to existing installed cash drawers
- Drawer Open Status retrievable by host
- Easy-to-Access Dip Switches for LAN/Bluetooth selection
- Auto Connect facility reconnecting to last device after power on or out of range situation



▶ No Printer required to open cash drawer!

Versions available:

DK-AirCash SAC10E Ethernet – Ethernet supported cash drawers can be fired by WiFi mobile devices communicating directly with mobile printers and opening the cash drawer via the store's network.

DK-AirCash SAC10EB Apple MFi/Android Bluetooth & Ethernet – allows devices to communicate directly with both the mobile receipt printer and cash drawer independently.

DK-AirCash SAC10EW WiFi & Ethernet – for direct communication with the cash drawer over IP without the need for a wired connection.



**AIRLINES****BANKING****GOVERNMENT & SCHOOLS**

- Internal Card payment Systems for Canteens, etc.
- Queue Management
- Payment Terminals

HEALTH**HOSPITALITY**

- Kitchen Printing
- QSR Order Building
- Loyalty Programmes
- Valet Parking Management
- Queue Management
- ...and so much more.

HOTELS

- Virtual Receptionist
- Information Terminal
- Digital Signage
- Loyalty Programmes

MARKET RESEARCH**RETAIL**

- Pharmacy Prescriptions
- Gift Vouchers
- Point-of-Sale Receipting
- Stock and Price Checker
- Retail Couponing
- Queue Management
- Market Research Tool
- ...and so much more.

TOURISM

- Cloud based Tours/Excursion Bookings can be promoted and sold etc.

Customize your AsuraCPRNT

We know how important branding is in an ever-competitive market. In order to increase brand awareness for retailers and restaurateurs, cover skins can be produced for the AsuraCPRNT featuring logos or campaign graphics to create eye-catching POS, kiosk or self-service unit.



AsuraCPRNT **NEW**

The World's First Interactive Communication System

As one of the world's largest manufacturers of POS and kiosk printing solutions, we have combined our two areas of expertise to create the ultimate user engagement tool – the AsuraCPRNT™. This unique “All-in-One” POS communication platform with integrated printer is so much more than a “mini” kiosk.

The latest communication technologies combined with a powerful CPU processor have resulted in a powerful solution which can work independently as a thin client server, mini kiosk or even POS/Information terminal depending on the software and options added. Or, it can be implemented into almost any infrastructure for customer/user engagement with the added advantage of flexible location from shelf edge, wall, counter top or even pole mounted.

“All-in-One” and just 38cm high!



- Stylish and compact at only 180(w) x 162(d) x 380(h) mm, providing design set-up flexibility
- Intuitive 7" touch screen offering media rich graphics and sound with audio line out and MIC input, accompanied with programmable full colour LED lights
- Optional individual and combined encrypted Magnetic Stripe Reader & 2D/QR/Barcode scanners with NFC option to follow
- Powerful CPU processor to run feature-rich software and applications
- Linux™ and Android™ SDKs available supporting Qt, Java, C++ etc.

- Immediate ability to run traditional Windows/Linux desktop POS solutions using the Asura's remote desktop protocol/thin client capabilities
- High connectivity with other technologies such as biometric scanners, NFC readers, cameras and much more using the 4 USB-host ports. 3G connectivity & WiFi option also available
- 300mm/second high speed printer capable of printing 203 dpi print resolution coupons, receipts and documents at point of interaction with grey scale capability

The potential uses for the AsuraCPRNT are only really limited to your imagination! Compact, user-friendly and feature-rich, it's the perfect User Engagement solution for all industries. Large brands and small independents the world over are using the AsuraCPRNT for the widest range of applications from virtual receptionists to loyalty programmes; queue management in retail, hospitality, government and healthcare to an endless number of customer engagement applications.

▲ The New "All-in-One"

Unmatched by any rivals, the AsuraCPRNT delivers audio-visual content; prints high quality messages; features LAN, Bluetooth, WiFi, 3G connectivity with documented SDKs for Linux and Android development and offers multiple levels of usability and functionality. This 38cm device can be expanded to fit your requirements from VESA mounted tablets on the back of the AsuraCPRNT to all the options mentioned below.

▲ Options to fit your requirements

The AsuraCPRNT can be completely customised with a host of options including integrated MSR, 2D and QR Barcode scanners and NFC reader. It can also be optimised to support the connection of external peripherals using the 4 on-board USB- Host ports – from a biometric scanner to WiFi or 3G options. In a busy retail environment, the AsuraCPRNT's barcode reader allows staff and customers alike to check the latest product prices or stock levels; scan QR codes & coupons from mobile phones using the reflective dampening LCD mode whilst running other applications in the background such as videos on external screens. Other options directly from Star include WiFi as well as self standing Pole Mounts for one or two AsuraCPRNTs. The secure Base Stand which fixes the unit to the counter/desktop is supplied with the AsuraCPRNT in the box.

▲ Development with the AsuraCPRNT

Star's development Tools for the AsuraCPRNT have been made as open as possible so that developers are able to work with the tools and technologies that they already know. Android and Linux SDKs are available – just request a log-in from support@Star-EMEA.com. The Remote Desktop Protocol can be used for instant access to an existing Windows, Linux or MAC application.

▲ HTML5 using new Secure AsuraBrowser

Modern, HTML5 standards compatible WebKit based browser with full support for the latest features, including audio, local storage & databases, CSS3, canvas, SSL. etc. Fully compatible with all common JavaScript toolkits, e.g. jQuery enabling rich, full featured user interfaces & animations.

- Built-in JavaScript API provides direct access to the hardware
- Built-in customer facing web browser with a secure, full-screen experience/no user navigation controls or any way to access the underlying OS. Off Line Storage (allowing for off line trading) is another of the browser's features

▲ POS line display solution (included with Asura OS 1.7)

NEW

Enabling external applications to use the Asura as a complete POS peripheral station with customer display, printer, BCR & MSR. Ideal for mobile applications. The Asura hosted customer display provides features that are not possible using traditional POS display poles:

- Full colour control of text and the display background with Font Scaling
- Graphic image support using JPEG/PNG images loaded from a local file or network via a URL
- Video support which can be played/positioned on the display by command. Video files can be streamed from a local file, or network via a URL
- Customer Interaction with touch screen enabled customer response and feedback perfect for point of sale surveys etc.



More information can be found at www.Star-EMEA.com/AsuraCPRNT or www.AsuraCPRNT.com



See page 14 for details

Full specifications on page 32
or www.Star-EMEA.com

“Star Micronics is very happy to introduce Sanei’s entry-level, compact, open frame printers which complete the Star range to include printing solutions for limited space enclosures.”



RETAIL

- Vending Machines
- Cash Machines
- Product Locations

HOSPITALITY

- Hotel Check-in
- Event Ticketing

TICKETING

- Car Parks

WAREHOUSE/LOGISTICS

- Product Picking
- Logistics

Sanei SK1 Series

Entry-level, Super-Compact, Open Frame Printers

Star Micronics is now stocking Sanei’s wide range of 1D and 2D barcode, ticket, receipt and label compact kiosk mechanisms which complete the Star range with printing solutions for limited space enclosures.



NEW



Flashing Paper Exit guide

Models available:

SK1-21 Series

- **SK1-21A** – Printer only
- **SK1-21A-LP** – Printer with presenter
 - 200mm/second print speed
 - 58/60mm paper width model
 - Mechanism dimensions/Weight: 104(w) x 129.2(d) x 73.6(h) mm / 525g

SK1-31/32 Series

- **SK1-31A** – Printer only
- **SK1-31A-LP** – Printer with presenter
- **SK1-32** – Clamshell style
 - “Drop-In & Print” version
 - 200mm/second print speed
 - 54/56/72/80mm model
 - Mechanism dimensions/Weight: 128(w) x 174.5(d) x 74.2(h) mm / 730g

SK1-41 Series

- **SK1-41A-L** – Printer only with Label support
- **SK1-41A-LP** – Printer with presenter
 - 150mm/second print speed
 - 80/83/112mm paper width
 - Mechanism dimensions/Weight: 160.9(w) x 143.1(d) x 76.3(h) mm / 885g

Options:

- BZ-SK-2:** Bezel/Snout SK1-21 Series
- BZ-SK-1:** Bezel/Snout SK1-31 Series
- PS60:** PSU for SK1-21/SK1-31/SK1-32
- CB-SK1-D3:** Power Cable required for PS60
- SA1-3A240:** PSU for SK1-41 Series (power lead not supplied)
- PR-SK1:** Presenter for SK1-21 & SK1-31
- HL02:** Paper Extension Arm SK1-21, SK1-31
- HL03:** Paper Extension Arm SK1-41

- Low profile and ultra lightweight, designed for a wide variety of kiosk systems
 - Fast, high quality 203dpi output at print speeds up to 200mm/second (2" & 3" models) 150mm/second (4" model) with 2D barcode capability
 - Versatile operating environment (-20 to +60 degrees)
 - Up to 120mm paper roll (outside diameter) as standard with 254mm large paper roll option. SK1-32: 83mm OD Roll only. 12mm core standard with 25.4mm also available on L models with paper thickness from 0.060 to 0.15mm on SK1-21 & SK1-31 models. Up to 0.12mm on SK1-41 models.
 - Dual interface USB and serial fixed interfaces as standard
 - Auto load and manual “flip top” paper loading with retract/document capture feature and spring loaded paper roll holders to allow the kiosk builder to consider the simpler choice of operating access
 - Sanei drivers are not as extensive as Star’s range of drivers, so please check the range of drivers available directly from **Support@Star-EMEA.com**
- Please note these drivers are not listed on the Star Global Support website **www.StarMicronics.com/support**

Full specifications on page 34
or www.Star-EMEA.com

TUP500 Series

High Speed 220mm/second Kiosk Printing Solution available in Modular or Open Frame Formats

- High speeds of up to 220mm/second (with standard 15cm paper roll) and a default speed of 180mm/second using the optional 25cm paper roll holder
- Adjustable 45 – 82.5mm paper width functionality with self centring width adjuster
- Barcodes, receipts, tickets, labels (TUP542) etc, all printed on media from 0.065mm to 0.15mm thick for different applications

Interface options:
USB HU05, LAN HE07



TUP500 and TUP900 open frame and mechanism options:

- Paper exit guide/snout with flashing LEDs
- 25cm paper roll holder (15cm standard). Max. capacity 18cm when mounted below printer
- PS60 Power Supply
- Large roll Damper Unit
- All models supplied without interface with optional USB, Ethernet with "print on disconnection" feature (TUP500 only), alongside traditional interface options

"High speed and cost effective, the TUP500 is ideal as a fast, reliable receipt or ticket printer for kiosk environments."



TUP500
Programmable
LED Flashing
Paper Exit
Guide



Reseller & Retailer Tip:

Our technical team are some of the most experienced in the business. Feel free to talk to them about your project and see if we can meet your individual customer requirements.

TUP900 Series

80-112mm Wide (A4 Replacement) Open Frame / Modular Kiosk Printing Solution

- 150mm/second high quality thermal barcode, label, receipt, ticket and A4 kiosk printing solution for 80 – 112mm formats up to 0.15mm thick
- A4 to A6 automatic scalable raster driver for reduced, cost-saving A4 to Internet output on 112mm wide paper
- Easy paper loading and multi-position adjustable near end paper sensor with 80cm of cable for use with the high capacity paper roll supply option
- Adjustable horizontal or vertical mounted control panel with extended cable lengths for integration flexibility
- Easy-load – simply lift and tilt the mechanism forward and insert the paper for automatic paper loading

Interface options:
Serial HD04, Parallel HC04, USB HU06



"Offering cost efficient thermal printing, the TUP900 is designed especially for kiosk or unattended printing applications producing fast and reliable wide format tickets and receipts."

Models available:


- **TUP592 & TUP992**
Open frame with moveable control panel and paper near end sensors via extended cables
- **TUP542 & TUP942**
Non presenter version for labels
- **TUP500DP**
Chassis option provides a more compact printer taking up to 25% less space with 10cm diameter paper roll
- **TUP500DP Mini**
Compact printer with external paper handling

Full specifications on page 34
or www.Star-EMEA.com

We're Here To Help Every Step Of The Way

Recognised throughout the industry for its technical knowledge, Star's highly-advanced printers are designed in-house from the chassis up with software from the first "bit". Star's DNA is imprinted from its printing solution to its technical support.

Our technical team covers Europe, Middle East and Africa and offers over 50 man years of multi-system integration experience. For Star technical support from pre-sales to print system integration, print drivers & SDKs (Software Development Kits) expertise and so much more – contact Support@Star-EMEA.com



Star Drivers

Star offers extensive free-to-download drivers from www.StarMicronics.com/Support. See our connectivity page opposite to find out more about our printer compatibility.

StarIO & SDKs

Star's outstanding Software Development Support is unrivalled and is the key reason why Star printers have been integrated into such a wide variety of POS Software solutions worldwide.

Star's multi-product API forms part of Star's iOS™, Android™, Windows™ and Linux™ based SDKs which are vital and valued by Software Houses all over the world wanting to take advantage of Star's feature-rich range of products. Each StarIO based SDK package has extensively documented source code and informative explanation manuals.

A demo package is also included to demonstrate how to implement advanced functionality and customise print outs. This, together with the backup of Star's experienced support team, allows simpler integration of platform-specific applications with Star products.

| Traditional Resident POS Software | | | | Web based POS Software | |
|--|-----------|---------|---------|--|--|
| POS Software | | | | Hardware Solution Plug-in interface HE07X AsuraCPRNT | Star WebPRNT Browser Available from |
| Star Page Mode Port Discovery JavaPOS Star SDK Star Line Star Mobile Star Raster Mode | | | | HE07X / X8 | Star WebPRNT Browser All Star Desk / Counter & Bluetooth Models Star Thermal Printers with USB / LAN interfaces |
| StarIO | | | | TSP654II TSP700II TSP800II SP700 FVP10 | Mobile SM-L200 SM-S220i / 230i SM-T300i / DW / 400i All Bluetooth Models Star Thermal Printers with USB / LAN interfaces |
| TSP100 | Bluetooth | SM-T301 | TSP-L10 | | |


















































































































Star Mobile SDKs including Proximity Printing

Star offers helpful SDK applications on Google Play and App Store that enable a variety of customisable samples and functionalities including the ability to change the Bluetooth device name for easy pairing, along with proximity based printing and cash drawer support, for increased mPOS security.










| Name | Description | Stores |
|------------|---|-------------|
| StarIO SDK | Enabling users to test a wide variety of functionality within customisable samples for Star Cash Drawers, Desktop and Mobile Printers | App Store |
| | | Google Play |

Star Connectivity at all levels

| | COMMUNICATION | | | | | INTEGRATION | | | | | | |
|--|--|---|--|--|---|---|---|--|---|---|--|---|
| | Bluetooth | | WiFi | | | HTML/XML | | SDK | | | | |
| |  | |  | | |  <i>Connecting your Star Printers to the Web!</i> | |  | | | | |
| | Exchanging data over short distances, Bluetooth offers high levels of security and reliable connectivity for most modern laptops and tablets with in-built support. Star offers Bluetooth enabled printing capabilities for both desktop and mobile including TSP654IIBI, TSP743IIBI, TSP847IIBI, FVP10BI, SP742BI, SM-S220I, SM-S230I, SM-L200, SM-T300I & SM-T400I. Star can also power 3rd party dongles using our unique DK-USB connected to serial interfaces. | | Why settle for an overpriced proprietary solution when you could use Star's NEW & UNIQUE external power module to combine with a wide range of specialist OEM wireless modules. The Star WiFi Power Pack provides greater connectivity and flexibility at a lower price, supporting 5 modes – AP, Router, Client, Bridge & Repeater. The module is a very compact, low cost package which fits neatly on or even inside certain Star LAN printers. | | | New low cost networking solution, Star WebPRNT removes the issues usually associated with web-based printing by offering driverless printing capabilities for all receipt data, utilising HTML and JavaScript standards to provide consistent browser printing. Star WebPRNT does not need a local server, and isn't PC dependent. | | Star SDKs are available to programmers at no cost, supporting major operating systems and popular programming languages. The Star SDK packages include sample code and documentation and provide a valuable tool for developers to reduce development time and cost. | | | | |
| Key Advantages | <ul style="list-style-type: none">• Uses standard serial profile or MFi for Apple iOS devices• 10-100m connectivity range – providing cable replacement for secure wireless transmissions• Improved legacy support• Easy to upgrade external 3rd party dongles PLATFORM INDEPENDENT STAR WebPRNT BROWSER Download from the App Store and Google Play  | | <ul style="list-style-type: none">• Flexibility to choose multiple modes of WiFi networking communication• Compact, low cost packages providing flexibility to update when needed or as wireless standards change• Powered from printer• Mounting options• Supported on all Star traditional printers, old or new | | | PLATFORM INDEPENDENT HARDWARE SOLUTION Designed as a solution to cloud / web based printing issues for TSP654IIBI, TSP700IIBI, TSP800IIBI, SP700 & FVP10 (with chassis mount) <ul style="list-style-type: none">• Simple Installation• BYOD (Bring Your Own Device) with zero software installation• Print consistent receipts from any web browser PLATFORM INDEPENDENT STAR WebPRNT BROWSER Download from the App Store and Google Play | | <ul style="list-style-type: none">• SDK packages include sample code and documentation to reduce development time and costs• Supporting all major operating systems and programming languages• Free downloadable software from the Star Global Support site• Dedicated Star Technical support team, including extensive practice application developer advice | | | | |
| What are the costs? | Price of Star Bluetooth enabled printer or DK-USB + external bluetooth adaptor | | Cost of printer + External WiFi Ethernet / USB or Bluetooth Serial dongle + power adaptor or simply use the Star WiFi Power Pack | | | Cost of printer + WebPRNT interface or Star WebPRNT Browser | | Free downloadable SDKs from Star Global Support site: www.starmicro.com/support , or ask Star technical team: Support@Star-EMEA.com | | | | |
| Wireless Connectivity | Bluetooth | | WiFi | | | WebPRNT | | Star SDKs | | | | |
| | SPP* | MFi | External Bluetooth Adaptor with Star DK-USB | Star WiFi Power Pack External WiFi Ethernet / LAN Kit with Star "Power" DK-USB | 3rd Party External WiFi USB Kit for USB only Star Printers | HARDWARE PLUG-IN INTERFACE HE07/08 | STAR WebPRNT BROWSER | Android | LINUX | Windows | iOS | Mac |
| TSP100U / ECO / GT / USB | | | | |  | |  |  |  |  | | |
| TSP100LAN | | | |  | | |  |  |  |  |  | |
| mPOP |  |  | | | | |  |  |  |  |  | |
| TSP654IIBI |  |  | | | | |  |  |  |  |  |  |
| TSP654IILAN / TSP654IIUSB | TSP654IIBI | TSP654IIBI | |  |  | HE07X |  |  |  |  |  LAN |  |
| TSP700IIBI TSP800IIBI | TSP743IIBI TSP847IIBI | TSP743IIBI TSP847IIBI |  |  |  | HE07X |  |  |  |  |  |  |
| FVP10 | FVP10BI | FVP10BI |  |  |  | BE07X |  |  |  |  |  |  |
| TSP1000 | | |  |  |  | | | |  |  | |  |
| TSP-L10 | | | |  | | | | |  | | | |
| TUP500 + DP / MINI | | |  DK-USB not supported |  DK-USB not supported | | |  |  |  |  |  |  |
| TUP900 | | |  DK-USB not supported | |  | |  |  |  |  | |  |
| SM-T300DW | | | | In-built WiFi | In-built WiFi | |  |  | |  |  | |
| SM-S220I / SM-S230I SM-T300I / SM-T400I |  |  | | | | |  |  | |  |  | |
| SM-L200 | Bluetooth 2.1 & BLE | | | | | |  |  |  |  |  | |
| SP298 / 500 | | |  | | | | | | |  | | |
| SP700 | SP742IIBI | SP742IIBI |  |  |  | HE08X | | |  |  | |  |
| DP8340 | | | | | | | | | | | | |
| HSP7000 | | |  |  |  | Pending | | | |  |  |  |
| AsuraCPRNT | | | |  |  | Standard | |  |  | Thin Client Basis | | |
| ProxiPRNT | Proximity location based printing and Secure Cash Management for mPOS – see page 5 | | | | | | | | | | | |



*SPP = Serial Port Profile – industry cable replacement profile




Mobile/mPOS (Wireless & Bluetooth)

| STAR PRINTER SERIES | SM-L200 | SM-S220i | SM-S230i | SM-T300DW | SM-T300i | SM-T400i | AsuraCPRNT "All-in-One" |
|--|---|---|---|--|--|--|--|
| |  4.0 Bluetooth |  |  |  WiFi |  |  |  |
| | Pages 22-23 | Pages 22-23 | Pages 22-23 | Pages 22-23 | Pages 22-23 | Pages 22-23 | Pages 30-31 |
| Description | Direct Thermal Mobile | | | | | | Direct Thermal |
| | Compact, Bluetooth/BLE Mobile Printer for Apple iOS, Android, Linux & Windows | Compact, 2" (58mm), Apple iOS™ & Android™ Bluetooth Mobile Printer | Compact, 2" (58mm), Apple iOS™ & Android™ Bluetooth Mobile Printer | Rugged, 3" (80mm) Mobile Printer with WiFi compatibility SM-T300DW without MSR SM-T301DW with MSR (Track 1&2) | Rugged, 3" (80mm) Apple iOS & Android Compatible Bluetooth Mobile Printer SM-T300i without MSR SM-T301i with MSR (Track 1&2) | Durable, 4" (112mm) Apple iOS & Android Compatible Bluetooth Mobile Printer SM-T400i without MSR SM-T404i with MSR (Track 1&2) | NEW 38cm high "All-in-One" User Engagement Tool with Display, Fast Processor & Direct Thermal Printer |
| Max. Print Speed | 35mm/sec. | 80mm/sec. | 80mm/sec. | 75mm/sec. | 75mm/sec. | 80mm/sec. | 300mm/sec. |
| Resolution | 203 dpi | 203 dpi | 203 dpi | 203 dpi | 203 dpi | 203 dpi | 203 dpi |
| No. of Columns | 42 col. | 42 col. | 42 col. | 64 col. | 64 col. | 92 col. | 48 / 64 col. Depending on Paper Width |
| Tear Bar / Autocutter | Tear Bar | Tear Bar | Tear Bar | Tear Bar | Tear Bar | Tear Bar | Partial Cut (Guillotine) |
| Paper Width | 58mm | 58mm | 58mm | 80mm | 80mm | 112mm | 80mm Standard (65 / 58mm Paper Guide) |
| Paper Thickness | 0.06 – 0.12mm | 0.06 – 0.07mm | 0.06 – 0.07mm | 0.06 – 0.07mm | 0.06 – 0.07mm | 0.06 – 0.07mm | 0.053 – 0.085mm |
| Paper Roll (diameter) | 40mm | 40mm | 40mm | 50mm | 50mm | 50mm | 83mm |
| Media Presentation | Horizontal Desktop or Vertical Belt Strap | Horizontal Desktop or Vertical Belt Strap | Horizontal Desktop or Vertical Belt Strap | Horizontal Desktop or Vertical Belt/Shoulder Strap | Horizontal Desktop or Vertical Belt/Shoulder Strap | Horizontal Desktop or Vertical Belt/Shoulder Strap | User Selectable Paper Delivery Options with Mounting Bracket included |
| Print Width | 48mm | 48mm | 48mm | 72mm | 72mm | 104mm | 72mm (58.5 / 50.8mm) |
| Sensors | Paper End, Cover Open, Black Mark | Paper End, Cover Open, Black Mark | Paper End, Cover Open, Black Mark | Paper End, Cover Open | Paper End, Cover Open | Paper End, Cover Open, Black Mark | Paper End, Cover Open, Near End Horizontal & Vertical, Black Mark |
| Interface | Bluetooth 3.0 / 4.0 USB charging / communication cable included | Bluetooth (2.1), iOS (MFI), Serial (cable included) | Bluetooth (2.1), iOS (MFI), USB communication cable included | WiFi, Serial (cable included) | Bluetooth (2.1), iOS (MFI), Serial (cable included) | Bluetooth (2.1), iOS (MFI), Serial (cable included) | Ethernet, 4 USB Hosts, 1 USB Slave, Audio Line IN / OUT, Cash Drawer Kick, Micro SD card support |
| Drop Test | 1.2m | 1.2m | 1.5m | 1.5m (MSR Model: 1.2m) | 1.5m (MSR Model: 1.2m) | 1.5m (MSR Model: 1.2m) | |
| Power Supply | USB charging / communication cable included | AC Charger & Battery Pack included | AC Charger & Battery Pack included | AC Charger & Battery Pack included | AC Charger & Battery Pack included | AC Charger & Battery Pack included | Internal adaptor included with cable |
| Power / Battery Life | 3.7V rechargeable battery offering 13 hours printing at 5 minute printing intervals | 7.4V rechargeable battery offering 8 hours printing at 5 minute printing intervals | 7.4V rechargeable battery offering 13 hours printing at 5 minute printing intervals | 7.4V rechargeable battery offering 11 hours printing at 5 minute printing intervals | 7.4V rechargeable battery offering 13 hours printing at 5 minute printing intervals | 7.4V rechargeable battery offering 24 hours printing at 5 minute printing intervals | 1.75 Amps Printing 0.36 Amps Standby |
| Reliability | 37 million lines 50km | 37 million lines 50km | 37 million lines 50km | 37 million lines 50km | 37 million lines 50km | 37 million lines 50km | 60 Million Lines 2 Million Cuts |
| Dimensions (W x D x H) mm Weight | 83 x 122.5 x 44 220g (including battery) | 81 x 139 x 46 288g (including battery) | 80 x 114 x 44 197g (including battery) | 120 x 132.2 x 58.3 442g (including battery) | 120 x 130.5 x 58.3 120 x 132.2 x 58.3 (with MSR) 442g (including battery) | 150.9 x 136.6 x 63.3 150.9 x 143.2 x 63.3 (with MSR) 735g (including battery) | 180 x 162 x 367.5 3.5kg |
| Included in box with printer at purchase | <ul style="list-style-type: none"> Battery Pack Sample Paper Roll Belt Clip Serial Cable Safety Instruction Sheet | <ul style="list-style-type: none"> Battery Pack Sample Paper Roll Belt Clip Serial Cable Battery Charger Safety Instruction Sheet | <ul style="list-style-type: none"> Battery Pack Sample Paper Roll Belt Clip USB Cable Battery Charger Safety Instruction Sheet | <ul style="list-style-type: none"> Battery Pack Sample Paper Roll Belt Clip Serial Cable Battery Charger Safety Instruction Sheet | <ul style="list-style-type: none"> Battery Pack Sample Paper Roll Belt Clip Serial Cable Battery Charger Safety Instruction Sheet | <ul style="list-style-type: none"> Battery Pack Sample Paper Roll Belt Clip Serial Cable Battery Charger Safety Instruction Sheet | <ul style="list-style-type: none"> Power Supply Secure Counter Base Stand and screws Rubber Feet Paper Roll Guide Safety Instructions |
| Options | <ul style="list-style-type: none"> Desk Dock Charger Extra Battery Pack Star WebPRNT Browser App download from the App Store & Google Play | <ul style="list-style-type: none"> 4 Unit Battery Charger Single Battery Charger Extra Battery Pack Vehicle Charger Star WebPRNT Browser App download from the App Store & Google Play | <ul style="list-style-type: none"> 4 Unit Battery Charger Single Battery Charger Extra Battery Pack Vehicle Charger Star WebPRNT Browser App download from the App Store & Google Play | <ul style="list-style-type: none"> 4 Unit Battery Charger Shoulder Strap Single Battery Charger Extra Battery Pack Vehicle Charger MSR version available | <ul style="list-style-type: none"> 4 Unit Battery Charger Shoulder Strap Single Battery Charger Extra Battery Pack Vehicle Charger MSR version available Star WebPRNT Browser App download from the App Store & Google Play | <ul style="list-style-type: none"> 4 Unit Battery Charger Shoulder Strap Single Battery Charger Extra Battery Pack Vehicle Charger MSR version available Star WebPRNT Browser App download from the App Store & Google Play | <ul style="list-style-type: none"> Individual / Combined 1D / 2D / QR Barcode & Magnetic Stripe Readers NEW Newland Scanner now available NFC, WiFi, 3G / 4G Dongles K-lock Desk Security Cable Micro SD Card |

Bluetooth Desktop

Matrix







| STAR PRINTER SERIES | TSP654IIBI | FVP10BI | TSP743IIBI | TSP847IIBI | SP742BI |
|--|--|--|--|--|--|
| |  |  |  |  |  |
| | Page 13 | Pages 15 | Page 16 | Page 17 | Page 21 |
| Description | Direct Thermal BLUETOOTH Wireless Printers | | | | Dot Matrix Bluetooth |
| | Direct Thermal Label, Receipt & Ticketing | | | | |
|  | NEW Industry first High Performance, Entry Level iOS Compatible Bluetooth Desktop Printer with Cash Drawer Support | UNIQUE under Counter / Front Operating Printer with Voice Tool | UNIQUE 80mm Bluetooth Barcode, Label, Ticket & Receipt Printing from the ONE model | UNIQUE 112mm Bluetooth Barcode, Label, Ticket & Receipt Printing from the ONE model | UNIQUE Bluetooth 9-pin Red / Black Dot Matrix Printer |
| Max. Print Speed | 300mm/sec. | 250mm/sec. | 250mm/sec. | 180mm/sec. | 4.7 to 8.9 lps |
| Resolution | 203 dpi | 203 dpi, 406 x 203 dpi selectable | 203 dpi, 406 x 203 dpi selectable | 203 dpi, 406 x 203 dpi selectable | 7 x 9 half dot |
| No. of Columns | 48 / 64 col. Depending on Paper Width | 48 / 64 col. Depending on Paper Width | 48 / 64 or 53 / 71 col. Depending on Paper Width | A4 Print Capability on 112mm Paper with Auto Scaling Software | 42 / 35 |
| Autocutter | Partial Cut (Guillotine) | Full or Partial Cut (Guillotine) | Full or Partial Cut (Guillotine) | Full or Partial Cut (Guillotine) | Partial Cut |
| Paper Width | 80mm Standard (58mm Paper Guide) | 58 – 80mm Fully Adjustable | 82.5, 80, 58mm Selectable (80mm Standard with User Installable Paper Guide Fitted) | 112mm Standard, 80mm Options with User Installable Paper Guide Option | 76mm default, 69.5, 58mm |
| Paper Thickness | 0.053 – 0.085mm | 0.065 – 0.15mm | 0.065 – 0.15mm | 0.065 – 0.15mm | 0.065 – 0.085mm / 1+2 copies |
| Paper Roll Standard Option | 83mm | 83mm | 100mm External Paper Feed | 100mm External Paper Feed | 85mm |
| Media Presentation | User Selectable Paper Delivery Options with Mounting Bracket included | Front Output Delivery with Flat Shelf Mount Bracket Option | User Selectable Paper Delivery Options with Mounting Bracket included & Optional Paper Exit Guide | User Selectable Paper Delivery Options with Mounting Bracket Option | Vertical or Horizontal mode |
| Print Width | 50.8mm (58mm Paper) 72mm (80mm Paper) | 72mm | 80mm | 104mm | 63 / 50 / 45mm |
| Sensors | Paper End, Cover Open, Near End Horizontal & Vertical | Black Mark, Paper End, Cover Open, Near End | Black Mark, Paper End, Cover Open, Near End Horizontal & Vertical | Black Mark, Paper End, Cover Open, Near End Horizontal & Vertical | Paper End (Near End option) |
| Interface | Bluetooth (2.1), iOS (MFi) | Bluetooth (2.1), iOS (MFi) | Bluetooth (2.1), iOS (MFi) | Bluetooth (2.1), iOS (MFi) | Bluetooth (2.1), iOS (MFi) |
| Power Supply | External Option PS60A | External Option PS60A | External Option PS60A | External Option PS60A | Internal with cable provided |
| Power Consumption | 1.9 Amps Printing 0.15 Amps Standby | 1.56 Amps Printing 0.12 Amps Standby | 1.8 Amps Printing 0.15 Amps Standby | 2.0 Amps Printing 0.12 Amps Standby | 1.5 Amps Printing 0.42 Amps Standby |
| Energy Star | External, Energy Star Qualified PS60A (Optional) | External, Energy Star Qualified PS60 (Optional) | External, Energy Star Qualified PS60A (Optional) | External, Energy Star Qualified PS60A (Optional) | |
| Reliability | 60 Million Lines 2 Million Cuts | 60 Million Lines 2 Million Cuts | 60 Million Lines 2 Million Cuts | 37 Million Lines 2 Million Cuts | 22 Million Lines 1 Million Cuts |
| Dimensions (W x D x H) mm Weight | 142 x 132 x 202 1.72kg | 144 x 227.7 x 114 2.8kg | 147 x 213 x 148 1.75kg | 180 x 213 x 148 1.9kg | 160 x 245 x 152 3.3kg |
| Options | <ul style="list-style-type: none"> T100/650 Splash Proof Cover VS T100/650 Display Stand for Vertical Use Plug-in Interfaces (see above) Direct Connection Cable option with iOS devices Star WebPRNT Browser download from the App Store & Google Play | <ul style="list-style-type: none"> MK-FVP10 mounting bracket Range of plug-in alternative interfaces could replace Bluetooth interface Star WebPRNT Browser download from the App Store & Google Play | <ul style="list-style-type: none"> Wall mount bracket in box at purchase Flashing Snout / Paper Exit Guide option VS700 Deskboot option Star WebPRNT Browser download from the App Store & Google Play | <ul style="list-style-type: none"> Blue or Green & Red LED Flashing Snout / Paper Exit Guide Option WBT800 Wall Mount kit VS800 Deskboot option Star WebPRNT Browser download from the App Store & Google Play | <ul style="list-style-type: none"> Buzzer Alarm Wall Mount Kit Vertical Kit Star WebPRNT Browser download from the App Store & Google Play |

| SP298 | SP500 | SP700 |
|---|---|---|
|  |  |  |
| Page 20 | Page 21 | Page 21 |
| 9-Pin High Quality, Bi-Directional Impact Printers | | |
| 9-pin Matrix Slip Printers with Letter Descenders | Low Cost, High Speed 9-pin Matrix Printers | UNIQUE Bluetooth 9-pin Red / Black Dot Matrix Printer |
| 3.1 lps | 4.0 to 7.5 lps | 4.7 to 8.9 lps |
| 7 x 9 half dot | 7 x 9 half dot | 7 x 9 half dot |
| 42 | 42 / 30 | 42 / 35 |
| Slip Printer | Tear Bar and Full / Partial (Guillotine) Autocutter Rewind models | Tear Bar and Full / Partial (Guillotine) Autocutter Rewind models |
| up to 182mm | 76, 57mm | 76mm default, 69.5, 58mm |
| 0.09 – 0.20mm / 1+2 copies | 0.07 – 0.10mm / 1+2 copies | 0.06 – 0.085mm / 1+2 copies |
| Slips only | 85mm | 85mm |
| Horizontal mode | Vertical or Horizontal mode | Vertical or Horizontal mode |
| 63mm | 63 / 60 / 45mm | 63 / 50 / 45mm |
| Auto Side Loading | 6 position Black Mark | Paper End (Near End option) |
| RS232C or Parallel | RS232C or Parallel | RS232C, Parallel, non interface or Bluetooth (2.1), iOS MFi |
| External PS60 option | Internal with cable provided | Internal with cable provided |
| 1.0 Amps Printing 0.07 Amps Standby | 0.43 Amps Printing 0.12 Amps Standby | 1.5 Amps Printing 0.42 Amps Standby |
| External, Energy Star Qualified PS60 (Optional) | | |
| 9 Million Lines | 22 Million Lines 1 Million Cuts | 22 Million Lines 1 Million Cuts |
| 180 x 190 x 138.5 2.1kg | 140 x 225 x 163 | 160 x 245 x 152 |
| <ul style="list-style-type: none"> PS60 Power Supply | <ul style="list-style-type: none"> Buzzer Alarm Wall Mount Kit Vertical Kit SP500R Paper Rewind version | <ul style="list-style-type: none"> Buzzer Alarm Wall Mount Kit Vertical Kit SP700R Paper Rewind version |


Kiosk / Terminal

Specialist Thermal, Lottery & Ticketing

Hybrid

| STAR PRINTER SERIES | TUP592 TUP542 | TUP992 TUP942 | Sanei SK1-21A SK1-31A/32 | Sanei SK1-41A | TSP1000 | TSP-L10 | HSP7000 |
|---|--|--|---|--|---|---|---|
| |  |  |  |  |  |  |  |
| | Page 29 | Page 29 | Page 28 | Page 28 | Page 18 | Page 19 | Pages 20 |
| Description | Modular, Open Frame Thermal Kiosk/Terminal | | Open Frame Thermal Ticketing | | Star Specialist Direct Thermal Printers with Receipt/Ticket Stacker | | Matrix/Thermal 2 Station Printer |
| | Direct Thermal Label, Receipt & Ticketing | | | | | | |
| | TUP592 Presenter Version TUP542 No Presenter for labels etc. TUP500 Modules – mech etc. | TUP992 Presenter Version TUP942 No Presenter for labels etc. TUP900 Modules – mech etc. | SK1-21A / SK1-31A No Presenter SK1-21A-LP / SK1-31A-LP Presenter SK1-32 Clamshell | SK1-41A-L No Presenter SK1-41A-LP with Presenter and Label Support | One of the World's most successful Lottery Printers | NEW High Performance Secure Transaction Printer able to print and stack 100 Tickets | High Speed 203 dpi Thermal Receipt & Matrix Cheque / Slip Printer |
| Max. Print Speed | 220mm/sec. | 150mm/sec. | 200mm/sec. | 150mm/sec. | 180mm/sec. | 300mm/sec. | 250mm/sec. up to 8.9 lps |
| Resolution | 203 dpi | 203 dpi | 203 dpi | 203 dpi | 203 dpi | 203 dpi | 203 dpi/9-pin |
| No. of Columns | 48/64 or 53/71 col. Depending on Paper Width | A4 Print Capability on 112mm Paper with Auto Scaling Software | SK1-21: Max 56 col. SK1-31/32: Max 80 col. Depending on Paper Width | Max 104 col. (8x16) Max 69 col. (12x24) Depending on Paper Width | 48/64 or 53/71 col. Depending on Paper Width | 48/64 or 53/71 col. Depending on Paper Width | Receipt: 48/64 col. Slip: 60 or 45 col. |
| Autocutter | Full or Partial (Guillotine) Full only with PR500 Presenter & TUP592 | Full or Partial (Guillotine) Full Only with PR900 Presenter & TUP992 | Full or Partial (Guillotine) Full Only With Presenter | Full or Partial (Guillotine) Full Only With Presenter | Full Cut (Guillotine) | Full Cut (Guillotine) | Partial Cut (Guillotine) |
| Paper Width | 45 – 82.5mm Adjustable | 80 – 112mm Adjustable | SK1-21: 54/56mm SK1-31: 58/60/80/83mm | 80/83/112mm | 45 – 82.5mm Adjustable | 82.5mm | Thermal: 58, 76, 80mm Matrix: 68 – 230mm |
| Paper Thickness | 0.065 – 0.15mm | 0.065 – 0.15mm | 0.059 – 0.15mm | 0.059 – 0.12mm | 0.065 – 0.15mm | 0.075 – 0.09mm | Thermal: 0.065 – 0.085mm Matrix: 0.09 – 0.31mm |
| Paper Roll Standard Option | Standard: 150mm With Option: 254mm | Standard: 150mm With Option: 254mm | Standard: 120mm With Option: 200mm | Standard: 120mm With Option: 200mm | ▶ 180mm ◀ | ▶ 200mm ◀ | Thermal: 83mm |
| Media Presentation | Presenter with Document Capture (not for labels). Flashing Paper Exit Guide option | Presenter with Document Capture (not for labels). Metal or Flashing Paper Exit Guide options | SK1-21/31: Presenter with Document Capture (not for labels). Plastic or Flashing Paper Exit Guide options | Presenter with Document Capture (not for labels). Plastic or Flashing Paper Exit Guide options | 30 Receipt/ Ticket Stacker | 100 Receipt/ Ticket Stacker | |
| Print Width | 80mm | 104mm | SK1-21: 54/56mm SK1-31: 54/56/72/80mm | 72/80/104mm | 80mm | 80mm | Thermal: 72mm Slip: 85.4mm max. |
| Sensors | Black Mark, Adjustable Paper End, Near End & Paper Low | Black Mark, Adjustable Paper End, Near End & Paper Low | Near End, Reflection (PE/BM) & Gap | Near End, Reflection (PE/BM) & Gap | Paper End, Near End & Stacker | Black Mark, Cover Open, Paper End, Near End (4 position) | |
| Interface | Supplied without Interface. Options: 9-pin or 25-Pin Serial (IFBD-HN03 or IFBD-HD03), Parallel (IFBD-HC03), USB (IFBD-HU05), Ethernet (IFBD-HE07) | Supplied without Interface. Options: 9-pin or 25-Pin Serial (IFBD-HN04 or IFBD-HD04), Parallel (IFBD-HC04), USB (IFBD-HU06) | Serial, USB as standard | Serial, USB as standard | Serial, Parallel or USB as Standard. Ethernet Options. 3rd Party WiFi/ Bluetooth Options | High Speed USB 2.0 + USB Host and Ethernet | RS232C or Parallel with LAN/USB/ Powered USB options |
| Unique Ethernet Print on Disconnection Feature | Standard with IFBD-HE07 option | Contact Star for more details | | | Standard with IFBD-HE08 | | |
| Power Supply | External Option PS60A | External Option PS60A | External Option PS60A with CB-SK1-D3 cable | External Option SA1-3A240 Power Lead Now Supplied | External Option PS60A | External Option PS60A | External Option PS60A |
| Power Consumption | 1.7 Amps Printing 0.7 Amp Standby | 1.7 Amps Printing 0.08 Amp Standby | 2.5 Amps Printing 0.07 Amps Standby | 2.5 Amps Printing 0.07 Amps Standby | 2.0 Amps Printing 0.1 Amps Standby | 1.0 Amps Printing 0.02 Amps Standby | |
| Energy Star | External, Energy Star Qualified PS60A (optional) | External, Energy Star Qualified PS60A (optional) | External, Energy Star Qualified PS60A (Optional) + Qualified SA1-3A24 (optional) | External, SA1-3A24 (optional) | | | External, Energy Star Qualified PS60A (optional) |
| Reliability | 60 Million Lines 1 Million Cuts | 37 Million Lines 1 Million Cuts | 60 Million Lines 1.5 Million Cuts | 60 Million Lines 1.5 Million Cuts | 60 Million Lines 1 Million Cuts | 60 Million Lines 2 Million Cuts | Thermal: 60 million lines Slip: 37 million lines |
| Dimensions (WxDxH) mm Weight (without interface cover) | Mechanism: 135 x 101 x 103 Open Frame: 160x234.1 x 179 2.5kg | Mechanism: 176.2 x 101 x 121 Open Frame: 192 x 249.3 x 179 2.84kg | SK1-21: 80mm roll 104x129.2x73.6 / 525g SK1-31: 83mm roll 127x130x74 / 630g SK1-32: 128x174.5x74.2 730g | 80mm roll: 160.9x143.1x76.3 102mm roll: 160.9x151.2x82.2 120mm roll: 160.9x159.3x88.1 without presenter/885g | 161 x 307 x 249 3.0kg | 165 x 343 x 276 4.4kg (including scanner) | 186 x 296 x 177 4.6kg |
| Document Capture (Anti-litter mode) | Document Capture | Document Capture | Document Capture | Document Capture | | | |
| Options | • Interfaces (see above) • Flashing Snout Green & Red LED Paper Exit Guide • 25cm Paper Roll Option | • Interfaces (see above) • Metal Paper Exit Guide • Flashing Snout Blue or Green & Red LED Paper Exit Guide Option • 25cm Paper Roll Option | • Plastic Bezel BZ-SK1-1 • Flashing Snout LB-SK1 • PS60 PSU + PS60 Connector CB-SK1-D3 • 20cm Paper Roll option HL02 • Presenter PR-SK1 | • Plastic Bezel BZ-SK1-1 • Flashing Snout LB-SK1 • PS60 PSU + PS60 Connector CB-SK1-D3 | • Three Colour Versions Available: Cherry Red & Star White, Charcoal Grey or Star Grey | • TSPL11 Internal Print Verification Scanner version | • MICR & Non MICR versions |

Direct Thermal mPOS, POS & Kiosk

| | TSP143ECO | TSP100U TSP100GT | TSP100LAN | TSP654II | TSP700II | TSP800II | FVP10 |
|--|--|--|--|--|--|--|---|
| STAR PRINTER SERIES |  |  |  |  |  |  |  |
| | Pages 9-11 | Pages 9-11 | Page 12 | Page 13 | Page 16 | Page 17 | Pages 15 |
| Description | World's Largest Range of Entry-Level Receipt Printers | | | | Direct Thermal Label, Receipt & Ticketing | | |
| | | | | "Easy-Install" Kiosk / Terminal | | | |
|  | Dedicated ECO Printers with Power & Paper Saving Tools All set-up accessories in box | New, High Speed "All-in-the-Box" Thermal USB Receipt Printers All set-up accessories in box | Dedicated LAN Thermal Printer All set-up accessories in box | NEW Superfast, Low Cost Thermal Receipt Printer including WebPRINT / iOS versions | TSP743II Barcode, Label, Ticket & Receipt Printing from the ONE model | TSP847II Barcodes, Labels, Tickets all from the ONE model! The ALTERNATIVE A4 Laser Printer | UNIQUE under Counter / Front Operating Printer with Voice Tool |
| Max. Print Speed | 150mm/sec. | TSP100GT: 250mm/sec. TSP100U (TSP113U / TSP143U): 125mm/sec. | 125mm/sec. | 300mm/sec. | 250mm/sec. | 180mm/sec. | 250mm/sec. |
| Resolution | 203 dpi | 203 dpi | 203 dpi | 203 dpi | 203 dpi, 406 x 203 dpi selectable | 203 dpi, 406 x 203 dpi selectable | 203 dpi, 406 x 203 dpi selectable |
| No. of Columns | 48/64 col. Depending on Paper Width | 48/64 col. Depending on Paper Width | 48/64 col. Depending on Paper Width | 48/64 col. Depending on Paper Width | 48/64 or 53/71 col. Depending on Paper Width | A4 Print Capability on 112mm Paper with Auto Scalling Software | 48/64 col. Depending on Paper Width |
| Autocutter | Partical Cut (Guillotine) with 3mm Top Margin | Tear Bar and Partial (Guillotine) Autocutter Models | Tear Bar and Partial (Guillotine) Autocutter Models | Partial Cut (Guillotine) | Full or Partial Cut (Guillotine) | Full or Partial Cut (Guillotine) | Full or Partial Cut (Guillotine) |
| Paper Width | 80mm (58mm Using Paper Guide) | 80mm (58mm Using Paper Guide) | 80mm (58mm Using Paper Guide) | 80mm (58mm Using Paper Guide) | 82.5mm, 80mm, 58mm selectable (80mm Standard with User Installable Paper Guide Fitted) | 112mm Standard, 80mm Options with User Installable Paper Guide Option | 58 – 80mm Fully Adjustable |
| Paper Thickness | 0.065 – 0.085mm | 0.065 – 0.085mm | 0.065 – 0.085mm | 0.053 – 0.085mm | 0.065 – 0.15mm | 0.065 – 0.15mm | 0.065 – 0.15mm |
| Paper Roll Standard Option | 83mm | 83mm | 83mm | 83mm | 100mm | 100mm | 83mm |
| Media Presentation | User Selectable Paper Delivery Options with Mounting Bracket included | User Selectable Paper Delivery Options with Mounting Bracket included | User Selectable Paper Delivery Options with Mounting Bracket included | User Selectable Paper Delivery Options with Mounting Bracket included | User Selectable Paper Delivery Options with Mounting Bracket included & Optional Paper Exit Guide | User Selectable Paper Delivery Options with Mounting Bracket Option | Front Output Delivery with Flat Shelf Mount Bracket Option |
| Print Width | 50.8mm (58mm Paper) 72mm (80mm Paper) | 50.8mm (58mm Paper) 72mm (80mm Paper) | 50.8mm (58mm Paper) 72mm (80mm Paper) | 50.8mm (58mm Paper) 72mm (80mm Paper) | 80mm Maximum | 104mm | 72mm |
| Sensors | Paper End, Cover Open | Paper End, Cover Open | Paper End, Cover Open | Paper End, Cover Open, Near End Sensor Horizontal & Vertical | Black Mark, Paper End, Cover Open, Near End Horizontal & Vertical | Black Mark, Paper End, Cover Open, Near End Horizontal & Vertical | Black Mark, Paper End, Cover Open, Near End |
| Interface | USB 2.0 Full Speed with Cable Supplied and "Virtual" Serial Port Emulator. 3rd Party WiFi/ Bluetooth Options | USB 2.0 Full Speed with Cable Supplied and "Virtual" Serial Port Emulator. 3rd Party WiFi/ Bluetooth Options | Ethernet model (10/100baseT, UTP) with LAN Cable Supplied and "Virtual" Serial Port. Star WiFi Power Pack option available for LAN version | Serial, Parallel, USB, Ethernet, Bluetooth TSP654IIBI (Apple iOS, Android, Windows) and Non Interface versions. Plug-In Options: Serial (IFBD-HD03), 9-pin Serial (HN03), Parallel (HC03), Ethernet (HE07), WebPRINT (HE07X) | Serial, Parallel, USB and Non Interface versions. Plug-In Options: Serial (IFBD-HD03), 9-pin Serial (HN03), Parallel (HC03), Ethernet (HE07), WebPRINT (HE07X) NEW Bluetooth (Apple iOS, Android, Windows) version available | Serial, Parallel, USB and Non Interface versions. Plug-In Options: Serial (IFBD-HD03), 9-pin Serial (HN03), Parallel (HC03), Ethernet (HE07), WebPRINT (HE07X) NEW Bluetooth (Apple iOS, Android, Windows) version available | USB models with 2nd interface slot for Plug-In Options: Serial (BD03), Parallel, Ethernet (BE07X), WebPRINT NEW Bluetooth (Apple iOS, Android, Windows) version available |
| Unique Ethernet Print on Disconnection Feature | | | TSP100LAN: Standard | Standard with IFBD-HE07 Option | Standard with IFBD-HE07 Option | Standard with IFBD-HE07 Option | Standard with IFBD-HE07 and Sub Chassis Option |
| Power Supply | Internal with Power Cable included | Internal with Power Cable included | TSP100LAN: Internal with Power Cable included | External Option PS60A | External Option PS60A | External Option PS60A | External Option PS60A |
| Power Consumption | 1.6 Amps Printing 0.1 Amps Standby | 1.6 Amps Printing 0.1 Amps Standby | 1.6 Amps Printing 0.1 Amps Standby | 1.9 Amps Printing 0.15 Amps Standby | 1.8 Amps Printing 0.15 Amps Standby | 2.0 Amps Printing 0.12 Amps Standby | 1.56 Amps Printing 0.12 Amps Standby |
| Energy Star | Energy Star Certified Internal Power Supply with Power Cable included | Energy Star Certified Internal Power Supply with Power Cable included | Energy Star Certified Internal Power Supply with Power Cable included | External, Energy Star Qualified PS60 (Optional) | External, Energy Star Qualified PS60 (Optional) | External, Energy Star Qualified PS60 (Optional) | External, Energy Star Qualified PS60 (Optional) |
| Reliability | 60 Million Lines 1 Million Cuts | 60 Million Lines 1 Million Cuts | 60 Million Lines 1 Million Cuts | 60 Million Lines 2 Million Cuts | 60 Million Lines 2 Million Cuts | 37 Million Lines 2 Million Cuts | 60 Million Lines 2 Million Cuts |
| Dimensions (W x D x H) mm Weight | 142 x 204 x 132 1.37kg – 1.72kg | 142 x 204 x 132 1.56kg – 1.76kg | 142 x 204 x 132 1.56kg – 1.74kg | 142 x 203.5 x 132 1.60kg | 147 x 213 x 148 1.75kg | 180 x 213 x 148 1.9kg | 144 x 227.7 x 114 2.8kg |
| Options | <ul style="list-style-type: none">• T100/650 Splash Proof Cover• VS-T650/100 Display Stand for Vertical Use | <ul style="list-style-type: none">• T100/650 Splash Proof Cover• VS-T650/100 Display Stand for Vertical Use | <ul style="list-style-type: none">• T100/650 Splash Proof Cover• VS-T650/100 Display Stand for Vertical Use | <ul style="list-style-type: none">• T100/650 Splash Proof Cover• VS-T650/100 Display Stand for Vertical Use• "Plug-In" WebPRINT interface solution for simple Web printing• Star WebPRINT Browser download option for TSP654IIBI from the App Store & Google Play | <ul style="list-style-type: none">• Buzzer• T700 Splash Proof Cover• Blue or Green & Red LED Paper Exit Guide• Plug-in Interfaces (see above)• "Plug-In" WebPRINT interface solution for simple Web printing• Star WebPRINT Browser download option for TSP743IIBI from the App Store & Google Play | <ul style="list-style-type: none">• Buzzer• Blue or Green & Red LED Paper Exit Guide• Plug-in Interfaces (see above)• "Plug-In" WebPRINT interface solution for simple Web printing• Star WebPRINT Browser download option for TSP847IIBI from the App Store & Google Play | <ul style="list-style-type: none">• MK-FVP10 Mounting Bracket• Plug-in 2nd Interfaces (see above)• "Plug-In" WebPRINT interface solution for simple Web printing• Star WebPRINT Browser download option for FVP10IIBI from the App Store & Google Play |



Telephone +44 (0) 1494 471111 or visit our websites at:

www.Star-EMEA.com · www.Star-MEast.com · www.Star-POSIndia.com

www.Star-Russia.com · www.Star-POSAfrica.com

Global Support: www.StarMicronics.com/support

Star Micronics EMEA, Star House, Peregrine Business Park, Gomm Road, High Wycombe, Buckinghamshire, HP13 7DL, UK
Fax: +44 (0) 1494 473333 · Email: sales@Star-EMEA.com · Technical Support: support@Star-EMEA.com

All other trademarks, where used, are acknowledged. In accordance with Star's policy of continual product development, Star Micronics Europe Limited reserve the right to change or amend the specification and price of its products from time to time without prior notice.

"Made for iPod", "Made for iPhone" and "Made for iPad" mean that an electronic accessory has been designed to connect specifically to iPod, iPhone and iPad respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. iPod is a trademark of Apple Inc., registered in the U.S. and other countries. iPod touch is a trademark of Apple Inc. iPhone is a trademark of Apple Inc. iPad is a trademark of Apple Inc.

2015/UK1b

New product information can be found at:

www.AsuraCPRNT.com · www.futurePRNT.com · www.mPOP.com



mPOS • RETAIL • RECEIPTS • HOSPITALITY • LABELS • KIOSK • TICKETS