# Stor Pos Printing Solutions



mPOS • RETAIL • RECEIPTS • HOSPITALITY • LABELS • KIOSK • TICKETS

**Once again** Star has shown it doesn't follow the market – it leads, with the introduction of UNIQUE & MARKET CHANGING products...



Star is renowned for providing customers with a choice at all levels and the introduction of the new TSP654II AirPrint™ and TSP143IIIUSB 'lightning' printer fully demonstrates this for Apple Tablet users and developers. AirPrint is an Apple technology providing easy mobile printing solutions for Apple iPad, iPhone, iPod and MacBook users on any private network. Up to now, AirPrint has been purely the domain of the wider output Inkjet and Laser printers for business and personal use, but now Apple has confirmed its No. 1 place in the POS retail and hospitality markets and certified the first receipt and ticket printer from Star.

**Tablet POS**, as it is now known, features a number of key advantages over the traditional POS terminal:

- Lower cost, solid-state (more reliable no moving parts) devices that can be mobile or fixed in place and which are easily replaceable and scalable as the business grows
- Cloud connected software which tends to be more flexible, lower cost and progressively changeable/scalable according to market developments and the individual business needs



standard. The ergonomic design with splash proof cover option and easy 'Drop-In & Print' paper loading makes it perfect for Tablet POS in retail or hospitality. The printer is available with charcoal black or ultra white casing and will match the Star CB2002 ultra white and black cash drawer options.



TSP143IIIU is another world first

A fast traditional USB printer as well as the first POS printer to print and charge an iPad or iPhone directly via the device lightning to USB cable. Zero setup costs – literally plug-in & print with only one mains cable needed.

#### Star's Development Tools for

software house printer integration are well documented, saving time and money and once again providing innovative solutions. The latest includes PassPRNT, a sophisticated

print data relaying application available for Android and iOS software developers.

PassPRNT effectively receives data from an application such as Filemaker Go or any web browser including Safari/Chrome using a URL scheme to then print on a Star Bluetooth, LAN/WLAN or USB printer with PDF print and Black Mark support. All development tools can be found at www.starmicronics.com/support (see pages 34/35 for more information)



Star's Digital Receipting Service from Star Cloud Services with the customer AllReceipts App works without integration on Windows 7, 8 & 10 for Star's TSP100, 650, 743II, 847II, FVP10 counter top and mobile printers or by using the new HI X Connect interface (for TSP654II, 743II, 847II) with the Digital Receipting Service automatically integrated for any platform. iOS and Android applications can use Star Cloud Services SDKs available from www.starmicronics.com/support




## **Contents**



| What's New   |  |  |   |  |  |  |  |  |
|--|--|--|---|--|--|--|--|--|
| NEW Tablet POS - Conn  | poctivity at all lovels  |  | 4-  |  |  |  |  |  |
| VEW Tablet POS - Comi  | -  | gest range of 80/112mm desktop & mobile label, receipt & ticket printers   | 4-  |  |  |  |  |  |
| NEW TSP654II AirPrint™   | 300mm/sec. wireless Apple iPad, iPhone, iPod   |  | 14-1  |  |  |  |  |  |
| VEW TSP143III USB  | 250mm/sec. traditional USB printer with uniqu  | 250mm/sec. traditional USB printer with unique Apple iOS lightning cable direct connection with charging functionality   |   |  |  |  |  |  |
| VEW SM-L300  | Unique Classic & Bluetooth 4 BLE mobile rece   | ipt & traditional/MaxStick label printer   | 2   |  |  |  |  |  |
| VEW CloudPRNT  | HI X interface with independent LAN & remote   | printing + dual LAN/USB interface + WiFi ready for 3rd party dongle  | 3   |  |  |  |  |  |
| <b>VEW</b> mPOP  | Latest developments include 2D scanner optic   | on, SCD222 display, iPad Pro charging cable & 2nd cash drawer support  | 10-1  |  |  |  |  |  |
| UNIQUE Star Developer  | · · · · · · · · · · · · · · · · · · ·  |  | 3   |  |  |  |  |  |
| •  | Details of Star's Tablet POS & traditional POS   | Integration & unique development tools   |   |  |  |  |  |  |
| Star Solution Su   | mmary  |  |   |  |  |  |  |  |
| Desktop Receipt printers   | 7  | Tablet POS Receipt, Label & Ticket printers  | 4-  |  |  |  |  |  |
| Mobile Receipt & Label printer   | rs 9   | Lottery Solutions  | 24-2  |  |  |  |  |  |
| Desktop Label & 0.15mm/150   | gsm Ticket Solutions 16  | Dot Matrix Kitchen & Receipt printers  |   |  |  |  |  |  |
| Ciosk Receipt, Label & Ticket  | <b>printers</b> 8, 28-31   | Star Developer Tools   | 3   |  |  |  |  |  |
| Star Cloud Services Digital Re   | eceipting 32   | Star Support & Integration   | 3   |  |  |  |  |  |
|  |  |  |   |  |  |  |  |  |
| Direct Thermal F   | Receipt, Label & Ticket  | <b>DESKTOP</b> printers  |   |  |  |  |  |  |
| VEW mPOP   | Combined cash drawer & 58mm printer with Bluet   | tooth connectivity designed specifically for the mobile mPOS market  | 10-1  |  |  |  |  |  |
| rsp143IIU ECO  | 150mm/sec. dedicated ECO Printer with ECO Pov  | wer & Paper Saving and Marketing Tools including couponing   | 12-1  |  |  |  |  |  |
| VEW TSP143III Series   | 250mm/sec. 80mm receipt printers with ECO feat   | ures & internal power supply – NEW Wireless LAN & Bluetooth versions   | 12-1  |  |  |  |  |  |
| VEW TSP654II Series  | 300mm/sec., 80mm receipt printers with NEW TS  | P654II AirPrint™ & TSP654II HI X dual interface & CloudPRNT versions   | 14-1  |  |  |  |  |  |
| SP743II & TSP847II   | Multi-functional 80mm & 112mm wide receipt, lab  | el & ticket printers - NEW Bluetooth & CloudPRNT versions  | 18-1  |  |  |  |  |  |
| VP10 Series  | Front operating, under counter, multi-functional 80  | Omm wide receipt, label & ticket printers – NEW Bluetooth & CloudPRNT version  | s 1   |  |  |  |  |  |
| SP1000 Lottery   | Versatile low cost 80mm thermal printer with receipt/30 x ticket stacker & 18cm paper roll capacity  |  |   |  |  |  |  |  |
| <b>Direct Thermal F</b>  | Receipt, Label & Ticket  | MOBILE printers  |   |  |  |  |  |  |
|  | Classic Bluetooth/BLE 4.0 – Low cost, 2" (58mm   | MOBILE printers  n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger   | 21-2  |  |  |  |  |  |
| VEW SM-L200  | Classic Bluetooth/BLE 4.0 – Low cost, 2" (58mm<br>Bluetooth 4 devices including Apple iOS, Android,  | n) mobile receipt & label printer with simple, no pin required connection with   |   |  |  |  |  |  |
| NEW SM-L200<br>NEW SM-L300   | Classic Bluetooth/BLE 4.0 – Low cost, 2" (58mm<br>Bluetooth 4 devices including Apple iOS, Android,<br>Classic Bluetooth/BLE 4.0 – 3" (80mm) mobile r<br>drop-in print & charge cradle option  | n) mobile receipt & label printer with simple, no pin required connection with<br>Linux & Windows with Desktop, Drop-in Cradle Charger   | 21-2  |  |  |  |  |  |
| NEW SM-L200<br>NEW SM-L300<br>NEW SM-S230i   | Classic Bluetooth/BLE 4.0 – Low cost, 2" (58mm<br>Bluetooth 4 devices including Apple iOS, Android,<br>Classic Bluetooth/BLE 4.0 – 3" (80mm) mobile red<br>drop-in print & charge cradle option<br>Bluetooth – Super compact 2" (58mm) mobile red<br>Linux & Windows   | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger eceipt & traditional / MAXStick re-position label printer with desktop,  | 21-2  |  |  |  |  |  |
| NEW SM-L200 NEW SM-L300 NEW SM-S230i SM-S220i  | Classic Bluetooth/BLE 4.0 – Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth/BLE 4.0 – 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth – Super compact 2" (58mm) mobile red Linux & Windows  Bluetooth – Counter top mobile 2" (58mm), Apple  | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger eceipt & traditional / MAXStick re-position label printer with desktop, ceipt printer with OS auto-detect pairing. Apple iOS (MFi certified), Android,   | 21-2<br>21-2<br>21-2  |  |  |  |  |  |
| NEW SM-L200 NEW SM-L300 NEW SM-S230i SM-S220i SM-T300i & SM-T400i  | Classic Bluetooth/BLE 4.0 – Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth/BLE 4.0 – 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth – Super compact 2" (58mm) mobile red Linux & Windows  Bluetooth – Counter top mobile 2" (58mm), Apple  | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger eceipt & traditional / MAXStick re-position label printer with desktop, beipt printer with OS auto-detect pairing. Apple iOS (MFi certified), Android, iOS (MFi certified)/Android/Windows mobile receipt printer stays plash proof, Apple iOS (MFi certified)/Android/Windows printers  | 21-2<br>21-2<br>21-2<br>21-2  |  |  |  |  |  |
| NEW SM-L200 NEW SM-L300 NEW SM-S230i SM-S220i SM-T300i & SM-T400i SM-T300DW  | Classic Bluetooth/BLE 4.0 – Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth/BLE 4.0 – 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth – Super compact 2" (58mm) mobile red Linux & Windows  Bluetooth – Counter top mobile 2" (58mm), Apple Bluetooth – 3" (80mm) & 4" (112mm), rugged, IPS  | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger eceipt & traditional / MAXStick re-position label printer with desktop, ceipt printer with OS auto-detect pairing. Apple iOS (MFi certified), Android, iOS (MFi certified)/Android/Windows mobile receipt printer staysplash proof, Apple iOS (MFi certified)/Android/Windows printers of mobile receipt printer   | 21-2<br>21-2<br>21-2<br>21-2  |  |  |  |  |  |
| NEW SM-L200<br>NEW SM-L300<br>NEW SM-S230i<br>SM-S220i<br>SM-T300i & SM-T400i<br>SM-T300DW   | Classic Bluetooth / BLE 4.0 – Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth / BLE 4.0 – 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth – Super compact 2" (58mm) mobile red Linux & Windows  Bluetooth – Counter top mobile 2" (58mm), Apple Bluetooth – 3" (80mm) & 4" (112mm), rugged, IP5 WiFi – 3" (80mm) rugged, IP54 dust & splash processors.  | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger eceipt & traditional / MAXStick re-position label printer with desktop, ceipt printer with OS auto-detect pairing. Apple iOS (MFi certified), Android, iOS (MFi certified)/Android/Windows mobile receipt printer staysplash proof, Apple iOS (MFi certified)/Android/Windows printers of mobile receipt printer   | 21-2<br>21-2<br>21-2<br>21-2  |  |  |  |  |  |
| NEW SM-L200 NEW SM-L300 NEW SM-S230i SM-S220i SM-T300i & SM-T400i SM-T300DW  Cash Drawers, SCB-2002  | Classic Bluetooth / BLE 4.0 – Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth / BLE 4.0 – 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth – Super compact 2" (58mm) mobile red Linux & Windows  Bluetooth – Counter top mobile 2" (58mm), Apple Bluetooth – 3" (80mm) & 4" (112mm), rugged, IP5 WiFi – 3" (80mm) rugged, IP54 dust & splash processing the compact of the counter of the counte | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger  eceipt & traditional / MAXStick re-position label printer with desktop,  seipt printer with OS auto-detect pairing. Apple iOS (MFi certified), Android,  si OS (MFi certified)/Android/Windows mobile receipt printer  si splash proof, Apple iOS (MFi certified)/Android/Windows printers  of mobile receipt printer   | 21-2<br>21-2<br>21-2<br>21-2<br>21-2  |  |  |  |  |  |
| MEW SM-L200 MEW SM-L300 MEW SM-S230i SM-S220i SM-T300i & SM-T400i SM-T300DW  Cash Drawers, S CB-2002 OK-AirCash  | Classic Bluetooth / BLE 4.0 – Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth / BLE 4.0 – 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth – Super compact 2" (58mm) mobile red Linux & Windows  Bluetooth – Counter top mobile 2" (58mm), Apple Bluetooth – 3" (80mm) & 4" (112mm), rugged, IP5 WiFi – 3" (80mm) rugged, IP54 dust & splash proc Cash drawers available in charcoal grey, TSP143E Unique accessory to "remotely" mobilise any RJ1 Combined 6 or 8 coin holder / 4 note cash drawer   | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger eceipt & traditional / MAXStick re-position label printer with desktop, beipt printer with OS auto-detect pairing. Apple iOS (MFi certified), Android, a iOS (MFi certified)/Android/Windows mobile receipt printer ious splash proof, Apple iOS (MFi certified)/Android/Windows printers if mobile receipt printer ious printer ious plants. Iou ious printer ious plants iou | 21-2<br>21-2<br>21-2<br>21-2<br>21-2  |  |  |  |  |  |
| NEW SM-L200 NEW SM-L300 NEW SM-S230i SM-S220i SM-T300i & SM-T400i SM-T300DW  Cash Drawers, SCB-2002 DK-AirCash NEW mPOP  | Classic Bluetooth / BLE 4.0 – Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth / BLE 4.0 – 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth – Super compact 2" (58mm) mobile red Linux & Windows  Bluetooth – Counter top mobile 2" (58mm), Apple Bluetooth – 3" (80mm) & 4" (112mm), rugged, IP5 WiFi – 3" (80mm) rugged, IP54 dust & splash proc Cash drawers available in charcoal grey, TSP143E Unique accessory to "remotely" mobilise any RJ1 Combined 6 or 8 coin holder / 4 note cash drawer   | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger  eceipt & traditional / MAXStick re-position label printer with desktop,  seipt printer with OS auto-detect pairing. Apple iOS (MFi certified), Android,  e iOS (MFi certified)/Android/Windows mobile receipt printer  64 splash proof, Apple iOS (MFi certified)/Android/Windows printers  of mobile receipt printer  iSplay  CO black, Star white and the NEW Ultra white to match mPOS devices  12 traditional cash drawer – LAN & Bluetooth/LAN versions available  & 58mm printer with Bluetooth connectivity and option to add second PPack 10* Universal Tablet Stand Holder & Plate Options available   | 21-2<br>21-2<br>21-2<br>21-2<br>21-2<br>2<br>10-1                             |  |  |  |  |  |
| VEW SM-L200 VEW SM-L300 VEW SM-S230i SM-S220i SM-T300i & SM-T400i SM-T300DW  Cash Drawers, SCB-2002 DK-AirCash VEW mPOP DS9208   | Classic Bluetooth / BLE 4.0 – Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth / BLE 4.0 – 3" (80mm) mobile recording from print & charge cradle option  Bluetooth – Super compact 2" (58mm) mobile recording & Windows  Bluetooth – Counter top mobile 2" (58mm), Apple Bluetooth – 3" (80mm) & 4" (112mm), rugged, IP5 WiFi – 3" (80mm) rugged, IP54 dust & splash procording from the counter of the counter Decay of the | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger eccipt & traditional / MAXStick re-position label printer with desktop, beipt printer with OS auto-detect pairing. Apple iOS (MFi certified), Android, cioS (MFi certified)/Android/Windows mobile receipt printer cid splash proof, Apple iOS (MFi certified)/Android/Windows printers of mobile receipt printer  isplay co black, Star white and the NEW Ultra white to match mPOS devices 12 traditional cash drawer – LAN & Bluetooth/LAN versions available & 58mm printer with Bluetooth connectivity and option to add second PPack 10" Universal Tablet Stand Holder & Plate Options available er/scanner for purchase only with Star mPOP   | 21-2<br>21-2<br>21-2<br>21-2<br>21-2<br>10-1                                  |  |  |  |  |  |
| NEW SM-L200 NEW SM-L300 NEW SM-S230i SM-S220i SM-T300i & SM-T400i SM-T300DW  Cash Drawers, S CB-2002 OK-AirCash NEW mPOP DS9208 SCD122   | Classic Bluetooth/BLE 4.0 – Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth/BLE 4.0 – 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth – Super compact 2" (58mm) mobile redlinux & Windows  Bluetooth – Counter top mobile 2" (58mm), Apple Bluetooth – 3" (80mm) & 4" (112mm), rugged, IP5  WiFi – 3" (80mm) rugged, IP54 dust & splash production of the country | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger  eceipt & traditional / MAXStick re-position label printer with desktop,  peipt printer with OS auto-detect pairing. Apple iOS (MFi certified), Android,  e iOS (MFi certified)/Android/Windows mobile receipt printer  64 splash proof, Apple iOS (MFi certified)/Android/Windows printers  of mobile receipt printer  iSplay  CO black, Star white and the NEW Ultra white to match mPOS devices  12 traditional cash drawer – LAN & Bluetooth/LAN versions available  & 58mm printer with Bluetooth connectivity and option to add second PPack 10" Universal Tablet Stand Holder & Plate Options available  er/scanner for purchase only with Star mPOP  in stand alone, telescopic pole   | 21-2<br>21-2<br>21-2<br>21-2<br>21-2<br>2<br>10-1<br>10-1                     |  |  |  |  |  |
| NEW SM-L200 NEW SM-L300 NEW SM-S230i SM-S220i SM-T300i & SM-T400i SM-T300DW  Cash Drawers, S CB-2002 OK-AirCash NEW mPOP DS9208 SCD122   | Classic Bluetooth / BLE 4.0 - Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth / BLE 4.0 - 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth - Super compact 2" (58mm) mobile redlinux & Windows  Bluetooth - Counter top mobile 2" (58mm), Apple Bluetooth - 3" (80mm) & 4" (112mm), rugged, IP5 WiFi - 3" (80mm) rugged, IP54 dust & splash productions of the super season of t  | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger  eceipt & traditional / MAXStick re-position label printer with desktop,  peipt printer with OS auto-detect pairing. Apple iOS (MFi certified), Android,  e iOS (MFi certified)/Android/Windows mobile receipt printer  64 splash proof, Apple iOS (MFi certified)/Android/Windows printers  of mobile receipt printer  iSplay  CO black, Star white and the NEW Ultra white to match mPOS devices  12 traditional cash drawer – LAN & Bluetooth/LAN versions available  & 58mm printer with Bluetooth connectivity and option to add second PPack 10" Universal Tablet Stand Holder & Plate Options available  er/scanner for purchase only with Star mPOP  in stand alone, telescopic pole   | 21-2<br>21-2<br>21-2<br>21-2<br>21-2<br>2<br>10-1<br>10-1                     |  |  |  |  |  |
| NEW SM-L200 NEW SM-L300 NEW SM-S230i SM-S220i SM-T300i & SM-T400i SM-T300DW  Cash Drawers, SCB-2002 DK-AirCash NEW mPOP DS9208 SCD122 SCD222   | Classic Bluetooth / BLE 4.0 - Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth / BLE 4.0 - 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth - Super compact 2" (58mm) mobile redlinux & Windows  Bluetooth - Counter top mobile 2" (58mm), Apple Bluetooth - 3" (80mm) & 4" (112mm), rugged, IP5 WiFi - 3" (80mm) rugged, IP54 dust & splash productions of the super season of t  | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger  eceipt & traditional / MAXStick re-position label printer with desktop,  peipt printer with OS auto-detect pairing. Apple iOS (MFi certified), Android,  e iOS (MFi certified)/Android/Windows mobile receipt printer  64 splash proof, Apple iOS (MFi certified)/Android/Windows printers  of mobile receipt printer  iSplay  CO black, Star white and the NEW Ultra white to match mPOS devices  12 traditional cash drawer – LAN & Bluetooth/LAN versions available  & 58mm printer with Bluetooth connectivity and option to add second PPack 10" Universal Tablet Stand Holder & Plate Options available  er/scanner for purchase only with Star mPOP  in stand alone, telescopic pole   | 21-2<br>21-2<br>21-2<br>21-2<br>21-2<br>2<br>10-1<br>10-1                     |  |  |  |  |  |
| NEW SM-L200 NEW SM-L300 NEW SM-S230i SM-S220i SM-T300i & SM-T400i SM-T300DW  Cash Drawers, SCB-2002 DK-AirCash NEW mPOP DS9208 SCD122 SCD222  Dot Matrix Kitch SP298 Slip Series   | Classic Bluetooth / BLE 4.0 – Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth / BLE 4.0 – 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth – Super compact 2" (58mm) mobile red Linux & Windows  Bluetooth – Counter top mobile 2" (58mm), Apple Bluetooth – 3" (80mm) & 4" (112mm), rugged, IP5 WiFi – 3" (80mm) rugged, IP54 dust & splash proc Cash drawers available in charcoal grey, TSP143E Unique accessory to "remotely" mobilise any RJ1 Combined 6 or 8 coin holder/4 note cash drawer cash drawer with SCD222 customer display & PO 2D Hands free/handheld USB presentation image ESC/POS™ compatible USB customer display with For mPOP use only USB 20 line, compact customer   | m) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger eceipt & traditional / MAXStick re-position label printer with desktop, beint printer with OS auto-detect pairing. Apple iOS (MFi certified), Android, and iOS (MFi certified)/Android/Windows mobile receipt printer of a splash proof, Apple iOS (MFi certified)/Android/Windows printers of mobile receipt printer  iSplay  iCO black, Star white and the NEW Ultra white to match mPOS devices 12 traditional cash drawer – LAN & Bluetooth/LAN versions available & 58mm printer with Bluetooth connectivity and option to add second PPack 10" Universal Tablet Stand Holder & Plate Options available ar/scanner for purchase only with Star mPOP in stand alone, telescopic pole are display   | 21-2<br>21-2<br>21-2<br>21-2<br>21-2<br>2<br>10-1<br>10-1<br>2                |  |  |  |  |  |
| NEW SM-L200 NEW SM-L300 NEW SM-S230i SM-S220i SM-T300i & SM-T400i SM-T300DW  Cash Drawers, SCB-2002 DK-AirCash NEW mPOP DS9208 SCD122 SCD122 SCD222  Dot Matrix Kitch SP298 Slip Series HSP7000 Hybrid Series                              | Classic Bluetooth/BLE 4.0 – Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth/BLE 4.0 – 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth – Super compact 2" (58mm) mobile red Linux & Windows  Bluetooth – Counter top mobile 2" (58mm), Apple Bluetooth – Counter top mobile 2" (58mm), Apple Bluetooth – 3" (80mm) & 4" (112mm), rugged, IP5 WiFi – 3" (80mm) rugged, IP54 dust & splash processed by the country of the count | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger eceipt & traditional / MAXStick re-position label printer with desktop, beipt printer with OS auto-detect pairing. Apple iOS (MFi certified), Android, and iOS (MFi certified)/Android/Windows mobile receipt printer iOS splash proof, Apple iOS (MFi certified)/Android/Windows printers iOS plash proof, Apple iOS (MFi certified)/Android/Windows printers iOS (MFi certified)/Android/M | 21-2<br>21-2<br>21-2<br>21-2<br>21-2<br>2<br>10-1<br>10-1<br>2<br>2<br>2      |  |  |  |  |  |
| NEW SM-L200 NEW SM-L300 NEW SM-S230i SM-S220i SM-T300i & SM-T400i SM-T300DW  Cash Drawers, SCB-2002 DK-AirCash NEW mPOP DS9208 SCD122 SCD222  Dot Matrix Kitch SP298 Slip Series HSP7000 Hybrid Series                                     | Classic Bluetooth / BLE 4.0 – Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth / BLE 4.0 – 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth – Super compact 2" (58mm) mobile red Linux & Windows  Bluetooth – Counter top mobile 2" (58mm), Apple Bluetooth – 3" (80mm) & 4" (112mm), rugged, IP5 WiFi – 3" (80mm) rugged, IP54 dust & splash proc Cash drawers available in charcoal grey, TSP143E Unique accessory to "remotely" mobilise any RJ1 Combined 6 or 8 coin holder / 4 note cash drawer cash drawer with SCD222 customer display & PO 2D Hands free / handheld USB presentation image ESC/POS™ compatible USB customer display with For mPOP use only USB 20 line, compact customer Cast 3.1 lps, reliable, cost-effective 9-pin matrix in HIGH SPEED, 203 dpi direct thermal / 9-pin matrix  | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger eceipt & traditional / MAXStick re-position label printer with desktop, beipt printer with OS auto-detect pairing. Apple iOS (MFi certified), Android, and iOS (MFi certified)/Android/Windows mobile receipt printer iOS splash proof, Apple iOS (MFi certified)/Android/Windows printers iOS plash proof, Apple iOS (MFi certified)/Android/Windows printers iOS (MFi certified)/Android/M | 21-2<br>21-2<br>21-2<br>21-2<br>21-2<br>10-1<br>10-1<br>2<br>2<br>2<br>2      |  |  |  |  |  |
| NEW SM-L200 NEW SM-L300 NEW SM-S230i SM-S220i SM-T300i & SM-T400i SM-T300DW  Cash Drawers, SCB-2002 DK-AirCash NEW mPOP DS9208 SCD122 SCD222  Dot Matrix Kitch SP298 Slip Series HSP7000 Hybrid Series SP712 & SP742 Series                | Classic Bluetooth / BLE 4.0 – Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth / BLE 4.0 – 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth – Super compact 2" (58mm) mobile red Linux & Windows  Bluetooth – Counter top mobile 2" (58mm), Apple Bluetooth – 3" (80mm) & 4" (112mm), rugged, IP5 WiFi – 3" (80mm) rugged, IP54 dust & splash proc Cash drawers available in charcoal grey, TSP143E Unique accessory to "remotely" mobilise any RJ1 Combined 6 or 8 coin holder / 4 note cash drawer cash drawer with SCD222 customer display & PO 2D Hands free / handheld USB presentation image ESC/POS™ compatible USB customer display with For mPOP use only USB 20 line, compact customer Cast 3.1 lps, reliable, cost-effective 9-pin matrix in HIGH SPEED, 203 dpi direct thermal / 9-pin matrix  | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger  eceipt & traditional / MAXStick re-position label printer with desktop,  peript printer with OS auto-detect pairing. Apple iOS (MFi certified), Android,  peript printer with OS auto-detect pairing. Apple iOS (MFi certified), Android,  peript printer with OS auto-detect pairing. Apple iOS (MFi certified), Android,  peript printer with OS auto-detect pairing. Apple iOS (MFi certified), Android/Windows printer  peript printer with size printer  peript printers  peript peript printers  peript peript printers  peript  | 21-2<br>21-2<br>21-2<br>21-2<br>21-2<br>10-1<br>10-1<br>2<br>2<br>2<br>2      |  |  |  |  |  |
| NEW SM-L200 NEW SM-L300 NEW SM-S230i SM-S220i SM-T300i & SM-T400i SM-T300DW  Cash Drawers, SCB-2002 DK-AirCash NEW mPOP DS9208 SCD122 SCD222  Dot Matrix Kitch SP298 Slip Series HSP7000 Hybrid Series SP712 & SP742 Series DP8340 Series  | Classic Bluetooth / BLE 4.0 – Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth / BLE 4.0 – 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth – Super compact 2" (58mm) mobile red Linux & Windows  Bluetooth – Counter top mobile 2" (58mm), Apple Bluetooth – 3" (80mm) & 4" (112mm), rugged, IP5 WiFi – 3" (80mm) rugged, IP54 dust & splash proc Cash drawers available in charcoal grey, TSP143E Unique accessory to "remotely" mobilise any RJ1 Combined 6 or 8 coin holder/4 note cash drawer cash drawer with SCD222 customer display & PO 2D Hands free/handheld USB presentation image ESC/POS™ compatible USB customer display with For mPOP use only USB 20 line, compact custom Cash 3.1 lps, reliable, cost-effective 9-pin matrix in HIGH SPEED, 203 dpi direct thermal/9-pin matrix Advanced, high speed red/black Clamshell™ received.  | n) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger  eceipt & traditional / MAXStick re-position label printer with desktop,  peript printer with OS auto-detect pairing. Apple iOS (MFi certified), Android,  peript printer with OS auto-detect pairing. Apple iOS (MFi certified), Android,  peript printer with OS auto-detect pairing. Apple iOS (MFi certified), Android,  peript printer with OS auto-detect pairing. Apple iOS (MFi certified), Android/Windows printer  peript printer with size printer  peript printers  peript peript printers  peript peript printers  peript  | 21-2<br>21-2<br>21-2<br>21-2<br>21-2<br>2<br>10-1<br>10-1<br>2<br>2<br>2<br>2 |  |  |  |  |  |
| NEW SM-L200 NEW SM-L300 NEW SM-S230i SM-S220i SM-T300i & SM-T400i SM-T300DW  Cash Drawers, S CB-2002 DK-AirCash NEW mPOP DS9208 SCD122 SCD222  Dot Matrix Kitch SP298 Slip Series HSP7000 Hybrid Series SP712 & SP742 Series DP8340 Series | Classic Bluetooth/BLE 4.0 – Low cost, 2" (58mm Bluetooth 4 devices including Apple iOS, Android, Classic Bluetooth/BLE 4.0 – 3" (80mm) mobile redrop-in print & charge cradle option  Bluetooth – Super compact 2" (58mm) mobile red Linux & Windows  Bluetooth – Counter top mobile 2" (58mm), Apple Bluetooth – 3" (80mm) & 4" (112mm), rugged, IP5  WiFi – 3" (80mm) rugged, IP54 dust & splash prod  Cash drawers available in charcoal grey, TSP143E  Unique accessory to "remotely" mobilise any RJ1  Combined 6 or 8 coin holder/4 note cash drawer cash drawer with SCD222 customer display & PO  2D Hands free/handheld USB presentation image ESC/POS™ compatible USB customer display with For mPOP use only USB 20 line, compact custom  En & Receipt Printers  Fast 3.1 lps, reliable, cost-effective 9-pin matrix in HIGH SPEED, 203 dpi direct thermal/9-pin matrix Advanced, high speed red/black Clamshell™ receives the speed red/black Clamshell™ receipt.  Embedded Printers   | m) mobile receipt & label printer with simple, no pin required connection with Linux & Windows with Desktop, Drop-in Cradle Charger receipt & traditional / MAXStick re-position label printer with desktop, beingt printer with OS auto-detect pairing. Apple iOS (MFi certified), Android, android, Android/Windows mobile receipt printer r | 21-2<br>21-2<br>21-2<br>21-2<br>21-2<br>21-2<br>2<br>10-1<br>10-1             |  |  |  |  |  |

"The ultimate in POS solutions for the world's leading retailers, hoteliers and restaurateurs."



iOS



Windows

#### On the move...



Star's 2" (58mm), 3" (80mm) and 4" (112mm) mobile printer range is available with Classic Bluetooth, Bluetooth 4.0 and WiFi interfaces (see pages 21-23) including the very latest **SM-L200** and **SM-L300** mobile printers – the only 58mm and 80mm wide Bluetooth 4.0/BLE products on the market able to connect to more than one iOS device at a time without the need for passwords etc.











#### **Developers**

All the information you need to see why Star is the leader in this market sector can be found on pages 34 & 35.

## **Tablet POS**

## Connectivity at all levels

Star believes it is your choice that is important and we have to provide the printer for the Tablet solution you want to use, according to your budgets and in-store/out-of-store needs.

Star is widely acknowledged as the leading hardware innovator in the move from the more expensive traditional POS terminals to Cloud connected Tablet POS featuring lower cost hardware that can be mobile or fixed and easily upgradable as the business grows.

Coupled with Cloud connected software that is flexible, low cost and progressively scalable according to market developments and individual business needs, Tablet POS is being increasingly chosen over traditional POS across retail and hospitality with Star printers, once again, producing the final receipt.

The printers detailed here will work with the Tablets listed – just check that your software is compatible – either contact Star (sales@star-emea.com) or your software provider.

#### Colour - it's your choice!

Ultra White or Black Grey

Today's hardware has to match the tablet of your choice and Star's huge range does just that.

The *Ultra White Range* is specifically designed to complement the latest Apple, Android & Windows Tablet style and make your POS transactions stand out...











#### Choose your preferred make of Tablet...

#### Apple iOS Tablets

Probably the most popular choice of tablet to date for retail and hospitality for many reasons. Apple's stylish design and proprietary operating system has created an environment for a wide choice of Cloud connected POS solutions. Typical printer communication has been achieved via Bluetooth and Ethernet/LAN. However, Star's position as the leading innovator for Tablet POS has resulted in the introduction of 2 UNIQUE targeted iOS solutions; TSP654II AirPrint™ and TSP143III USB, the only printer able to 'connect' and charge via the Apple lightning cable.

#### Star iOS printers for receipting

80mm wide TSP143III Bluetooth, TSP143III LAN, TSP143IIIUSB.

TSP143IIIWLAN, TSP654II AirPrint™, TSP654II

mPOP Combined Printer and Cash Drawer 58mm wide

Star iOS printers for 'heavy' paper ticketing & labels 80mm wide FVP10 Bluetooth, TSP743II Bluetooth

112mm wide TSP847II Bluetooth

Star iOS printers for 2 colour, dot matrix kitchen printing

80mm wide SP742 Bluetooth, SP742 LAN

#### Windows Tablets

A great choice for many as it is the fastest route to mobile from the current in-store operating system. Windows has been traditionally the most successful OS for in-store business to date and provides IT managers with existing infrastructure for remote management etc. Star provides a wide range of drivers for Windows including JavaPOS & OPOS support for your chosen POS application with easy install for Bluetooth, WiFi, Ethernet/LAN and USB use just check your Windows tablet provides additional charging via USB.

#### Star Windows printers for receipting

80mm wide TSP143III Bluetooth, TSP143III LAN, TSP143IIIUSB,

TSP143IIIWLAN, TSP654II Bluetooth

Star Windows printers for 'heavy' paper ticketing & labels

80mm wide FVP10 Bluetooth TSP743II Bluetooth

112mm wide TSP847II Bluetooth

Star Windows printers for 2 colour, dot matrix kitchen printing

80mm wide SP742 Bluetooth, SP742 LAN



#### **Android Tablets**

#### Probably the lowest cost range of tablet solutions available,

however not the most popular to date due to the many variations of Android installations with fewer Android developers creating retail and hospitality cloud based software solutions. Star Bluetooth, WiFi, Ethernet/LAN and USB printers are available just check your Android tablet provides additional charging via USB.

#### Star Android printers for receipting

TSP143III Bluetooth, TSP143III LAN, TSP143IIIUSB, 80mm wide

TSP143IIIWLAN, TSP654II Bluetooth

Star Android printers for 'heavy' paper ticketing & labels

80mm wide FVP10 Bluetooth TSP743II Bluetooth

112mm wide TSP847II Bluetooth

Star Android printers for 2 colour, dot matrix kitchen printing

80mm wide SP742 Bluetooth, SP742 LAN

#### Star Tablet POS Solutions by interface

#### Bluetooth solutions

FVP10

**mPOP** Combined 58mm printer and

cash drawer

250mm/sec., 80mm front

operating, "heavy" paper

printer

TSP143IIIBI 250mm/sec., 80mm receipt printer with internal power

supply

TSP654II BI 300mm/sec., 80mm receipt

printer with external power

ylggus

TSP743II BI 250mm/sec., 80mm Tablet

labelling and "heavy 0.15mm

thick paper" ticketing TSP847II BI

180mm/sec., 112mm Tablet labelling and "heavy 0.15mm

thick paper" ticketing

8.9 lps, 1+2 copy red/black SP742BI matrix kitchen printer

#### **► UNIQUE USB** solution

for traditional and iOS tablet POS market

TSP143IIIU

250mm/sec., 80mm receipt printer with internal power

supply

#### ► Ethernet/LAN solutions

TSP143IIILAN 250mm/sec., 80mm receipt

printer with internal power

supply

TSP654IIE 300mm/sec., 80mm receipt printer with external power

supply

TSP654II HI X 300mm/sec., 80mm WiFi-ready

(use 3rd party dongle), receipt printer with LAN/USB & Cloud

connectivity

**SP742E** 8.9 lps, 1+2 copy, 80mm dot

matrix, kitchen printer with

internal PSU

#### ► CB2002 Cash Drawer with DK-AirCash

accessory for LAN and Bluetooth cash drawer opening

#### ▶ WiFi solutions

TSP143IIIWLAN 250mm/sec., 80mm receipt printer with internal power

TSP654II HI X 300mm/sec., 80mm WiFi-ready (use 3rd party dongle), receipt

printer with LAN/USB & Cloud

connectivity

TSP743II HI X 250mm/sec., 80mm WiFi-ready

(use 3rd party dongle), label & ticket printer with LAN/USB and Cloud connectivity 180mm/sec., 112mm WiFi-

TSP847II HI X ready (use 3rd party dongle), receipt printer with LAN/USB

& Cloud connectivity









## **Bluetooth Desktop**

#### Matrix

#### Hybrid

| Diaoto                                 | Jui Des   | ittop  |  |  |  |   | пурпа   |   |  |
|--|---|--|--|--|--|---|---|---|--|
| STAR                                   | TSP143IIIBI   | TSP654IIBI   | FVP10BI  | TSP743IIBI<br>TSP847IIBI   | mP0P   | SP742BI   | SP298   | SP700<br>Series   | HSP7000  |
| PRINTER<br>SERIES                      | 4   |  |  |  |  |   | THE R. L.   | -   | -  |
| See                                    |   | 1000   | -  |  | Beer   |   | -   | · F   | _  |
| <b>mpop</b> ™<br>pages 10-11           | *   | *  | *  | *  | *  | *   |   | *   | -  |
|  | Pages 12-13   | Page 15  | Page 17  | Pages 18-19  | Pages 10-11  | Page 27   | Page 26   | Page 27   | Page 26  |
|  |   | t Thermal BLUETO ct Thermal Label,   |  |  | Direct Thermal<br>Printer & Cash<br>Drawer   | Dot Matrix<br>Bluetooth   | 9-Pin Hig<br>Bi-Directional                                   | h Quality,<br>mpact Printers  | Matrix/Thermal 2 Station Printer   |
| Description                            | NEW   | Industry first   |  | UNIQUE   | Compact 58mm   |   |   |   |  |
| ENERGY STAR                            | High Speed  "All-in-the-Box"  Bluetooth printer for Android, Apple iOS & Windows  | High Performance, Entry Level iOS Compatible Bluetooth Desktop Printer with Cash Drawer Support  | UNIQUE Under Counter Printer with Front Operation and Voice Tool   | 80mm or<br>112mm<br>Bluetooth<br>Barcode,<br>Label, Ticket<br>& Receipt<br>Printing from<br>the ONE model  | Bluetooth Printer & Cash Drawer – one power cable needed to charge/run tablets/ scanners etc.  | UNIQUE<br>Bluetooth<br>9-pin<br>Red/Black<br>Dot Matrix<br>Printer  | 9-pin<br>Matrix Slip<br>Printers<br>with Letter<br>Descenders | UNIQUE<br>9-pin<br>Red/Black<br>Dot Matrix<br>Printer Series                        | High Speed<br>203 dpi<br>Thermal<br>Receipt &<br>Matrix<br>Cheque/Slip<br>Printer        |
| Max. Print Speed                       | 250mm/sec.  | 300mm/sec.   | 250mm/sec.   | TSP743II:<br>250mm/sec.<br>TSP847II:<br>180mm/sec.   | 100mm/sec.   | 4.7 to 8.9 lps  | 3.1 lps   | 4.0 to 8.9 lps  | 250mm/sec.<br>up to 8.9 lps  |
| Resolution                             | 203 dpi   | 203 dpi  | 203 dpi, 406 x<br>203 dpi selectable   | 203 dpi, 406 x<br>203 dpi selectable   | 203 dpi  | 7 x 9 half dot  | 7 x 9 half dot  | 7 x 9 half dot  | 203 dpi/9-pin  |
| No. of Columns                         | 48/64 col.<br>Depending on<br>Paper Width   | 48/64 col.<br>Depending on<br>Paper Width  | 48/64 col.<br>Depending on<br>Paper Width  | TSP743II:<br>48/64,53/71 col.<br>TSP847II:<br>max. 104 col   | 48 col.  | 42/35 col.  | 42 col.   | 42/35 col.  | Receipt: 48/64 col.<br>Slip: 60 or 45 col.   |
| Autocutter                             | Partial Cut<br>(Guillotine)   | Partial Cut<br>(Guillotine)  | Full or Partial Cut<br>(Guillotine)  | Full or Partial Cut<br>(Guillotine)  | Partial Cut<br>(Guillotine)  | Partial Cut   | Slip Printer  | Tear Bar and Full/<br>Partial (Guillotine)<br>Autocutter.<br>Rewind models          | Partial Cut<br>(Guillotine)  |
| Paper Width                            | 80mm<br>(58mm Using<br>Paper Guide)   | 80mm Standard<br>(58mm Paper Guide)  | 58 – 80mm<br>Fully Adjustable  | TSP743II: 82.5,<br>80 (std), 58mm<br>TSP847II: 112mm   | 58mm   | 76mm default,<br>69.5, 58mm   | up to 182mm   | 76mm default,<br>69.5, 58mm   | Thermal:<br>58, 76, 80mm<br>Matrix:<br>68–230mm  |
| Paper Thickness                        | 0.053 – 0.085mm   | 0.053 – 0.085mm  | 0.065 – 0.15mm   | 0.065 – 0.15mm   | 0.053 – 0.075mm  | 0.065-0.085mm/<br>1+2 copies  | 0.09 - 0.20mm/<br>1+2 copies                                  | 0.06 - 0.085mm/<br>1+2 copies   | Thermal: 0.065 – 0.085mm. Matrix: 0.09 – 0.31mm  |
| Paper Roll<br>Standard Option          | 83mm  | 83mm   | 83mm   | 100mm<br>External Paper Feed   | 50mm   | 85mm  | Slips only  | 85mm  | Thermal: 83mm  |
| Media<br>Presentation                  | User Selectable<br>Paper Delivery<br>Options with<br>Mounting Bracket<br>included   | User Selectable<br>Paper Delivery<br>Options with<br>Mounting Bracket<br>included  | Front Output<br>Delivery with<br>Flat Shelf Mount<br>Bracket Option  | User Selectable Paper Delivery Options with Mounting Bracket included & Optional Paper Exit Guide  | Horizontal mode<br>with front receipt<br>delivery  | Vertical or<br>Horizontal mode  | Horizontal mode   | Vertical or<br>Horizontal mode  | Horizontal model<br>Top Receipt/front<br>Slip delivery                                   |
| Print Width                            | 50.8mm (58mm Paper)<br>72mm (80mm Paper)  | 50.8mm (58mm Paper)<br>72mm (80mm Paper)   | 72mm   | TSP743II: 80mm<br>TSP847II: 104mm  | 54 or 48mm   | 63/50/45mm  | 63mm  | 63/60/45mm  | Thermal: 72mm<br>Slip: 85.4mm max.   |
| Sensors                                | Paper End,<br>Cover Open  | Paper End,<br>Cover Open,<br>Near End Horizontal<br>& Vertical   | Black Mark,<br>Paper End,<br>Cover Open,<br>Near End   | Black Mark, Paper<br>End, Cover Open,<br>Near End Horizontal<br>& Vertical   | Paper End,<br>Cover Open   | Paper End<br>(Near End option)  | Auto Side<br>Loading  | Paper End<br>(Near End option)  | Paper End,<br>Near End option,<br>Auto Side Loading &<br>Cheque validation               |
| Interface                              | Bluetooth (2.1),<br>iOS (MFi)   | Bluetooth (2.1),<br>iOS (MFi)  | Bluetooth (2.1),<br>iOS (MFi)  | Bluetooth (2.1),<br>iOS (MFi)  | Bluetooth (2.1), iOS<br>(MFi). 1 Slave USB,<br>2x0.5A & 2x1.5A<br>Slave Host Ports   | Bluetooth (2.1),<br>iOS (MFi)   | RS232C<br>or Parallel   | RS232C, Parallel,<br>non interface or<br>Bluetooth versions +<br>NEW HI X CloudPRNT | RS232C or Parallel<br>with LAN/USB/<br>Powered USB<br>options                            |
| Power Supply                           | Internal with Power<br>Cable included   | External Option<br>PS60  | External Option<br>PS60  | External Option<br>PS60  | Internal with Power<br>Cable included  | Internal with cable provided  | External Option<br>PS60                                       | Internal with cable provided  | External Option<br>PS60  |
| Power<br>Consumption                   | 46 W Printing<br>3.5 W Standby  | 45.6 W Printing<br>3.6 W Standby   | 37.44 W Printing<br>2.88 W Standby   | TSP743II/TSP847II:<br>43.2W/48W Printing<br>3.6W/2.88W<br>Standby  | 32.34 W Printing<br>25.77 W Standby  | 36 W Printing<br>10.08 W Standby  | 24 W Printing<br>1.68 W Standby                               | 36 W Printing<br>10.08 W Standby  |  |
| Energy Star                            | Energy Star Certified<br>Internal Power<br>Supply (Power Cable<br>included)   | External, Energy<br>Star Qualified<br>PS60 (optional)  | External, Energy<br>Star Qualified<br>PS60 (optional)  | External, Energy<br>Star Qualified<br>PS60 (optional)  | Energy Star<br>Qualified   |   | External, Energy<br>Star Qualified<br>PS60 (optional)         |   | External,<br>Energy Star<br>Qualified PS60<br>(optional)                                 |
| Reliability                            | 60 million lines<br>2 million cuts  | 60 million lines<br>2 million cuts   | 60 million lines<br>2 million cuts   | TSP743II/TSP847II:<br>60/37 million lines<br>2 million cuts  | 18 million lines<br>300,000 cuts   | 22 million lines<br>1 million cuts  | 9 million lines   | 22 million lines<br>1 million cuts  | Thermal:<br>60 million lines<br>Slip: 37 million lines                                   |
| Dimensions<br>(W x D x H) mm<br>Weight | 142 x 204 x 132<br>1.56kg – 1.74kg  | 142 x 203.5 x 132<br>1.60kg  | 144 x 227.7 x 114<br>2.8kg   | TSP743II: 147 x<br>213 x 148 / 1.75kg<br>TSP847II: 180 x<br>213 x 148 / 1.9kg  | 308 x 300 x 100<br>3.5kg   | 160 x 245 x 152<br>3.3kg  | 180 x 190 x 138.5<br>2.1kg                                    | 160 x 245 x 152<br>3.3kg  | 186 x 296 x 177<br>4.6kg   |
| Options                                | In box: Power Cable, Wall Mount Kit, Power Switch Cover, Paper Roll, 58mm Guide Options: • T100/650 Splash Proof Cover • VS T100/650 Display Stand for Vertical Use • Star WebPRNT Browser download | In box: Wall Mount Kit, Power Switch Cover, Paper Roll, 58mm Guide Options: • T100/650 Splash Proof Cover • VS T100/650 Display Stand for Vertical Use • Plug-in Interfaces (see above) • Star WebPRNT Browser download from the App Store & Google Play | MK-FVP10 mounting bracket     Range of plug-in alternative interfaces could replace Bluetooth interface     Star WebPRNT Browser download from the App Store & Google Play | •TSP743II: Wall Mount Bracket in box at purchase •TSP847II: WBT800 Wall Mount option •TSP743II: VS700 Deskboot option •TSP847II: VS800 Deskboot option •Star WebPRNT Browser download from the App Store & Google Play | In box at purchase: Power Cable, 1D scanner with scanner version, Counter Clip, Paper Roll, Tablet Stand POS Software compatible options include: Star 1D or 2D DS9208 scanners, SCD222 Customer Display, iOS 2.4A cable, POPPack Stand, VESA Stand Mount, Under Counter Mount Kit | Buzzer Alarm     Wall Mount Kit     Vertical Kit     Star WebPRNT Browser download from the App Store & Google Play | • PS60<br>Power Supply  | Buzzer Alarm     Wall Mount Kit     Vertical Kit     SP700R Paper Rewind version    | • MICR versions HSP7643: Top position HSP7743: Bottom position HSP7543: Non-MICR version |

## Direct Thermal Kiosk, Tablet POS & Traditional POS Receipt Printers

|  |   | -  |  |   | -  |
|--|---|--|--|---|--|
|  | TSP143IIU ECO   | TSP143III USB  | TSP143III<br>LAN/Ethernet  | TSP143III<br>Wireless LAN   | TSP143III<br>Bluetooth   |
| STAR<br>PRINTER<br>SERIES                  | · ·   |  |  |   | *  |
|  | Pages 12-13   | Pages 12-13  | Pages 12-13  | Pages 12-13   | Pages 12-13  |
|  | World   | 's Largest Range of Entry-leve   | Receipt Printers with 4 years  | warranty (inc. Print Head & C   | Sutter)  |
| Description                                | All printers availal  | ole in Dark Grey or Ultra White and t  | feature 203 dpi resolution with with   | high reliability (MCBF 60 million lin   | nes/2 million cuts)  |
| ENERGY STAR                                | Entry-Level Dedicated ECO USB Printer with Power & Paper Saving Tools All set-up accessories in box | High Speed USB Receipt Printer with direct "Communicate & Charge" lightning cable connection All set-up accessories in box | High Speed Dedicated Ethernet/LAN Thermal Printer with All set-up accessories in box | High Speed Wireless Printer with WPS or Access point mode All set-up accessories in box | "All-in-the-Box" Thermal Bluetooth Receipt Printer All set-up accessories in box |
| Paper Width                                | 80mm (58mm Using Paper Guide)   | 80mm (58mm Using Paper Guide)  | 80mm (58mm Using Paper Guide)  | 80mm (58mm Using Paper Guide)   | 80mm (58mm Using Paper Guide)  |
| Print Width                                | 72mm (80mm Paper)<br>50.8mm (58mm Paper)  | 72mm (80mm Paper)<br>50.8mm (58mm Paper)   | 72mm (80mm Paper)<br>50.8mm (58mm Paper)   | 72mm (80mm Paper)<br>50.8mm (58mm Paper)  | 72mm (80mm Paper)<br>50.8mm (58mm Paper)   |
| Thickness                                  | 0.053 – 0.085mm   | 0.053 - 0.085mm  | 0.053 – 0.085mm  | 0.053 – 0.085mm   | 0.053 – 0.085mm  |
| Paper Roll Size<br>Outside Diameter        | 83mm  | 83mm   | 83mm   | 83mm  | 83mm   |
| Power Supply                               | Internal with Power Cable included  | Internal with Power Cable included   | Internal with Power Cable included   | Internal with Power Cable included  | Internal with Power Cable included   |
| Print Speed                                | 150mm/second  | 250mm/second   | 250mm/second   | 250mm/second  | 250mm/second   |
| Autocutter                                 | Partial Cut (Guillotine)<br>with 3mm Top Margin   | Partial Cut (Guillotine)   | Partial Cut (Guillotine)   | Partial Cut (Guillotine)  | Partial Cut (Guillotine)   |
| Unique Ethernet/LAN<br>Print on Disconnect |   |  | Standard   | Standard via WLAN   |  |
| Dimensions / Weight<br>(w x d x h mm)      | 142 x 204 x 132<br>1.72kg   | 142 x 204 x 132<br>1.68kg  | 142 x 204 x 132<br>1.68kg  | 142 x 204 x 132<br>1.68kg   | 142 x 204 x 132<br>1.68kg  |

|  | TSP654II  | TSP654II<br>AirPrint™  | TSP654II<br>Bluetooth  | TSP654II<br>HI X<br>CloudPRNT   | TSP743II<br>TSP847II  | TSP743II<br>TSP847II<br>Bluetooth                | TSP743II<br>TSP847II<br>HI X   | FVP10  |
|--|---|--|--|---|---|--|--|--|
| STAR<br>PRINTER<br>SERIES                  | • <del>&lt;</del> ₽ 3   | AlePriot   |  |   |   | *  | ٠٠٠  | -<   |
|  | Pages 14-15   | Page 15  | Page 15  | Page 15   | Pages 18-19   | Pages 18-19                                      | Pages 18-19  | Page 17  |
|  | World's   | Largest Range of E   | ntry-Level Receipt   | Printers  |   |  | l, Receipt & Ticketi   |  |
| Description                                |   |  |  |   | "Easy   | -Install" Kiosk/Ter                              | minal Embedded P   | rinters  |
|  |   | All į  | orinters feature 203 dp  | oi resolution with high   | reliability (MCBF 60 n  | nillion lines/2 million o                        | cuts)  |  |
| Energy STAR                                | High Speed<br>Thermal Receipt<br>Printer LAN, USB,<br>HI X CloudPRNT,<br>Serial, Parallel<br>& no interface<br>versions | World's 1st<br>Apple Certified<br>AirPrint™<br>Receipt Printer<br>All set-up accessories<br>in box | Superfast<br>Thermal<br>Bluetooth<br>Receipt Printer<br>All set-up accessories<br>in box | High Speed Thermal LAN & Remote Cloud Receipt Printer with USB & Ethernet WiFl ready for 3rd party dongle | 80mm or 112mm wide Barcodes, Labels, Tickets<br>all from the ONE printer! Traditional interface,<br>Ethernet, WiFi, Bluetooth & CloudPRNT versions<br>offering the world's only wireless desktop receipt,<br>label & ticket printers.<br>TSP847II: The ALTERNATIVE A4 Laser Printer with<br>90% less running costs than your standard laser |  | UNIQUE<br>under Counter/<br>Front Operating<br>Audio Printer<br>with USB<br>interface &<br>2nd port option |  |
| Paper Width                                | 80mm (58mm Using<br>Paper Guide)  | 80mm (58mm Using<br>Paper Guide)   | 80mm (58mm Using<br>Paper Guide)   | 80mm (58mm Using<br>Paper Guide)  |   | imm, 80mm (default), 58<br>: 112mm Standard (80m |  | 58 – 80mm<br>Fully Adjustable                                |
| Print Width                                | 72mm (80mm Paper)<br>50.8mm (58mm Paper)  | 72mm (80mm Paper)<br>50.8mm (58mm Paper)   | 72mm (80mm Paper)<br>50.8mm (58mm Paper)   | 72mm (80mm Paper)<br>50.8mm (58mm Paper)  | TSP743II: 80mm max.<br>TSP847II: 104mm  | TSP743II: 80mm max.<br>TSP847II: 104mm           | TSP743II: 80mm max.<br>TSP847II: 104mm   | 72mm   |
| Thickness                                  | 0.053 – 0.085mm   | 0.053 - 0.085mm  | 0.053 – 0.085mm  | 0.053 – 0.085mm   | 0.065 – 0.15mm  | 0.065 – 0.15mm                                   | 0.065 – 0.15mm   | 0.065 – 0.15mm   |
| Paper Roll Size<br>Outside Diameter        | 83mm  | 83mm   | 83mm   | 83mm  | 100mm (60% more paper, 0.065mm thick)   | 100mm (60% more<br>paper, 0.065mm thick)         | 100mm (60% more<br>paper, 0.065mm thick)   | 83mm   |
| Power Supply                               | External Option PS60  | External Option PS60   | External Option PS60   | External Option PS60  | External Option PS60  | External Option PS60                             | External Option PS60   | External Option PS60   |
| Print Speed                                | 300mm/second  | 300mm/second   | 300mm/second   | 300mm/second  | TSP743II: 250mm/second TSP847II: 180mm/second   |  | 250mm/second   |  |
| Autocutter                                 | Partial Cut (Guillotine)  | Partial Cut (Guillotine)   | Partial Cut (Guillotine)   | Partial Cut (Guillotine)  | Full or Partial Cut by command (Guillotine)   | Full or Partial Cut by command (Guillotine)      | Full or Partial Cut by command (Guillotine)  | Full or Partial Cut by command (Guillotine)                  |
| Unique Ethernet/LAN<br>Print on Disconnect | Standard with<br>Ethernet LAN<br>IFBD-HE07 model  |  | Standard for<br>Ethernet/WLAN<br>interfaces  | Standard with<br>WiFi 3rd party dongle<br>& Ethernet port   | Standard with<br>Ethernet LAN<br>IFBD-HE07  | Standard for<br>Ethernet/WLAN<br>interfaces      | Standard with<br>Ethernet port   | Standard with Ethernet<br>LAN IFBD-BE07 FVP<br>chassis model |
| Dimensions / Weight<br>(w x d x h mm)      | 142 x 203.5 x 132<br>1.60kg   | 142 x 203.5 x 132<br>1.60kg  | 142 x 203.5 x 132<br>1.60kg  | 142 x 203.5 x 132<br>1.60kg   | TSP743II 147 x 213 x 148 / 1.75kg 144<br>TSP847II 180 x 213 x 148 / 1.9kg   |  |  | 144 x 227.7 x 114<br>2.8kg                                   |

#### **Kiosk/Terminal**

#### Specialist Thermal, Lottery & Ticketing

|   | TUP592<br>TUP542  | TUP992<br>TUP942  | Sanei SK1-21/211/<br>22/31/311/32   | Sanei<br>SK1-41A   | TSP743II<br>TSP847II  |
|---|---|---|---|--|---|
| STAR<br>PRINTER<br>SERIES                                       |   |   | 58 or<br>80mm   | N  | ***   |
|   | Page 31   | Page 31   | Page 30   | Page 30  | Pages 18-19   |
|   | Modular, Open Frame T   |   |   | ermal Ticketing  |   |
|   |   |   | hermal Label, Receipt   | & Ticketing  |   |
| Description   | TUP592 Presenter Version TUP542 No Presenter for labels etc. TUP500 Modules – mech etc.   | TUP992 Presenter Version TUP942 No Presenter for labels etc. TUP900 Modules – mech etc.   | SK1-21/211/<br>SK1-31/311<br>No Presenter<br>SK1-21/211-LP/<br>SK1-31/311-LP<br>Presenter<br>SK1-22/SK1-32<br>Clamshell™  | SK1-41A-L<br>No Presenter<br>SK1-41A-LP with<br>Presenter and<br>Label Support   | Barcodes, Labels,<br>Tickets all from<br>the ONE model!<br>TSP847II:<br>The ALTERNATIVE<br>A4 Laser Printer   |
| Max. Print Speed  | 220mm/sec.  | 150mm/sec.  | 200mm/sec.  | 150mm/sec.   | TSP743II: 250mm/sec.<br>TSP847II: 180mm/sec.  |
| Resolution  | 203 dpi   | 203 dpi   | 203 dpi   | 203 dpi  | 203 dpi,<br>406 x 203 dpi selectable  |
| No. of Columns  | 48/64 or 53/71 col.<br>Depending on Paper<br>Width  | A4 Print Capability on<br>112mm Paper with<br>Auto Scaling Software   | SK1-2x: Max 56 col.<br>SK1-3x: Max 80 col.<br>Depending on Paper Width  | Max 104 col. (8 x 16)<br>Max 69 col. (12 x 24)<br>Depending on Paper Width   | TSP743II: 48/64 or 53/71 col.<br>TSP847II: "Reduced"<br>A4 print capability with<br>Auto Scaling Driver   |
| Autocutter  | Full or Partial (Guillotine)<br>Full only with PR500<br>Presenter & TUP592  | Full or Partial (Guillotine)<br>Full Only with PR900<br>Presenter & TUP992  | Full or Partial (Guillotine)<br>Full Only With Presenter  | Full or Partial (Guillotine)<br>Full Only With Presenter   | Full or Partial Cut (Guillotine)  |
| Paper Width   | 45 – 82.5mm<br>Adjustable   | 80 – 112mm<br>Adjustable  | SK1-21/211/22:<br>54/56mm<br>SK1-31/311/32:<br>58/60/80/83mm  | 80/83/112mm  | TSP743II: 80mm (default),<br>82.5mm, 58mm selectable.<br>TSP847II: 112mm Standard,<br>80mm with Paper Guide option  |
| Paper Thickness   | 0.065 – 0.15mm  | 0.065 – 0.15mm  | 0.059 – 0.15mm<br>0.10mm with presenter   | 0.059 – 0.15mm<br>0.075mm with presenter   | 0.065 – 0.15mm  |
| Paper Roll<br>Standard Option                                   | Standard: 150mm<br>With Option: 254mm   | Standard: 150mm<br>With Option: 254mm   | Standard: 120mm<br>With Option: 200mm   | Standard: 120mm<br>With Option: 200mm  | 100mm   |
| Media<br>Presentation   | Presenter with Document Capture (not for labels). Flashing Paper Exit Guide option  | Presenter with Document Capture (not for labels). Metal or Flashing Paper Exit Guide options  | SK1-21/211/31/311:<br>Presenter with Document<br>Capture (not for labels).<br>Plastic or Flashing Paper<br>Exit Guide options                                       | Presenter with Document Capture (not for labels). Plastic or Flashing Paper Exit Guide options   | User Selectable Paper<br>Delivery Options with<br>Mounting Bracket included<br>(TSP847II option) & Optional<br>Paper Exit Guide   |
| Print Width   | 80mm  | 104mm   | SK1-2x: 54/56mm<br>SK1-3x: 54/56/72/80mm  | 72/80/104mm  | TSP743II: 80mm max.<br>TSP847II: 104mm  |
| Sensors   | Black Mark,<br>Adjustable Paper End,<br>Near End & Paper Low  | Black Mark,<br>Adjustable Paper End,<br>Near End & Paper Low  | Near End,<br>Reflection (PE/BM) & Gap   | Near End,<br>Reflection (PE/BM)<br>& Gap   | Black Mark, Paper End,<br>Cover Open, Near End<br>Horizontal & Vertical   |
| Interface   | Supplied without<br>Interface.<br>Options: 9-pin or<br>25-Pin Serial (IFBD-HN03<br>or IFBD-HD03),<br>Parallel (IFBD-HC03),<br>USB (IFBD-HU05),<br>Ethernet (IFBD-HE07 | Supplied without<br>Interface.<br>Options: 9-pin or<br>25-Pin Serial (IFBD-HN04<br>or IFBD-HD04),<br>Parallel (IFBD-HC04),<br>USB (IFBD-HU06) | Dual Interface —<br>Serial & USB<br>12 volt versions<br>available for<br>solar panel<br>connection etc.   | Dual Interface –<br>Serial & USB<br>12 volt versions<br>available for<br>solar panel<br>connection etc.                                      | Serial, Parallel, USB and Non-interface versions. Plug-in Options: Serial (IFBD-HD03), 9-pin Serial (IFBD-HD03), 9-pin Serial (IH003), Parallel (IH003), Ethernet (IH007), WEDPRNT (IH07X), HIX (HI01X). NEW Bluetooth (Apple IOS, Android, Windows) versions available |
| Unique Ethernet Print<br>on Disconnection<br>Feature            | Standard with<br>IFBD-HE07 option   | Contact Star for more details   |   |  | Standard with<br>IFBD-HE07 Option   |
| Power Supply  | External Option PS60  | External Option PS60  | External Option PS60<br>with CB-SK1-D3 cable  | External Option SA1-3A240<br>Power Lead Now Supplied   | External Option PS60  |
| Power<br>Consumption  | 40.8 W Printing<br>16.8 W Standby   | 40.8 W Printing<br>1.92 W Standby   | 60 W Printing<br>1.68 W Standby   | 60 W Printing<br>1.68 W Standby  | TSP743II: 43.2 W Printing<br>3.6 W Standby<br>TSP847II: 48 W Printing<br>2.88 W Standby   |
| Energy Star   | External, Energy Star<br>Qualified PS60 (optional)  | External, Energy Star<br>Qualified PS60 (optional)  | External, Energy Star<br>Qualified PS60 (optional)<br>+ Qualified SA1-3A240<br>(optional)   | External,<br>SA1-3A240 (optional)  | External, Energy Star<br>Qualified PS60 (optional)  |
| Reliability   | 60 million lines<br>1 million cuts  | 37 million lines<br>1 million cuts  | 60 million lines<br>1.5 million cuts  | 60 million lines<br>1.5 million cuts   | TSP743II: 60 million lines<br>2 million cuts<br>TSP847II: 37 million lines<br>2 million cuts  |
| Dimensions<br>(WxDxH) mm<br>Weight (without<br>interface cover) | Mechanism:<br>135 x 101 x 103<br>Open Frame:<br>160 x 234.1 x 179<br>2.5kg  | Mechanism:<br>176.2 x 101 x 121<br>Open Frame:<br>192 x 249.3 x 179<br>2.84kg   | SK1-21/211: 80mm roll<br>104x129.2x73.6 / 525g<br>SK1-31/311: 83mm roll<br>127x130x74 / 630g<br>SK1-22: 104x140.3x69.7<br>580g<br>SK1-32: 128x174.5x74.2<br>730g    | 80mm roll:<br>160.9 x 143.1 x 76.3<br>102mm roll:<br>160.9 x 151.2 x 82.2<br>120mm roll:<br>160.9 x 159.3 x 88.1<br>without presenter / 885g | TSP743II:<br>147 x 213 x 148 / 1.75kg<br>TSP847II:<br>180 x 213 x 148 / 1.9kg   |
| Document Capture (Anti-litter mode)                             | Document Capture  | Document Capture  | Document Capture  | Document Capture   |   |
| Options   | Interfaces (see above)     Flashing Snout Green     Red LED Paper Exit     Guide     25cm Paper Roll Option   | Interfaces (see above)  Metal Paper Exit Guide Flashing Snout Blue or Green & Red LED Paper Exit Guide Option  25cm Paper Roll Option         | LED Bezel SK1-211/311     LB-SK1     Plastic Bezel BZ-SK1-2 or 1     PS60 PSU+PS60     Connector CB-SK1-D3     20cm Paper Roll     Option HL02     Presenter PR-SK1 | Plastic Bezel BZ-SK1-1 Flashing Snout LB-SK1 PS60 PSU + PS60 Connector CB-SK1-D3   | Buzzer Blue or Green & Red LED Paper Exit Guide Plug-in Interfaces Plug-in WebPRNT Star WebPRNT Browser for Bluetooth model TSP743ll: Splash Proof Cover  |

| TSP1000  | TSP-L10  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
| Page 24  | Page 25  |  |  |  |
| Direct Therma  | ecialist<br>I Printers with<br>ket Stacker   |  |  |  |
| One of the<br>World's most<br>successful<br>Lottery Printers   | High Performance<br>Secure<br>Transaction<br>Printer able to<br>print and stack<br>100 Tickets |  |  |  |
| 180mm/sec.   | 300mm/sec.   |  |  |  |
| 203 dpi  | 203 dpi  |  |  |  |
| 48/64 or 53/71 col.<br>Depending on Paper<br>Width   | 48/64 or 53/71 col.<br>Depending on Paper<br>Width   |  |  |  |
| Full Cut (Guillotine)  | Full Cut (Guillotine)  |  |  |  |
| 45 – 82.5mm<br>Adjustable  | 82.5mm   |  |  |  |
| 0.065 - 0.15mm   | 0.075 – 0.09mm   |  |  |  |
| ▶ 180mm ◀  | ▶ 200mm ◀  |  |  |  |
| 30 Receipt/<br>Ticket Stacker  | 100 Receipt/<br>Ticket Stacker   |  |  |  |
| 80mm   | 80mm   |  |  |  |
| Paper End, Near End<br>& Stacker   | Black Mark,<br>Cover Open, Paper End,<br>Near End (4 position)                                 |  |  |  |
| Serial, Parallel or<br>USB as Standard.<br>Ethernet Options.<br>3rd Party WiFi/<br>Bluetooth Options | High Speed USB 2.0<br>+ USB Host and<br>Ethernet   |  |  |  |
| Standard with<br>IFBD-HE08   |  |  |  |  |
| External Option<br>PS60  | External Option<br>PS60  |  |  |  |
| 48 W Printing<br>2.4 W Standby   | 24 W Printing<br>0.48 W Standby  |  |  |  |
| External, Energy Star<br>Qualified PS60<br>(optional)  | External, Energy Star<br>Qualified PS60<br>(optional)  |  |  |  |
| 60 million lines<br>1 million cuts   | 60 million lines<br>2 million cuts   |  |  |  |
| 161 x 307 x 249<br>3.0kg   | 165 x 343 x 276<br>4.4kg (including<br>scanner)  |  |  |  |
| Three Colour<br>Versions Available:<br>Cherry Red, White<br>or Charcoal Grey                         | • TSPL11 Internal<br>Print Verification<br>Scanner version                                     |  |  |  |

## Mobile/mPOS (Wireless & Bluetooth)

|  | SM-L200   | NEW SM-L300   | SM-S220i  | SM-S230i  | SM-T300DW  | SM-T300i   | SM-T400i   |
|--|---|---|---|---|--|--|--|
|  | Label Support   | Label Support   | OW 02201  | OM 02001  | OM TOODS   | OW 10001   | Label Support  |
| STAR<br>PRINTER<br>SERIES                      | 4.0 8 Bluetooth   | 4.0 3 Bluetooth   | *   | *   | <b>M</b>   | (I)  | Editor GCFF  |
|  | Pages 21-23   | Pages 21-23   | Pages 21-23   | Pages 21-23   | Pages 21-23  | Pages 21-23  | Pages 21-23  |
|  |   |   |   | Direct Thermal Mobile   | •  | l  | l  |
| Description                                    | Compact,<br>2" (58mm)<br>Bluetooth/BLE<br>Mobile Printer<br>for Apple iOS,<br>Android, Linux<br>& Windows   | Compact, 3" (80mm) Bluetooth/BLE Apple iOS & Android Bluetooth Mobile Printer able to print 40-80mm Receipts & Traditional/ Repositionable Liner-free Labels with 43 hour battery | Compact,<br>2" (58mm)<br>Apple iOS"<br>& Android™<br>Bluetooth<br>Mobile Printer  | Compact,<br>2" (58mm)<br>Apple iOS"<br>& Android™<br>Bluetooth<br>Mobile Printer  | Rugged,<br>3" (80mm) Mobile<br>Printer with<br>WiFi compatibility<br>SM-T300DW<br>without MSR<br>SM-T301DW with<br>MSR (Track 1&2) | Rugged, 3" (80mm) Apple iOS & Android Compatible Bluetooth Mobile Printer SM-T300i without MSR SM-T301i with MSR (Track 1&2) | Durable, 4" (112mm) Apple iOS & Android Compatible Bluetooth Mobile Printer SM-T400i without MSR SM-T404i with MSR (Track 1&2) |
| Max. Print Speed                               | 35mm/sec.   | 65mm/sec.   | 80mm/sec.   | 80mm/sec.   | 75mm/sec.  | 75mm/sec.  | 80mm/sec.  |
| Resolution                                     | 203 dpi   | 203 dpi   | 203 dpi   | 203 dpi   | 203 dpi  | 203 dpi  | 203 dpi  |
| Tear Bar /<br>Autocutter                       | Tear Bar  | Tear Bar  | Tear Bar  | Tear Bar  | Tear Bar   | Tear Bar   | Tear Bar   |
| Paper Width                                    | 58mm  | 40 – 80mm adjustable  | 58mm  | 58mm  | 80mm   | 80mm   | 112mm  |
| Paper Thickness                                | 0.053 – 0.12mm  | 0.053 – 0.085mm<br>Labels up to 0.15mm<br>MaxStick up to 0.086mm  | 0.06 – 0.07mm   | 0.06 – 0.07mm   | 0.06 – 0.07mm  | 0.06 – 0.07mm  | 0.06 – 0.07mm  |
| Paper Roll<br>(diameter)                       | 40mm  | 57mm  | 40mm  | 40mm  | 50mm   | 50mm   | 50mm   |
| Media<br>Presentation                          | Desktop Cradle operation,<br>Horizontal Desktop or<br>Vertical Belt Strap   | Desktop Cradle operation,<br>Horizontal Desktop or<br>Vertical Belt Strap   | Horizontal Desktop or<br>Vertical Belt Strap  | Horizontal Desktop or<br>Vertical Belt Strap  | Horizontal Desktop or<br>Vertical Belt/Shoulder<br>Strap   | Horizontal Desktop or<br>Vertical Belt/Shoulder<br>Strap   | Horizontal Desktop or<br>Vertical Belt/Shoulder<br>Strap   |
| Print Width                                    | 48mm  | 32 – 72mm   | 48mm  | 48mm  | 72mm   | 72mm   | 104mm  |
| Sensors  | Paper End, Cover Open,<br>Black Mark  | Paper End, Cover Open,<br>Black Mark,<br>Transmissive Gap   | Paper End, Cover Open,<br>Black Mark  | Paper End, Cover Open,<br>Black Mark  | Paper End, Cover Open,<br>Black Mark   | Paper End, Cover Open,<br>Black Mark   | Paper End, Cover Open,<br>Black Mark   |
| Interface                                      | Bluetooth 3.0/4.0<br>USB charging/<br>communication cable<br>included   | Bluetooth 3.0 / 4.0<br>USB charging /<br>communication cable<br>included  | Bluetooth (2.1),<br>iOS (MFi),<br>RS-232 Serial (cable<br>included)   | Bluetooth (2.1),<br>iOS (MFi),<br>USB communication<br>cable included   | WiFi,<br>RS-232 Serial (cable<br>included)   | Bluetooth (2.1),<br>iOS (MFi),<br>RS-232 Serial (cable<br>included)  | Bluetooth (2.1),<br>iOS (MFi),<br>RS-232 Serial (cable<br>included)  |
| Emulation                                      | StarPRNT  | StarPRNT  | StarPRNT & ESC/POS™   | StarPRNT & ESC/POS™   | ESC/POS™   | StarPRNT & ESC/POS™  | StarPRNT & ESC/POS™  |
| Drop Test                                      | 1.2m  | 1.2m  | 1.2m  | 1.5m  | 1.5m<br>(MSR Model: 1.2m)  | 1.5m<br>(MSR Model: 1.2m)  | 1.5m<br>(MSR Model: 1.2m)  |
| Power Supply                                   | Desktop Cradle or USB charging/communication cable included   | Desktop Cradle or USB charging/communication cable included   | AC Charger &<br>Battery Pack included   | AC Charger &<br>Battery Pack included   | AC Charger &<br>Battery Pack included  | AC Charger &<br>Battery Pack included  | AC Charger &<br>Battery Pack included  |
| Power/<br>Battery Life                         | 3.7V rechargeable<br>battery offering 13 hours<br>printing at 5 minute<br>printing intervals  | 7.4V rechargeable<br>battery offering 43 hours<br>printing at 5 minute<br>printing intervals  | 7.4V rechargeable<br>battery offering 8 hours<br>printing at 5 minute<br>printing intervals   | 7.4V rechargeable<br>battery offering 13 hours<br>printing at 5 minute<br>printing intervals  | 7.4V rechargeable<br>battery offering 11 hours<br>printing at 5 minute<br>printing intervals                                       | 7.4V rechargeable<br>battery offering 13 hours<br>printing at 5 minute<br>printing intervals                                 | 7.4V rechargeable<br>battery offering 24 hours<br>printing at 5 minute<br>printing intervals                                   |
| Reliability                                    | 37 million lines<br>50km  | 37 million lines<br>50km  | 37 million lines<br>50km  | 37 million lines<br>50km  | 37 million lines<br>50km   | 37 million lines<br>50km   | 37 million lines<br>50km   |
| Dimensions<br>(W x D x H) mm<br>Weight         | 83 x 122.5 x 44<br>220g (including battery)   | 119 x 146 x 69<br>540g (including battery)  | 81 x 139 x 46<br>288g (including battery)   | 80 x 114 x 44<br>217g (including battery)   | 120 x 132.2 x 58.3<br>442g (including battery)   | 120 x 130.5 x 58.3<br>120 x 132.2 x 58.3<br>(with MSR)<br>442g (including battery)   | 150.9 x 136.6 x 63.3<br>150.9 x 143.2 x 63.3 (with<br>MSR)<br>735g (including battery)   |
| Included in box<br>with printer at<br>purchase | Battery Pack     Sample Paper Roll     Belt Clip     Safety Instruction     Sheet     USB Cable   | Battery Pack Sample Paper Roll Belt Clip Safety Instruction Sheet USB Cable   | Battery Pack Sample Paper Roll Belt Clip Serial Cable Battery Charger Safety Instruction Sheet  | Battery Pack Sample Paper Roll Belt Clip USB Cable Battery Charger Safety Instruction Sheet   | Battery Pack Sample Paper Roll Bett Clip Serial Cable Battery Charger Safety Instruction Sheet                                     | Battery Pack Sample Paper Roll Bett Clip Serial Cable Battery Charger Safety Instruction Sheet                               | Battery Pack Sample Paper Roll Bett Clip Serial Cable Battery Charger Safety Instruction Sheet                                 |
| Options  | Desktop Cradle     Charger     In-vehicle Mount     Bracket     Extra Battery Pack     Star WebPRNT Browser App download from the App Store &     Google Play | Desktop Cradle     Charger     In-vehicle Mount     Bracket     Extra Battery Pack     Star WebPRNT     Browser App download     from the App Store &     Google Play             | 4 Unit Battery Charger     Single Battery Charger     Extra Battery Pack     Vehicle Charger     Star WebPRNT Browser App download from the App Store & Google Play | 4 Unit Battery Charger     Single Battery Charger     Extra Battery Pack     Vehicle Charger     Star WebPRNT Browser App download from the App Store & Google Play | 4 Unit Battery Charger   | 4 Unit Battery Charger   | 4 Unit Battery Charger   |





THE MOBILE POINT OF PURCHASE SOLUTION

"Compact & Elegant"

## For POS at its most elegant, Star's mPOP meets your business needs.

Outstanding connectivity and design, plus intuitive functionality and simple integration are delivered ready to work with your chosen mobile software and card payment system...welcome to a new era for mPOS.

Advanced mobile devices and app software have opened up new avenues for retailers. At Star Micronics we've developed the world's first conceptually driven, combined point of purchase cash drawer and printer in response to the need for an easily integrated mobile POS system.

mPOP works with all major mobile operating systems including Apple iOS, Android and Windows, giving retailers the freedom to use the platform that works for them.



**S** Windows





#### ► SIMPLE & Easy-to-use

JUST one power cable is needed to charge multiple devices, operate scanners, as well as run the printer and cash drawer courtesy of the 2 x 1.5A and 2 x 0.5A USB host ports. An optional iOS Y cable option can provide 2.4A for the iPad Pro. The mPOP LCDs will let you know pairing status as well as any issues such as paper out, whilst Apple's auto reconnect feature will automatically re-pair Apple devices.

#### Security

The mPOP can be attached to a counter using the desk clip provided or with a 3rd party Kensington lock cable system. Any tablet stand can be used with the mPOP. However, the tablet stand provided with Star's POPPack option is attached to a heavy, metal plate and provides peace of mind whilst retaining the ability to separate stand and mPOP for transport at end of day, if required.

#### Reliable 100mm/second printer

with intuitive top loading & easy front feed, the printer uses anti-curl direct thermal receipt paper which does not need ribbons or toner and is readily available. The partial cut guillotine automatically cuts the 58mm wide receipt so it won't drop on the floor. Simple paper loading - just push the front printer panel and press the easy release lever to drop in the paper roll and then print.

#### Functional but compact cash drawer

A clean, fast drawer release reveals 6 coin holders capable of taking full bank bags of coins and 4 upright note dividers. There is a low cost 8 coin option if required. Higher value notes can be stored securely under the coin inserts and a software lock provides extra security.

#### Need Software?

www.mPOP.com will put you in touch with the latest Mobile POS, Retail and Hospitality software that suits you and works with Star's mPOP. Offering all the advantages of Mobile POS - lower cost hardware and software that works in the Cloud as well as off-line, giving you access to your business anywhere - again you choose!







# **Options & Accessories**

#### You Choose

"Use your own tablet, smartphone or laptop and payment device"



#### Need a bigger Cash Drawer

If your business grows as quickly as you hope, then you can easily add a 2nd cash drawer under your counter. Just purchase a low cost black or white CB2002 from Star and plug the cash drawer cable into the mPOP's versatile range of ports at the base of the unit. Your software

or your mPOP may be programmed to open this drawer separately or at the same time as your mPOP, giving you a more hidden location for all that extra cash!

#### **MODELS:**

- mPOP White & Silver EU & UK
- mPOP White & Silver with barcode reader/scanner
- mPOP Black & Silver EU & UK
- mPOP Black & Silver with barcode reader/scanner



Device stand

#### In the box at purchase:

- 58mm Thermal Printer & 6 coin/4 note holder cash drawer
- Printer Security Clip for attaching mPOP to counter
- Simple Tablet Stand to place tablet in upright or lower mode
- 1D Scanner if the scanner version (mPOP with BCR) is

#### **Options available:**

- 1D Scanner BCR-POP1 (black or white check software support)
- 2D Scanner DS9208 (black or white check software support). Free and handheld scanning modes on virtually all types of media from paper label to mobile phone QR code images. Cost-effective 1D & 2D scanner connected to Star's mPOP, reducing adaptor needs
- SCD222 Customer Display for iOS or Android mPOP use, with 2 lines of graphics via blue, back-lit, 160 x 40 pixel display. 141 x 79 x 60mm/210q
- iOS High Powered Y Cable for iPad Pro charging from mPOP. 2.4A using the two existing 1.5A mPOP ports





- 3rd party Kensington lock
- Secure VESA mount base for 3rd party VESA stands
- Paper: Thermal width: 57mm, roll diameter: 50mm, weight: 0.053 -0.075gsm, core size: 12mm
- CB2002 black or white 2nd cash drawer option



## tar POPPack option



#### 10" Secure Universal Tablet Stand & mPOP Plate

Introducing the matching black or white tablet and PED stand solution from Ergonomic Solutions. Transform Star's combined Bluetooth cash drawer and printer into an mPOS station with 180° rotation, eliminating the need for a customer display. Red, yellow, green, blue versions available on special order.



"Giving retailers and restaurateurs powerful and invaluable marketing tools at their disposal that work on top of their current POS software."









Windows

JavaPOS™ ESC/POST

#### TSP100 options:



**CB2002 Cash Drawer** ECO black, Ultra white or standard white version for TSP654II Series **Vertical Desk Stand** Splash Proof Cover

Full specifications on page 7 or www.futurePRNT.com

## TSP100 Series

The TSP100 Series is renowned for setting new standards for both traditional POS and the fast emerging Tablet POS world, due to its combination of world-leading features.

- futurePRNT Software with cost-saving marketing & multi-install tools
- ALL setup accessories in the box: wall mount kit, 58mm guide, Interface & power cable with plug & switch cover
- 4 Year warranty including head & cutter
- Free-of-charge Digital Receipting & online printer estate status tool
- Connectivity at entry-level pricing
- Internal power supply with cable NO "brick on a rope"
- Dark grey & ultra white models to match today's modern tablets with matching cash drawers
- Thin paper capable (0.053mm)
- Energy Star Compliant

#### TSP143IIU ECO •←

#### 150mm/sec. USB Receipt Printer



Offers unique paper and power saving features, set outside of the core POS software. Star's futurePRNT software allows the user to set the auto paper length and width reductions as well as the operator print receipt prompt on just one printer to then roll out to the whole estate. This, plus the 3mm top margin (11-13mm being standard), can reduce paper costs by 70% or more.

#### TSP143IIIU •←

#### 250mm/sec. USB Receipt Printer



A fast traditional USB printer with unique futurePRNT setup, marketing and paper saving software (receipt reduction and on demand receipt popup) as well as being the first POS printer to print and charge directly an iPad or iPhone from USB via the device lightning to USB cable. Zero setup costs literally plug-in & print with only 1 mains cable needed.

#### TSP143III LAN 盎



#### 250mm/sec. LAN/Ethernet Receipt Printer



A fast traditional LAN/Ethernet printer (10/100baseT with virtual serial port) with unique Print-on-Disconnect customer warning feature. Also includes Star's unique futurePRNT setup marketing and paper saving software (which works above the customer's core POS setup) including receipt length and width reduction and operator print receipt prompt.

#### TSP143III WLAN

#### 250mm/sec. Wireless LAN Receipt Printer



Star's wireless LAN receipt printer with an internal power supply is perfect for cable-free environments and can be easily set up using WPS or Access point mode. The unique Print-on-Disconnect customer warning feature is useful for identifying infrastructure network issues on the customer's premises.



#### TSP143III Bluetooth 🔀



#### 250mm/sec. USB Receipt Printer



Widely acknowledged as the new leading Bluetooth printer for Tablet POS following on from the success of Star's TSP654II BI; the TSP143III BI is fast, compact and easy to setup with the Star WebPRNT Browser for direct web printing - available from Google Play or the App Store. The iOS (Apple iPad etc.) AutoConnect feature (after power-on or out of range situation) demonstrates this printer ticks all the Tablet POS boxes.



View and store receipts / coupons on your customer's phones at no charge



Digital Receipt Service

STAR CLOUD SERVICES

The fast, secure and easy route to digital receipting

Star's Digital Receipting Service with AllReceipts Customer App - now included in the printer driver and FREE to retailers and customers with analytics and new coupon/full image notification tools - see page 32 for more information.





STAR PIZZAS

FREE ICE CREAM!

£4.50 £4.25 £14.50 £14.00 £8.00 £8.50

Sub Total: £53.75

STAR PIZZAS

Total: £53.75

# TSP143III

Star's *futurePRNT*™ free-of-charge, value-added software far exceeds installation tools normally provided, enabling users to install high volume, custom setups without even taking the printer out of its box.

#### **Pre-Install Tool saving Time & Money**

All settings are stored on the PC removing the need to pre-configure the printer itself. The unique TSP100 setup utility reduces integration time to minutes as it can simply mirror

individual printer settings to multiple units in different locations, if required. The printer does not have to be taken out of the box for preinstallation. This is all achieved outside of the core POS software, providing endless possibilities.

#### Star futurePRNT software

is supplied in 18 European languages from Croatian to Norwegian.

#### **Receipt Redesign Tools**

- Image Import Tool for any size mono or colour BMPs, JPEGs or GIFs
- ► Receipt Pre-View Tool
- Coupon Marketing Tool & Text Trigger Tool – allow customers to add or use predetermined words to "trigger"

#### Receipt Redesign Tools for all TSP100 models



#### Paper Saving Tools

STAR PIZZAS

Date: 24/12/18 14.46 Your server: Jane

Visa Sale

► Automatic Receipt Reduction

Change the "look' of your receipts without changing

your software!

Sub Total: £53.75

Total: £53.75
\*\*\*\*\*\*\*\*\*\*2112
09/20
5150345
de 034765

£53.75

➤ Receipt Printing on Demand
using the Operator Prompt –
Star's TSP100 Series will do this
for you without changing your core
POS software



determined words to "trigger" coupons and graphics without affecting current software.

Journal and Multi-Copy Tool – provides up to four copies with individual text and

► Auto-Text Reversal™ Tool – for vertical/wall mount use

graphics per copy - perfect for DIY stores, fast food outlets etc.

## TSP100ECO futurePRNT

"TSP100 futurePRNT tools & features could reduce paper consumption by 70% or more."

#### **Paper Saving Tools**

- Unique Partial Cut 3mm Default Top Margin
- ▶ Receipt Auto Reduction automatically reduce the length and width of receipts without changing the customer's original software set-up

#### **Power Management**

Star has designed the TSP100ECO *futurePRNT* to only be activated when attaching the included USB cable to the printer and powered PC/terminal.

Star's power efficient method means the printer will revert with the PC to a very low powered standby mode when not in use, "instantly" waking up when needed, saving costs and power.

#### **Receipt Printing on Demand**

Using its **Operator Prompt** function, the TSP100ECO *futurePRNT* software prompts the retailer as to whether a receipt is required. The receipt can then either be cancelled or printed providing the perfect solution for low cost consumables where receipts are not essential. All cancelled receipts can be saved graphically and be reviewed or reprinted. (*Note:* Not all countries will allow this feature so the software may be modified on a regional basis).

4 Year Warranty on all models within the TSP100 futurePRNT Series including print head and cutter (Europe and South Africa)







"Entry level, ergonomic receipt printer fits seamlessly into the majority of Hospitality and Retail environments."

#### RETAIL

- Retail Couponing
- Point-of-Sale Receipting



#### HOSPITALITY

- Hotel Invoicing
- Table Receipting
- ... and so much more.

#### TSP654II options:











Splash Proof Cover



## TSP654II Series

#### Entry Level, 300mm/second POS Receipt Printer



- Fast single station transaction receipt printer producing receipts and tickets at 300mm/sec.
- High resolution print output 203 dpi with standard and 2D barcode support
- Energy Star Certified including PS60
- Near end sensor for horizontal and vertical use
- Ergonomic design with optional splash proof cover
- Star AutoLogo™ feature to independently add logos and coupons to receipts
- Easy "Drop-In & Print" paper loading
- User friendly, interchangeable plug-in interfaces allow for easy system upgrades
- **NEW** Digital Receipting available (see page 32)

#### Interface versions available:

- TSP654II Non Interface, available in White/Grey & NEW Ultra White models
- TSP654IID Serial, available in White/Grey
- TSP654IIC Parallel, available in White/Grey
- TSP654IIE Ethernet, available in Grey
- TSP654IIU USB, available in Grey
- TSP654IIBI Bluetooth, available in White/Grey
- NEW TSP654II CloudPRNT upgrade with the new HI X Connect interface (IFBD-HI01X) or buy the dual LAN/USB printer with Star CloudPRNT technology version (see page 33)

#### Options available:

PS60 Power Supply, Splash Proof Cover, Vertical Desk Stand

#### Included in Box at purchase:



## TSP654II AirPrint™

The World's 1st Apple Certified AirPrint™ POS printer

Star is proud to announce the launch of the TSP654II AirPrint™, the first and only 80 & 58mm receipt and ticket AirPrint POS printer certified by Apple. AirPrint is an Apple technology providing easy mobile printing solutions for Apple iPad, iPhone, iPod and MacBook users on any private network.

Star's TSP654II AirPrint Solution will provide Ethernet & WiFi use with an Apple WiFi Alliance certified dongle (EDIMAX EW-7811UN) included in the box with EU & UK power supplies.



## TSP654IIBI Bluetooth





#### Market's First, High Performance, Entry Level iOS Compatible Bluetooth Desktop Printer with Cash Drawer Support



- Switches easily from Apple iOS Bluetooth to Android, Windows and Linux
- Out-of-the-box wireless desktop printing solution
- Apple MFi Certified Pairs with iPad, iPhone, iPod Touch as well as all Bluetooth Devices supporting Serial Port Profile (SPP)
- AutoConnect feature will reconnect to the last iOS host after power on or out of range situation
- Compatible with major operating systems including Apple iOS, Android, Windows, Linux handheld devices allowing the user to seamlessly migrate to another operating system, if required
- Demo apps available on Google Play and iTunes stores
- Star WebPRNT Browser for direct web printing from a web page from Google Play or App Store



## TSP654II HI X with CloudPRNT NEW



#### LAN/WiFi remote printing direct from your web server to any printers anywhere in the world



- Out-of-the-box CloudPRNT internet connection through WiFi or LAN with remote document printing from your web server. Perfect for restaurant aggregation,
- WiFi Ready using a compatible, locally sourced USB WiFi dongle matching the customer's preference and budget
- Dual Interface USB/LAN
- Star's previous WebPRNT LAN platform independent HTML/JavaScript printing from the Web included free-ofcharge, along with Star's AllReceipts Digital Receipting
- Peripheral Ready no PC required for peripheral use including barcode scanners with 2 USB host ports









## TSP654SK Re-Stick

#### The variable length alternative to traditional labelling

- The Thermal Post-It<sup>™</sup> note solution for the POS market providing the ideal "Re-Stick" customer labelling solution for Pizzerias, Take-Out, Cafés, Promotional Couponing, Special Fast Food Orders etc.
- Reduced speed version of TSP650 designed to work with self-adhesive media. Contact Star for list of approved suppliers
- Environmentally friendly labelling with an increased percentage of labels available per roll and no wasted backing paper to dispose of



"The TSP654SK Re-Stick printer is designed to work in liner-free labelling applications."

Full specifications on pages 6 & 7 or www.Star-EMEA.com

## Receipts, Labels & Ticketing for Retail























## Liner-Free Labelling from MAXStick™

With a **ReStick/RePositioning** feature according to the "stick" strength you are looking for – perfect for hospitality special orders/deliveries/warehouse or library temporary labelling...you name it!

Available with TSP654SK & SM-L200/300







**Doesn't every printer manufacturer offer this?** If not, why not? The answer is simple. The printer mechanics needed to reliably issue 2 to 3,000 tickets or labels a day is more intricate than for a standard receipt printer. Star's reliable build quality is able to offer both functions.

The other question in today's market is **mobile or desktop labelling?** Well that depends on 3 key factors – do you want to use a countertop printer to produce labels and tickets in a back office or fixed location or move around the store using tablet-based Cloud software. Again Star can **UNIQUELY** help with all environments – Bluetooth and WiFi desktop printers with large paper roll capacities as well as Bluetooth mobile printers that can print labels and tickets on the go as well as from the desktop charging cradle.

#### 'ALL-in-ONE' Desktop Receipt, Ticket, Label Printers

## Bluetooth, WiFi (HI X Interface), Ethernet/LAN & traditional interface solutions



250mm/sec. 80mm front operating, "heavy" paper printer – 8cm paper roll

► FVP10

80mm Tablet labelling and "heavy 0.15mm thick paper" ticketing – 10cm paper roll



# TSP847II BI 112mm Tablet labelling and "heavy 0.15mm thick paper" ticketing – 10cm paper roll



with Operating and Charging Cradles










35mm/sec. 58mm mobile printer with Classic & Bluetooth 4 connectivity to multiple iOS devices – 4cm paper roll – media up to 0.12mm thick

#### ► SM-L300

65mm/sec. 80mm mobile printer Classic & Bluetooth 4 connectivity to multiple iOS devices – 5.7cm paper roll – uses traditional & liner-free MAXStick re-positionable labels

#### ► SM-T300DW

80mm/sec. 80mm WiFi mobile printer - 5cm paper roll



**Integration Tools** for all of the above can be found at **www.starmicronics.com/support** including Woocommerce, Magento & WebPRNT Browser utilities.

## **FVP10** Series



## The World's Only Front Operating, Under-Counter Thermal Receipt and Label Printer

- High quality 203 dpi output combined with speeds of up to 250mm/second
- High reliability (60 million lines MCBF)
- Unique front loading drawer with easy "Drop-In & Print" paper loading
- Tough and durable splash proof casing with IPX1 certification and downward angled paper exit to prevent liquid intake
- Intuitive square design provides space-saving opportunities on and below the counter
- Black mark sensor support for barcodes, receipts, labels & tickets

- 58 80mm fully adjustable paper widths
- Full audio capability with line-out option for external speakers
- NEW Digital Receipting available (see page 32)

#### Interfaces available:

- FVP10U Built-in USB with Parallel, Serial (BD03) & Ethernet (BE07X) options
- Star WebPRNT Printing "Plug-In" interface solution for simple Web printing (IFBD-BE07X)
- **NEW FVP10BI Bluetooth** version for Apple iOS, Android & Windows (MFi certified)

"Multi-Functional undercounter printer, with front operation, offering a new method of user and printer interaction with unique voice communication tool."





Features like Unique Drawer
Paper Loading and "Drop-In &
Print" Easy Load have made
the FVP10 the "Receipt
Printer of Choice" for wellknown Fast Food retailers, as
well as luxury brands –
contact Star for more details.





Full specifications on pages 6 & 7 or www.Star-EMEA.com



"Star's intuitive design allows users to change its interface efficiently, allowing the upgrade of a POS system without the need to upgrade the printer."

#### **RETAIL**

- Point-of-Sale Transactions
- Shelf Edge Labels/Product Labelling

#### HOSPITALITY

- Table-Service
- Kitchen Printing

#### **DELIVERY LOGISTICS**

- Reports
- Parts Lists
- Delivery Receipting
- Product Labelling

#### KIOSK

Remote Printing

#### TRADITIONAL/mPOS TICKETING

- Event Ticketing
- Lottery Printing





Barcodes, labels, receipts and tickets all from one model

## **TSP700II** Series

The World's Only High Speed 80mm wide Barcode, Label, Receipt and Ticket Printers



Combining speed, reliability and ease-of-use, the TSP700II multifunctional 80mm printer produces high resolution graphics and barcodes for tickets, receipts and labels

- Fast single transaction receipt printer capable of producing barcodes, labels and tickets at 250mm/sec
- Large paper roll capacity, diameter 100mm (offering up to 60% more paper than a standard 80mm roll)
- "Drop-In & Print" easy paper loading
- Full or partial cut AutoCutter (centre tab) life
   2 million cuts
- Ergonomic splash resistant design with easy-clean (case) and splash proof cover available
- Double Density (406 x 203 dpi) for high quality graphics, 1D & 2D barcodes etc.
- Compatibility with all major operating platforms with a comprehensive suite of drivers including Microsoft WHQL certification for seamless USB integration

■ NEW Digital Receipting available (see page 32)

#### **Tablet Connectivity options:**

 NEW CloudPRNT "Plug-In" HI01X interface option for remote web printing anywhere (see page 33)



#### Interface versions available:

- TSP743IID Serial Interface
- TSP743IIC Parallel Interface
- TSP743IIU USB Interface
- TSP743II BI Bluetooth
- TSP743II HI X with CloudPRNT (HI01)
- TSP743II Non-interface version for use with low cost Ethernet (HE07)/WebPRNT (HE07X) options

#### TSP700II DRIVER/ADVANCED CONFIGURATION UTILITY

- The "Image List" allows users to name and import multiple file types without having to use an external image editing utility.
   This is particularly useful for single users to prepare an image (size, shade, pixel output) and then test print it to check the final quality
- NV logo allows users to quickly and easily download logos to the printer
- Ability to change Memory Switches in an
- easy-to-use graphical user interface
- The new built-in Ethernet Set-up feature avoids having to download a separate utility
- Auto-Text Reverse for vertical use is available from the Device settings menu in raster mode
- Intuitive simple set-up provides compatibility with all Star single station printers







Accessories included in box with printer at purchase: Driver CD, Wall Mount Kits, Interface & Power Switch Covers

## TSP800II Series

The World's Only High Speed 112mm wide Barcode, Label, Receipt and Ticket Printers



Providing unique versatility and cost effectiveness, the TSP800II series is capable of printing on wider than average media up to 112mm with an automatic A4 raster driver scaling A4 images onto A6

- 180mm/second Barcode, Label, Receipt and Ticket Printer with Autocutter as standard
- Wide 4" (104mm) print width on paper stock up to 0.15mm thick. Paper guide for 80mm paper roll printing
- Internal or External paper feed paths (external for large capacity or fanfold applications)
- "Drop-In & Print" easy paper loading
- Compact footprint with vertical "Desk Boot" and Wall Mount options - ideal for kiosk applications
- ESC/POS™ compatible in Standard and "Super Large" mode
- Automatic scalable raster driver for immediate A4 reduction to A6
- **NEW** Digital Receipting available (see page 32)

#### **Tablet Connectivity options:**

■ NEW CloudPRNT "Plug-In" HI01X interface option for remote web printing anywhere (see page 33)



**NEW TSP847IIBI Bluetooth** grey version now available with unique Auto Connect facility with WebPRNT Browser

#### Interface versions available:

- TSP847IID Serial Interface
- TSP847IIC Parallel Interface
- TSP847IIU USB Interface
- TSP847II BI Bluetooth
- TSP847II HI X with CloudPRNT (HI01)

■ TSP847II Non-Interface version for use with low cost Ethernet/WebPRNT

#### Two in One - POS & A4 Replacement Printer


The TSP800II direct thermal printer can automatically print A4 output on 112mm wide paper simply by selecting the TSP800II scalable raster driver Obvious advantages include:

- Lower running costs TSP800II costs 90.47%\* less to run than a typical laser printer
- Compact printer footprint at only 180 (w) x 213 (d) x 148 (h) mm valuable desk space saved
- Faster to first page out and faster print speed than a typical laser at 180mm/second
- Greener solution less paper wasted due to variable paper length so scaled A4 pages are not used for minimal print, less CO2 output and power used

(\*contact Star for more information on the latest statistics)

#### **AUTOMATIC PAGE SCALING - A4 to A6**

The TSP800II Scalable Raster Driver provides the ability to format a page or screen image in the same way as a standard PC printer and then print that image on 112mm wide paper up to 0.15mm thick.









"The TSP800II offers approximately 90% lower running costs than a typical A4 laser printer offering the perfect printing alternative for end of day reporting, hotel invoicing, etc."



#### RETAIL

- Point-of-Sale Receipting
- End-of-Day Reporting
- Pharmaceutical Prescriptions
- Retail Couponing
- Shelf Edge Labels/Product Labelling
- Gift Certificates

#### HOSPITALITY

- Hotel Invoicing
- Table Receipting

#### **DELIVERY LOGISTICS**

- Delivery Invoicing
- Reports
- Product Labelling 112mm with auto status

#### KIOSK

Remote Printing

#### TRADITIONAL/mPOS TICKETING

- Event Ticketing
- Lottery Printing

... and so much more.

**Customer success:** The printer used by hotels all over the world due to its 90% running cost reduction and CO<sub>2</sub> advantages compared to a laser printer – ask Star for more information.



#### Low cost HI X Connect interface option for **TSP743II & TSP847II**

Star's CloudPRNT and Digital Receipt Service technology will enable remote printing to Star printers anywhere in the world without complicated network configurations.



Full specifications on pages 6 & 7 or www.Star-EMEA.com

# CB-2002 FN Ultra White version now available DK-AirCash Star's unique accessory that mobilises any



Cash Drawer.





#### **DK-USB**

Can also be purchased separately to "power" additional 3rd party dongles including 3G or alternative WiFi devices and can also be used to power/charge other USB devices including tablets.

## **POS** Peripherals

#### **CB2002 Cash Drawer**



Cost-effective, secure cash drawer for tablet and traditional applications. **ECO black**, Star White and **NEW** Ultra white colours to match Star printers and Tablet POS systems.

#### **CB-2002 FN Cash Drawer**

- 4 flat note clips & 8 coin slots
- Driven from printer peripheral drive circuit with compulsion switch
- 3 position key lock with drawer release and large value note slot
- Options: under desk Z brackets, Lockable tray cover, Note holder bracket and divider
- 410 x 415 x 114mm / 7kg



#### **DK-AirCash**

Star's unique accessory that enables users to open the cash drawer via their mobile device.

- Neat compact design 154 w x 75 d x 28 h mm
- Support for traditional operating systems, including iOS, Android, OPOS, Windows etc.
- AutoConnect facility
- Drawer open status retrievable by host
- Check this has been integrated with your software

DK-AirCash SAC10E DK-AirCash SAC10EBi tware Fthernet version

Ethernet & Bluetooth version



#### **SCD122 USB Powered Display**

Fast easy-to-read 2 lines x 20 character display with ESC/POS™ and OPOS™ support.

- Supplied with a choice of support including stand alone base and telescopic pole
- High speed data transfer using USB 2.0 interface
- Clear, fast easy-to-read with wide viewing angle
- ESC/POS<sup>™</sup> emulation (dip switch selectable)
- Cyrillic character support (multiple code pages)
- Blue-green vacuum fluorescent display
- Available in Charcoal grey and Star white



The SCD122 comes with all the support choices in the box, which includes a stand alone base and telescopic pole. There's also a CD-ROM containing the drivers, manuals and utilities.

## **mpop**

## Scanner & Display

#### **DS9208 2D Scanner**

The DS9208 USB presentation imager can scan virtually any barcode on a variety of surfaces, from 1D barcodes on a paper label to 2D on electronic displays on mobile phones, tablets and more.

- Scanner provides superior comfort in both hands-free and handheld scanning modes
- Contemporary design and small footprint can fit into even the most spaceconstrained, design-conscious checkout stands
- Cost-effective scanner for small or large retail use



#### **SCD222 Customer Display**

Star's new mini Customer Display has been designed to specifically work with Star's unique mPOP through the USB port and is available in white or black casing.

- Star SDK ver. 5 or above support is available for iOS/Android software development
- Display features 2 lines of 20 characters or full graphics data via the blue back-lit, 160 x 40 pixel LCD display
- Dimensions: 141 x 79 x 60mm / 210g

## **Mobile** Printers for Your Industry









## mPOS – designed to create the ultimate, flexible mobile experience

From retail transactions to event management and logistics, our mobile printers are fulfilling receipting, ticketing and report applications for customers worldwide from Police speeding tickets in South Africa and the US to train tickets in Egypt and Italy.

#### Why Star? Pioneering innovation at every level!

Once again, Star is introducing new features that the retail market needs for mobile transactions which nobody else can offer. With features and technology that will enhance your customer's buying experience, Star provides a mobile POS solution that is unrivalled today.

#### **Bluetooth 4.0 for iOS**

The only two printers on the planet to feature the latest BLE/4.0 technology are Star's **SM-L200** and **SM-L300**. 4.0 technology simplifies in-store use as pairing is not required and multiple iOS tablets can be used to produce receipts from the one printer, as opposed to the usual Bluetooth pairing rule of one printer to one tablet.

#### Repositionable, liner-free labelling



Retail and hospitality staff can use these labels for semi-permanent or easilyremoved, special order identification. Not only are they environmentally friendly with an

increased percentage of labels available per roll, but also there is no wasted label backing paper to dispose of.

#### Mobile or Desktop Receipting - You can do both!

The desktop cradle option for both SM-L200 and SM-L300 means you can have the best of both worlds – move freely around the store producing high quality receipts or leave the printer in the desktop cradle and print receipts. The cradle charges the printer at the same time. A compact, neat and effective solution.

**USB Charging** avoids the need for large, specialised power chargers which can run from a terminal, plug or cradle option. Star's long-life batteries run printers lasting from 13 to an amazing **43 hours**, printing a receipt every 5 minutes.











#### Star WebPRNT Browser for Star Bluetooth Mobile

Simplifying direct printing from the Web to Star's huge range of low cost ticket/label/kitchen/mobile Bluetooth printers as well as supporting all relevant web technologies. Full screen user interface mode available for OEM/kiosk use. Download from GooglePlay or the App Store.

WebPRNT SDKs including a demonstration page are available from Star's global support site www.starmicronics.com/support

#### Star Digital Receipting now available for Star Mobile printers

Star's latest SDK will allow integrators to deliver *FREE* Digital Receipting via Star's AllReceipts App into their software – see page 8 for more details.



#### 3" SM-T300DW

Rugged, 3" (80mm) Mobile Printer with Wireless compatibility

- High resolution 203 dpi and 75mm/second print speed
- Ultra rugged with IP54 dust/ splash proof certification
- 1.5m drop reliability
- Maximum 11 hour battery life, printing at 5 minute intervals
- SM-T301DW with 1&2 track magnetic stripe reader version



Reseller Tip: Star offers a number of demo apps on iTunes and Google Play which provide instant Star mobile printer functionality.

## Mobile Printers for Industry a

**Today's mobile workforce demands mobile printers** that are light, fast and effective indoors or out; whether you are producing labels for warehousing/logistics purposes or providing an on-site receipt for faster field-service cash flow. Star's extensive range of feature-rich receipt and label printers provide the ideal solution for all your industry's mobile printing needs...



#### 2" SM-S230i

## Bluetooth Super Compact 2" (58mm) Mobile Receipt Printer with Auto Reconnect

- High resolution 203 dpi and 80mm/second print speed
- Super compact & durable design just 114 x 80 x 44mm & weighing 217g (inc. battery) with 1.5m drop test
- Auto detect pairing with Apple iOS (MFi certified), Android, Linux & Windows devices
- Multiple LED status display for easy use
- Maximum 13 hour battery life printing at 5 minute intervals

#### 2" SM-S220i

## 2" (58mm) iOS and Android Bluetooth MFi Mobile Printer with Auto Reconnect

- MFi Certified pairs with iPad<sup>®</sup>, iPhone<sup>®</sup> and iPod Touch<sup>®</sup> as well as Bluetooth devices using SPP with Wired Serial Connection/RS-232
- High resolution 203 dpi and 80mm/second print speed
- Dual Serial Ports providing RS-232 pass through function for possible connection of Pin-Pad, NFC encoder/decoder, etc as required
- LCD display and convenient automatic sleep mode for extended battery life
- Maximum 8 hour battery life, printing at 5 minute intervals





#### 3" SM-T300i

## Rugged, 3" (80mm) iOS & Android Bluetooth MFi Printer with Auto Reconnect

- MFi Certified pairs with iPad<sup>®</sup>, iPhone<sup>®</sup> and iPod Touch<sup>®</sup> as well as Bluetooth devices using SPP with Wired Serial Connection/RS-232
- High resolution 203 dpi and 75mm/second print speed
- Rubberised design with IP54 dust/splash proof certificate
- 1.5m drop reliability
- Maximum 13 hour battery life, printing at 5 minute intervals
- SM-T301i with 1&2 track magnetic stripe reader version

#### 4" SM-T400i with Label Facility

## Durable, 4" (112mm) iOS & Android Bluetooth MFi Mobile Printer with Auto Reconnect

- MFi Certified pairs with iPad<sup>®</sup>, iPhone<sup>®</sup> and iPod Touch<sup>®</sup> as well as Bluetooth devices using SPP with Wired Serial Connection/RS-232
- High resolution 203 dpi and 80mm/second print speed
- Rugged design with IP54 dust/splash proof certificate
- 1.5m drop reliability
- Maximum 24 hour battery life printing at 5 minute intervals
- SM-T404i with 1,2&3 track magnetic stripe reader version



## and Retail

**Star's unique and innovative approach** is demonstrated by its latest SM-L printers offering traditional Classic Bluetooth connectivity as well as Bluetooth 4.0 (Bluetooth Smart/BLE). BLE breaks all the normal "one-to-one" Bluetooth rules and can communicate with multiple iOS devices (no Pin required). Perfect for environments where multiple iOS tablets are needed, but just one printer.

• Please note Android and Windows will only connect via traditional Bluetooth 2/3



#### 58mm SM-L200 Traditional & Liner-Free Label/Receipt Printer

Compact, Bluetooth Classic & Smart, Low Cost 2" (58mm) BT/BLE

- High resolution 203 dpi and 35mm/second print speed
- Super compact design just 122 x 83 x 44mm & weighing 220g with the battery
- Simple, no pin required auto pairing with Bluetooth 4.0 devices including Apple iOS, Android, Linux & Windows
- Bluetooth 4.0 allows the use of multiple iOS tablets as opposed to the traditional one-to-one
- OLED display and 13 hour battery life
- Desk dock cradle charger & in-vehicle mount options



4.0

Bluetooth\*

#### 80mm SM-L300 Traditional & Liner-Free Label/Receipt Printer

Super Compact, Bluetooth Classic & Smart, Low Cost 3" (80mm) BT/BLE

- High resolution 203 dpi and 65mm/second print speed
- Traditional 40 80mm Label support with Black Mark & transmissive sensors
- MAXStick<sup>™</sup> ReStick style, liner-free label support
- Unprecedented 41 hour battery life!
- High contrast OLED Display for improved visibility of printer status
- Unique "flat", decurl paper feature
- Unique micro USB charging 5V desktop cradle charger
- Super compact design just 119 x 146 x 69 mm / 540g
- Simple, no pin required auto pairing with multiple iOS devices



#### Labelling for all Environments...



labelling environments:

- ► Shelf Edge labels
- ▶ Food labelling
- ▶ Logistics
- ▶ Pricing & Barcodes
- Swing Tickets
  - ...you name it!!

#### What size do you need?

4.0

Bluetooth\*

Star's high quality printers offer a variety of print widths - 32mm to 104mm – **BUT DON'T FORGET**, Star's mobile printers can print high quality graphics, text and barcodes in landscape or portrait format, allowing you to print the label length you need or smaller labels in a two label per row format.

For more information about labelling with our mobile printer range, please contact

Star at support@star-emea.com

40/48mm









104mm print width (landscape label/ticket)

# **Bluetooth**








#### SM-L200/SM-L300 options

#### SM-L200/300 5V Desktop Cradle Chargers

- Convenient presentation angle for in-cradle receipt or label printing while charging with printer
- USB charging cable included (charge from existing system or add power adaptor)
- SM-L200: 116 w x 94 d x 80 h mm SM-L300: 135.65 w x 140.78 d





#### LOGISTICS

- Delivery Confirmation
- Reporting & Vehicle Invoicing

#### RETAIL

- Point-of-Sale Receipting
- Stock Checker & Retail Couponing

#### HOSPITALITY Event Ticketing & Table Receipting

#### **Liner-Free Labelling** from MAXStick™

With a ReStick/RePositioning feature according to the "stick" strength you are looking for - perfect for hospitality special orders/deliveries/warehouse or library temporary labelling...you name it!





Full specifications on page 9 or www.Star-EMEA.com

"Star lottery and ticket printers offer the speed, reliability and specialist features needed for any ticketing solution."







#### TICKETING AND LOTTERY

- Lottery ApplicationEvent Ticketing

#### LOGISTICS

Warehouse Picking

#### HOSPITALITY

Kitchen Printing



**Customer success:** Sold to the Lottery Market worldwide, the TSP1000

printed tickets across the US for the world's largest lottery stake in history in 2012.

Full specifications on page 8 or www.Star-EMEA.com

## The World's most successful **Lottery Printers**

From the US to sunny South Africa, Star Micronics has been proudly supplying tens of thousands of printing solutions for the world's largest lottery installations for more than three decades.

The TSP700 was the first printer to be used worldwide, followed by the TSP1000 and now TSP-L10 where all of Star's experience has created a lottery super-printer taking into account the industry's needs!

#### Security addressed at every level

from the 203 x 203 dpi high quality output with 16 levels of grey scale to the 203 dpi internal ticket scanner with 256 grey scan levels for verification and journaling of all output if required.

Customer software can be set up to read the ticket barcode whilst printing so tickets can be immediately voided before print completion, providing confidence for all lottery operators. The Scanner can also analyse and check that the correct paper stock is being used from the large 20cm outside diameter, internal paper roll.



## TSP1000 Series

Versatile Low Cost Thermal Printer with Receipt / Ticket Stacker and 18cm Paper Roll





#### Low cost and highly reliable, the TSP1000 Series offers high capacity ticket and lottery printing

- High speed output up to 180mm per second
- "Drop-In & Print", easy paper load
- Large paper roll capacity (up to 180mm diameter) with adjustable paper low sensor
- Ticket stacker fitted as standard (up to 30 tickets) with fitted sensor for software driven multiple or single print outs
- Multiple paper width (45 82.5mm adjustable)
- Guillotine cutter

■ Variable position, high quality black mark

#### Interface versions available:

- TSP1043D Serial Interface
- TSP1043C Parallel Interface
- TSP1043U USB Interface
- TSP1043 No Interface

## TSP-L10 Series

High Performance Printer for Secure Transactions including Coupon, Lottery & Ticketing with Internal Verification Scanner Option and 100 Ticket Stacker



#### TICKETING/LOTTERY

- Lottery Applications
- High Sale Ticketing

#### RETAIL

- High Volume Point-of-Sale
- Customer Loyalty Couponing

#### WARHOUSE/LOGISTICS

- Product Picking
- Invoicing



The TSP-L10 is the latest Specialist printer to confirm Star's market-leading position within the lottery printer market. Designed for Linux, the specialist features detailed below can all be integrated using an advanced, high security, custom API from Star

- High speed printing performance with high resolution 203 dpi output and 16 shade Greyscale for accurate image printing
- Compact design with easy load 200mm diameter paper roll and ticket stacker for up to 100 printed receipts/tickets
- Internal scanner for real-time ticket verification or complete/partial
- High reliability, print head dot check and cutter damage prevention
- Host terminal barcoding for all types of barcode
- Star graphic mode emulation controlled by custom Star API
- Energy Star certified

TSP-L10 low power consumption mode with dual USB and Ethernet interfaces and USB host

TSP-L11 with internal ticket scanner for verification/journaling

#### Interface versions available:

- TSP-L10UE 24V DC Grey USB/Ethernet without internal Ticket Scanner
- TSP-L11UE 24V DC Grey USB/Ethernet with internal Ticket Scanner



Reseller & Retailer Tip: The TSP-L10's unique 20cm high capacity paper roll allows for longer unattended ticketing and is ideal for high volume lottery sales.

Full specifications on page 8 or www.Star-EMEA.com



#### HOSPITALITY

- Hotel Invoicing
- Restaurant Receipting

#### RETAIL

■ Point-of-Sale

#### **PHARMACY**

Prescription Receipting

Customer Success:
The SP298 is the fastest slip printer on the market, offering 9-pin quality and unique form Autoside Loading™ for many applications worldwide.

SP298 – full specifications on page 6 or www.Star-EMEA.com



#### RETAIL

- Point-of-Sale
- Coupon Redemption
- Cheque Printing

#### HOSPITALITY

- Hotel InvoicingRestaurant Receipting
- TICKETING



HSP7000 – full specifications on page 6 or www.Star-EMEA.com

## SP298 Series

#### The World's Fastest Slip Printer with Unique 9-Pin Printing



Compact, robust and reliable, the SP298 Series with its unique Autoside Loading™ is ideal for printing cut sheet media such as pre-printed company branded multi part receipts or forms

- Rugged bi-directional printer capable of graphics using a highly reliable 9-pin print head
- High reliability with helix head drive 9 million lines MCBF
- Up to 3.1 lines per second with bi-directional cheque mode
- Unique Autoside Loading™ making document loading quick, easy and reliable
- Ribbons: RC200B Black, RC200D Laundry
- Power supply: Star PS60 option (24V)
- Copy Capability: Original + two copies

- Paper Width/Length: up to 182mm/80 to 257mm
- Margin Top/Bottom: 5/14mm Print Width: 63mm
- Dimensions/Weight: 180 (w) x 190 (d) x 138.5 (h) mm / 2.1kg

#### Interface versions available:

- SP298 MD Serial Version
- SP298 MC Parallel Version

## **HSP7000** Series

#### High speed, 203 dpi Thermal / Matrix 2 Station Hybrid Printer



Incorporating a high quality thermal printing mechanism, the HSP7000 Series offers high performance print resolution and superior print speed creating the perfect POS printer for printing cheques and receipts

- High speed 250mm/second thermal receipt printer, combined with high speed 9-pin matrix cheque/validation printer
- "Drop-In & Print", easy paper loading
- High resolution 203 dpi output for fast, superior quality logo/barcode receipt output
- Auto status back for paper loading, sensor reporting etc
- Easy-to-use AutoLogo™ feature to independently add logos and coupons to receipts
- Ribbon: RC-7KB Black
- Power supply: Star PS60 option (24V)
- Dimensions/Weight: 186 (w) x 296 (d) x 177 (h) mm / 4.6kg

#### Models available:

- HSP7543 Hybrid Combination without MICR (Non-Interface & USB versions)
- HSP7643 Hybrid Combination with top position MICR (Non-Interface version)
- HSP7743 Hybrid Combination with bottom position MICR (USB, Serial, Parallel & Non-Interface versions)

#### Interface options:

 Serial HD04, 9-pin Serial HN04, Parallel HC04, USB HU06, LAN HE08 with WiFi Power Pack option

(MICR = Magnetic Ink Character Recognition, used in cheque-reading devices)

## SP700 Series

Advanced, High Speed, Red & Black Printing, Clamshell™ Receipt Printer



#### One of the few matrix printers on the market to offer high speed 2 colour receipt printing

- High speed, 9-pin quality matrix printer up to 8.9 lps
- 76mm default paper width
- "Drop-In & Print", easy paper and ribbon loading
- Splash resistant design with easy-clean curves for robust kitchen/bar use
- Internal power supply with universal cable included at purchase
- Graphic Management/Logo Store Driver
- Star platform agnostic WebPRNT "Plug-in" interface option available (see page 14)
- Wall mount/desk boot option available
- Dimensions: 160 (w) x 245 (d) x 152 (h) mm

#### Models available:

- SP712 Tear Bar Printer
- SP742 Autocutter Printer

- Serial HD04, 9-Pin Serial HN04, Parallel HC04, USB HU06, LAN with optional WiFi Power Pack HE08, WebPRNT HE08X and non-

- SP712R/742R Rewind versions
- **NEW SP742BI Bluetooth** grey version now available with unique Auto Connect facility and Star WebPRNT browser App from GooglePlay or App Store

#### Interface versions available:

- NEW CloudPRNT "Plug-In" HI02X interface option for remote web printing anywhere
- interface version

## **DP8340** Series

Unique 114mm wide report, receipt & data printer available for 12V or 24V usage in mobile, rugged or unattended environments



- Reliable 2 lines per second budget entry level printer with tear bar (MCBF 10 million lines)
- Compact receipt/label/data output solution 202 (w) x 200 (d) x 98 (h) mm (w/o paper holder). Weight approx. 1.9kg
- Reliable
- Black and Red printing
- Separate 230V AC power supply with 12V DC output

In-vehicle power cable & wall mount options

#### Versions available:

- **DP8340FD** Serial Friction, Black/Red
- DP8340FC Parallel Friction, Black/Red
- **DP8340SD** Serial Sprocket, Black/Red
- DP8340SC Parallel Sprocket, Black/Red



#### HOSPITALITY

- Restaurant Receipting
- Hotel Invoicing

#### RETAIL

Point-of-Sale Receipting



Reseller & Retailer Tip: The SP700 Series requires the following ribbons:

#### SP700 Options:

- RC700B Black Ribbon
- RC700D Laundry Ribbon
- RC700BR Red & Black Coloured

SP700 - full specifications on page 6 or www.Star-EMEA.com



#### RECEIPTS

#### RECORDS

- Data logging
- Measuring equipment

#### **MOBILE PRINTING**

12 volt applications

#### LABEL PRINTING Sprocket version



DP8340 Reseller Tip: Ink Ribbons needed include Red/Black

**SF-03BR** (800k Black/400k Red character life) or Black SF-03B

Note: two versions using either 4.5"/114.3mm wide (0.09mm thick) sprocket fanfold or roll paper (outside roll diameter 80mm).

DP8340 - full specifications at www.Star-EMEA.com



## Kiosk Printing Solutions

Known throughout the industry for its high quality range of kiosk printing solutions, retailers, hospitaliers and ticketing companies alike are moving to Star Kiosk Printers. With decades of specialist knowledge, Star is proud to boast the largest range of kiosk printers offering durability, versatility and specialist options designed specifically for the kiosk market.



Star Success
Customers around the world include:
Premier Inn, Sun International, Coop Switzerland, P&O Ferries, Subway, Eurotunnel to name just a few.

#### Star Innovation

- ▶ Remote Firmware Update Capability All of Star's latest thermal printers can be sent firmware updates remotely saving our customers time and money. Contact Support@Star-EMEA.com for more information.
- ➤ Actual Print Verification/Status
  This is another hot topic which Star is happy to solve with their customers' system set-ups. The Star printer solution is able to provide accurate status reports that verify whether a ticket has actually been printed, taken or retracted, giving peace of mind all round.
- ➤ Star Operating Platform Support
  It is well known that Star Micronics
  Drivers are the best in the industry due to
  the consistent investment, expertise and
  relationships developed with industry

giants such as Microsoft, Apple including iOS and the UPOS committee. Not only do Star's sophisticated drivers support industry standards from Windows to Linux and MacOS, but Star is also prepared to supply SDKs and source code for those kiosk builders who prefer to communicate directly with the printer's port thus providing flexibility at all levels.











Flashing paper Exit Guide options now available for TSP700II, TSP800II, TUP500, TUP900 and Sanei printers

#### **The Star Difference**

Star's specialist in-house OEM team has the technical knowledge and experience required to assist customers with every aspect of printer integration from customised printing solutions within restricted timescales to a vast range of

operating platform drivers. Star has successfully installed specialist printing solutions into some of the world's largest kiosk applications including Government Projects, Internet Stations, Endless Aisle, Mobile Phone Top-Up, Browse and Order

Hubs, In-Store Loyalty applications, Parking and Access Control Ticketing, Customer Interaction Points and Information Kiosks.









#### **Star's Secret to Success**

Star's success in the Kiosk market is the result of years of research and development to meet the exacting demands of our customers throughout the world. As a result, we can now offer the world's largest portfolio of encased, open frame modular, thermal and matrix kiosk printing solutions.

Star's open frame printers are the perfect solution for those more sophisticated unattended applications while kiosk builders have a wide choice of encased printers for simpler kiosk design. These

are easier to adapt to meet customer's requirements from a design perspective. Many kiosks are now an extension of the customer's original retail solution and, as such, benefit from the POS printer experience and specialist features included within the Star range.

The same can be said for the majority of UK cinemas today, which benefit from the speed, low cost and easy maintenance of the Star TSP700II encased printer, as do other kiosk customers in Nigeria, Germany, South

Africa, Scandinavia and the US, to name just a few countries serviced by Star Micronics. Any of Star's reliable packaged & open frame kiosk printers can be integrated depending on the application - from 80mm tickets and labels to 112mm wide receipting.

Star's experience with installations around the world is virtually endless and all customers can and should take advantage of the hardware and software support available.

#### Save paper and money with Star's A4 to A6 **Automatic Scaling Tool**

The Automatic A4 to Virtual A6 Scalable Tool developed by Star, allows printers to scale down everything that is displayed on a screen with exacting precision. Whether using a standard 80mm wide paper or 112mm wide paper, the documents created will be printed exactly as they are displayed. This is ideal for printing from any application that is designed only for A4 printers.







"Star Micronics is very happy to introduce Sanei's entry-level, compact, open frame printers which complete the Star range to include printing solutions for limited space enclosures."

#### RETAIL

- Vending Machines
- Cash Machines
- Product Locations

#### HOSPITALITY

- Hotel Check-in
- Event Ticketing

#### **TICKETING**

Car Parks

#### WAREHOUSE/LOGISTICS

- Product Picking
- Logistics

## Sanei SK1 Series


#### Entry-level, Super-Compact, Open Frame Printers

Star Micronics is now stocking Sanei's wide range of 1D and 2D barcode, ticket, receipt and label compact kiosk mechanisms which complete the Star range with printing solutions for limited space enclosures.











#### Models available:

#### SK1-21/211/22 Series 58/60mm

- SK1-21A/211 Printer only
- SK1-21A/211-LQP Printer with presenter
- SK1-22 Clamshell style "Drop-In & Print"
  - SK1-21: 200mm/sec. print speed SK1-211: 250mm/sec. print speed
  - Mechanism dimensions / Weight:
     104 (w) x 129.2 (d) x 73.6 (h) mm / 525g

## **SK1-31/311/32 Series** 54/56/72/80mm

- SK1-31A/311 Printer only
- SK1-31A/311-LQP Printer with presenter
- SK1-32 Clamshell style "Drop-In & Print"
  - SK1-31: 200mm/sec. print speed SK1-311: 250mm/sec. print speed
  - Mechanism dimensions / Weight:
     128 (w) x 174.5 (d) x 74.2 (h) mm / 730g

#### **SK1-41 Series** 80/83/112mm

- SK1-41A-L Printer only with Label support
- SK1-41A-LQP Printer with presenter
  - 150mm/sec. print speed
  - Mechanism dimensions / Weight: 160.9 (w) x 143.1 (d) x 76.3 (h) mm / 885g


#### Options:

LB-SK1: SK1-211/311 LED Bezel (mount bracket needed for LQP presenter version)
BZ-SK-2: Bezel/Snout SK1-21 Series
BZ-SK-1: Bezel/Snout SK1-31 Series
PS60: PSU for SK1-21/SK1-31/SK1-32
CB-SK1-D3: Power Cable required for PS60
SA1-3A240: PSU for SK1-41 Series (power lead not supplied)

**PR-SK1:** Presenter for SK1-21 & SK1-31 **HL02:** Paper Extension Arm SK1-21, SK1-31 **HL03:** Paper Extension Arm SK1-41

- Low profile and ultra lightweight, designed for a wide variety of kiosk systems
- Fast, high quality 203 dpi output at print speeds up to 200mm/second (2" & 3" models) 150mm/second (4" model) with 2D barcode capability
- Versatile operating environment (-20 to +60 degrees)
- Up to 120mm paper roll (outside diameter) as standard with 254mm large paper roll option. SK1-32: 83mm OD Roll only. 12mm core standard with 25.4mm also available on L models with paper thickness from 0.060 to 0.15mm on SK1-21 & SK1-31 models. Up to 0.12mm on SK1-41 models. Note paper weight reduced with presenter use see specs on page 8
- Dual interface USB and serial fixed interfaces as standard
- Auto load and manual "flip top" paper loading with retract/document capture feature and spring loaded paper roll holders to allow the kiosk builder to consider the simpler choice of operating access
- Sanei drivers are not as extensive as Star's range of drivers, so please check the range of drivers available directly from Support@Star-EMEA.com Please note these drivers are not listed on the Star Global Support website

www.StarMicronics.com/support



## **TUP500** Series

## High Speed 220mm/second Kiosk Printing Solution available in Modular or Open Frame Formats

- High speeds of up to 220mm/second (with standard 15cm paper roll) and a default speed of 180mm/second using the optional 25cm paper roll holder
- Adjustable 45 82.5mm paper width functionality with self centring width adjuster
- Barcodes, receipts, tickets, labels (TUP542) etc, all printed on media from 0.065mm to 0.15mm thick for different applications

#### Interface options:


USB HU07, LAN HE07, Serial HD03, Parallel HC03

"High speed and cost effective, the TUP500 is ideal as a fast, reliable receipt or ticket printer for kiosk environments."









TUP500 and TUP900 open frame and mechanism options:

- Paper exit guide/snout with flashing LEDs
- 25cm paper roll holder (15cm standard).
   Max. capacity 18cm when mounted below printer
- PS60 power supply

- Large roll Damper Unit
- All models supplied without interface with optional USB, Ethernet with "print on disconnection" feature (TUP500 only), alongside traditional interface options

## TUP900 Series

## 80-112mm Wide (A4 Replacement) Open Frame / Modular Kiosk Printing Solution

■ 150mm/second high quality thermal barcode, label, receipt, ticket and A4 kiosk printing solution for 80 – 112mm formats up to 0.15mm thick



- A4 to A6 automatic scalable raster driver for reduced, cost-saving A4 to Internet output on 112mm wide paper
- Easy paper loading and multi-position adjustable near end paper sensor with 80cm of cable for use with the high capacity paper roll supply option
- Adjustable horizontal or vertical mounted control panel with extended cable lengths for integration flexibility
- Easy-load simply lift and tilt the mechanism forward and insert the paper for automatic paper loading

#### Interface options:

Serial HD04, Parallel HC04, USB HU08



"Offering cost efficient thermal printing, the TUP900 is designed especially for kiosk or unattended printing applications producing fast and reliable wide format tickets and receipts."

#### Models available:

#### ■ TUP592 & TUP992

Open frame with moveable control panel and paper near end sensors via extended cables

- TUP542 & TUP942
  - Non presenter version for labels
- TUP500DP

Chassis option provides a more compact printer taking up to 25% less space with 10cm diameter paper roll

TUP500DP Mini
 Compact printer with external paper handling

Full specifications on page 8 or www.Star-EMEA.com



RECEIPTING SERVICE uses the Cloud and AllReceipts™ mobile App to bridge the gap between the retailer & shopper."



## **Star Digital Receipt Service** is available on Star counter top thermal receipt & mobile printers.

- TSP100 using futurePRNT driver for Windows
- TSP654II, 743II, 847II, FVP10 Series via Windows StarPRNT Intelligence driver
- mPOS iOS & Android available within the Star SDK for Star Developers for counter top printers as above and Star's mobile printer range.

All drivers available at:

www.starmicronics.com/support Check with Star for latest list of software integrators.



Contact Star for more details at Sales@Star-EMEA.com

Digital Receipt Service star cloud services

## The NEW, FAST & LOW COST ROUTE to DIGITAL RECEIPTING for Retailers

**Star Digital Receipt Service** is FREE-OF-CHARGE, simple to install and works "above" the retailer's software. All you need is a Star printer linked to the internet to send an image of the receipt and coupon to the **AllReceipts App** on your customer's phone – *no email address required!* 



#### Valuable Promotional & Cloud based Reporting Tools

for Retailers have also been included, plus:

- ► NEW Receipt Flip Tool providing the opportunity to upload four colour promotions/ images/terms and conditions to the customer's smartphone as normally available on the reverse side of a receipt except the retailer can now change these images as and when required without cost.
- ► NEW Engage NOW Tool allowing retailers to communicate with customers despite the anonymity advantages. Retailers can link their logo on the AllReceipts App on the customer's smart phone dynamically to their choice of web page for further customer interaction welcome discounts, promotions etc., changeable as and when required.
- ➤ Star's Device Management Tool provides real time status across the installed base of printers including different locations with refreshed error status notification on a comprehensive cloud based dashboard.
- "Instant" Customer Satisfaction Survey which the customer completes while "claiming" the receipt.
- ➤ Increased Coupon Redemption customers will no longer have to remember receipts and will be grateful you have made the coupon so simple to use, including checking redemption dates.
- ► Introducing Star's NEW PromoPRNT & PromoMAKER providing retailers with the tools to create and add promotions to printed receipts without affecting their current POS software set-up using Star's PromoMANAGER to upload & schedule the designed coupons.





#### **PROMO PRNT**

➤ Zero development is needed as all of the above is enabled within the Star printer driver and is triggered by printing a traditional receipt. Working independently of a retailer's existing POS software, it automatically generates and securely sends an image of the receipt, coupon, full colour flip image & Engage Now URL (where relevant) to the cloud until claimed.



Star's Digital Receipt Service is subject to local country legislative requirements and is available in English, Finnish, French, German, Portuguese & Spanish for Europe, South Africa, South & North America.











## Star HI X Printers for 80 and 112mm wide receipting, labelling, ticketing and red/black matrix kitchen printing from the Cloud.

Intelligent printing for modern Cloud retail, logistics and hospitality.

Introducing Star's NEW HI X Printers and Interface upgrade option with Cloud connectivity at every level, including Star's new CloudPRNT technology for remote printing directly from your web server to Star printers anywhere in the world.

Star's traditional POS printer 300mm/second TSP654II receipt printer, SP700 matrix kitchen printer or the 80/112mm label, ticket and receipt printers TSP743II, TSP847II can be bought with, or upgraded, to take the new low cost HI X (IFBD-HI01X/HI02X for SP700) Interface option which is...

- ► WiFi Ready using a compatible, locally sourced USB WiFi dongle matching the customer's preference and budget. Approved dongles can be found at www.star-emea.com/products/hixconnect
- ▶ Dual Interface USB/LAN
- ► CloudPRNT internet connection through WiFi, LAN with remote document printing from your web server. Perfect for restaurant aggregation, warehousing etc.
- Star's previous WebPRNT LAN platform independent HTML/JavaScript printing from the Web with web based applications to local network included free-of-charge (previous HE07/8 versions needed a licence)
- ► Peripheral Ready no PC required peripheral use including scanners & displays with 2 USB host ports

#### ALL AVAILABLE USING...

- ► Star's 300mm/second, Superfast printer or upgrade your TSP654II with traditional interface when you are ready to go to the Cloud. No need to replace the printer just replace the interface at half the cost (available NOW)
- ► Star's Receipt, Label and Ticket printers TSP743II or TSP847II (using up to 0.15mm thick media) can all use the new exciting HI X Interface on 80/112mm wide tickets and labels
- ► Star's Kitchen printer The high-speed, two colour SP700 Matrix

Be Future-Proofed with Star's printers with or without the HI X Connect Interface and be RETAIL CLOUD READY!!

"NEW plug-in CloudPRNT interface enabling multiplatform remote Web printing with Star's Digital Receipting Service & AllReceipts App."



#### LOGISTICS

Web-Based Labelling for Couriers

#### RETAIL

- Queue Busting
- Stock Checker
- Mobile Receipting
- Cloud-Based POS

#### HOSPITALITY

- Cloud-Based Hotel Check-In Applications
- Web-based Ticketing
- Cable Free Kitchen Printing
- and so much more.







Low cost, easy & simple to use! Retailers can install multiple platforms according to system requirements and expect the same outstanding results.

## **Star** Integration & Developer Tools











ESC/POS™





#### We're Here To Help Every Step Of The Way

The Traditional POS and Tablet POS software world is becoming simpler with many developers expecting more complex hardware integration tools to simplify and reduce development costs. Star has risen to this challenge with multiple OS tools for both the traditional and more mobile POS environments.

These are just a few of the 'well-documented' tools available from **www.starmicronics.com/support** and **support@star-emea.com** and we welcome any questions by phone or email. In fact why not use us for a more consultative approach as our experience is hard-earned from helping retailers and integrators of all sizes from around the world.

#### **Star Drivers**

Star offers extensive free-to-download drivers from **www.starsmicronics.com/support** See our connectivity pages 4 & 5 to find out more about our printer compatibility.

#### StarIO & SDKs

Star's outstanding Software Development Support is unrivalled and is the key reason why Star printers have been integrated into such a wide variety of POS Software solutions worldwide.

Star's multi-product API forms part of Star's iOS<sup>™</sup>, Android<sup>™</sup>, Windows<sup>™</sup> and Linux<sup>™</sup> based SDKs which are vital and valued by Software Houses all over the world wanting to take advantage of Star's feature-rich range of products. Each StarlO based SDK package has extensively documented source code and informative explanation manuals.

A demo package is also included to demonstrate how to implement advanced functionality and customise print outs. This, together with the backup of Star's experienced support team, allows simpler integration of platform-specific applications with Star products.



| Web based<br>POS Software  |   |  |  |  |  |  |
|--|---|--|--|--|--|--|
| stor COUDPRNT Hardware Solution Plug-in interface                        | Browser  Available from  Google Play  Perminand on the App Store  |  |  |  |  |  |
| HI X Connect<br>IFBD-HI01X:<br>TSP600II/700II/800II<br>IFBD-HI02X: SP700 | Star WebPRNT Browser All Star Desk/Counter & Bluetooth Models Star Thermal Printers with USB/LAN interfaces                         |  |  |  |  |  |
| TSP654II<br>TSP700II<br>TSP800II<br>SP700                                | Mobile SM-L200/300<br>SM-S220i/230i<br>SM-T300i/DW/400i<br>All Bluetooth Models<br>Star Thermal Printers<br>with USB/LAN interfaces |  |  |  |  |  |

## FREE Star Mobile SDKs including ProxiPRNT Beacon Technology

Star offers helpful SDK applications on Google Play and App Store that enable a variety of customisable samples and functionalities including the ability to change the Bluetooth device name for easy pairing, along with proximity based printing and cash drawer support, for increased mPOS security.

| Name         | Description  | Stores      |
|--------------|--|-------------|
| StarPRNT SDK | Enabling users to test a wide variety of functionality within customisable | App Store   |
|              | samples for Star Cash Drawers, Desktop and Mobile Printers                 | Google Play |











#### www.StarVIP.Club for Star Developers and **Software Houses**

The Star VIP Club for software developers and system integrators offers a range of exclusive benefits including dedicated sales, marketing and technical. Members can also take part in competitions, receive rewards and incentives as well as benefit from a number of additional initiatives. Membership level is allocated based upon pre-determined criteria set out by Star Micronics EMEA. Just sign up at www.StarVIP.Club today!



Star's new CloudPRNT technology allows remote printing directly and securely from your web server to printers anywhere in the world without complicated network

configurations - perfect for restaurant aggregation etc. Just purchase an HI X Printer or upgrade your current Star direct thermal TSP654II, TSP743II, TSP847II or matrix SP700 and YOUR Cloud services will take control.





Star's Digital Receipting Service from Star Cloud Services with the customer AllReceipts App works without integration on Windows 7, 8 & 10 for Star's TSP100, 650, 743II, 847II, FVP10 counter top & mobile printers or by using the new HI X Connect interface (for TSP654II, 743II, 847II) with the Digital Receipting Service automatically integrated for any platform. iOS and Android applications can use Star Cloud Services SDKs available from www.starmicronics.com/support



**Proximity Based Printing & Secure** Cash Management for mPOS

Using BLE beacons integrated with

StarlO Printer and Cash Drawer support API or SDK to provide remote tablet access to Star printers and cash drawers. Once integrated with the Star receipt printer or cash drawer, Star's ProxiPRNT will enable the sales assistant to automatically select and print to the closest printer as well as ensure that a cash drawer can only be opened wirelessly if the sales assistant is standing right next to it.

- Threshold distances can be set as required
- Supports Star & compatible cash drawers fitted with DK-AirCash
- Full Star IO and SDK support



#### StarPRNT SDK

Supports all popular Star product categories in one SDK

Including thermal printers, kitchen printers, portable printers, mPOP, kiosk printers and AllReceipts as well as support for "emulation free" development under Windows, Android & iOS (including Swift & Objective-C support) for Star printers. Star supports both "rich sample codes" for flexible application development and "new API" for easier application development.



Multi-platform Xamarin



WooCommerce remote printing plug-in available





Star offer PassPRNT & WebPRNT technologies for integration by the web developer with Star mobile and desktop printers via Bluetooth, LAN/WLAN or USB printer.

This enables direct printing for iOS and Android clients from a compatible web based application with no native app development required.











Telephone +44 (0) 1494 471111 or visit our websites at:

www.Star-EMEA.com · www.Star-MEast.com · www.Star-POSIndia.com www.Star-Russia.com · www.Star-POSAfrica.com
Global Support: www.StarMicronics.com/support

Fax: +44 (0) 1494 473333 · Email: sales@Star-EMEA.com · Technical Support: support@Star-EMEA.com

All other trademarks, where used, are acknowledged. In accordance with Star's policy of continual product development, Star Micronics Europe Limited reserve the right to change or amend the specification and price of its products from time to time without prior notice.

"Made for iPod", "Made for iPhone" and "Made for iPad" mean that an electronic accessory has been designed to connect specifically to iPod, iPhone and iPad respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. iPod is a trademark of Apple Inc., registered in the U.S. and other countries. iPod touch is a trademark of Apple Inc. iPhone is a trademark of Apple Inc.

2018/UK1

New product information can be found at:

www.futurePRNT.com · www.mPOP.com

